

















開發部
2023.08.04
發行
鈺緯科技開發股份有限公司

JKCR Electronics Co., Ltd.

規 格 書
SPECIFICATION

CUSTOMER NAME	客戶名稱:	鈺緯科技開發股份有限公司
CUSTOMER PARTS NO.	客戶料號:	3FF00215110 (F0289)
DESIGNATION	本廠系列:	2*1 BNC 座
MODEL NO.	本廠型號:	JCB-2X1-A-BNC
DATE	日 期:	2023/5/19

PLEASE CONFIRM OUR SPECIFICATION。 敬請確認規格書之內容。

PLEASE CONFIRM AND RETURN 1 COPY。 請確認後惠返。


APPROVAL STATUS 審批			
◆ APPROVED 接受		◆ FAILED 不接受	
SIGNATURE 簽署		DATE 日期	

開發部 2023.08.04 發行 鈺緯科技開發股份有限公司

新 北 市 中 和 區 中 山 路 二 段 530 號 7 樓
TEL: (02) 8228-2182 FAX: (02) 8228-2186
http://jkcr.com.tw/

* RoHS COMPLIANT *

✳ REVISIONS				
LTR	DESCRIPTION	DATE	REVISED	APPROVED



備註：
1.阻抗： 75 OHM
2.頻率範圍：DC~3G
3.電壓駐波比：1.3MAX
4.電壓額定值：500 VRMS（海平面最大值）
5.電介質耐壓：1500 VRMS（海平面最小值）
6.絕緣電阻：5000 MEGOHMS
7.工作溫度：-55℃ ~ +155℃
8.相對溼度：≦95%（溫度40℃±2℃）

開發部 2023.08.04 發行 鈺緯科技開發股份有限公司

3FF00215110(F0289)

LTR	PART NAME	QTY	MATERIAL	REMARK
5	HOUSING SHELL	1	PBT	Black
4	HOUSING	1	POM	White
3	CONTACT	2	BRASS	Ni Plated
2	CONTACT	2	BRASS	Au Plated
1	SHELL	1	鋅合金	Ni Plated

UNLESS TOLERANCES	
0-5.0	±0.1
5.0-20	±0.2
20-30	±0.3
30-50	±0.4
50 以上	±0.5

DWN	LILY	DATE	2023.03.13	3RD ANGLE PROJECTION	NAME 2*1 BNC座
CHKD	ANDY	DATE	2023.03.13		CAT. NO. JCB-2X1-A-BNC
APVD	JON	DATE	2023.03.13	UNIT: mm	

JKCR Electronics Co., Ltd.

DWN.NO. ZE-2X1-A-BNC 001

iq.ul.com

PROSPECTOR® CLICK TO CONTINUE

View additional material information including performance and processing data

The information presented on the UL Prospector datasheet was acquired by UL Prospector from the producer of the material. UL Prospector makes substantial efforts to assure the accuracy of this data. However, UL Prospector assumes no responsibility for the data values and strongly encourages that upon final material selection, data points are validated with the material supplier.

Component - Plastics E59481

Guide Information

CHANG CHUN PLASTICS CO LTD

No 8 Huaxi Rd, Daliao District, Kaohsiung City 83164 TW

4815

Polybutylene Terephthalate (PBT) "LONGLITE", furnished as pellets

Color	Min. Thk (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str
ALL	3.0-3.2	V-0	1	3	75	75	75

Comparative Tracking Index (CTI): 3

Dielectric Strength (kV/mm): -

High-Voltage Arc Tracking Rate (HVTR): 2

Dimensional Stability (%): -

Inclined Plane Tracking (IPT) kV: -

Volume Resistivity (10^x ohm-cm): -

Surface Resistivity (10^x ohms/square): -

High Volt, Low Current Arc Resis (D495): 7

ANSI/UL 94 small-scale test data does not pertain to building materials, furnishings and related contents. ANSI/UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1987-09-01

Last Revised: 2020-04-09

© 2020 UL LLC

IEC and ISO Test Methods

Test Name	Test Method	Units	Thk (mm)	Value
Flammability	IEC 60695-11-10	Class (color)	3.0-3.2	V-0 (ALL)
Glow-Wire Flammability (GWFI)	IEC 60695-2-12	°C	-	-
Glow-Wire Ignition (GWIT)	IEC 60695-2-13	°C	-	-
IEC Comparative Tracking Index	IEC 60112	Volts (Max)	-	-
IEC Ball Pressure	IEC 60695-10-2	°C	-	-
ISO Heat Deflection (1.80 MPa)	ISO 75-2	°C	-	-
ISO Tensile Strength	ISO 527-2	MPa	-	-
ISO Flexural Strength	ISO 178	MPa	-	-
ISO Tensile Impact	ISO 8256	kJ/m^2	-	-
ISO Izod Impact	ISO 180	kJ/m^2	-	-
ISO Charpy Impact	ISO 179-1	kJ/m^2	-	-

CHANG CHUN PLASTICS CO., LTD.

NO. 301, SONGKIANG ROAD, 7TH FL.,TAIPEI, 10477 TAIWAN
TEL : 886-2-2503-8131 (REF) FAX : 886-2- 2501-8018

PBT 4815

Property (物性)	Value (规格值)	Unit (单位)	Test method (测试方法) ASTM
Glass Fiber Content (玻纤含量)	15 %		CCP
Specific gravity(比重)	1.48 -		D792
Melting point(熔点)	225	℃	DSC
HDT(热变形温度)			
--- 18.6 kg/cm^2	205	℃	D648
--- 4.6 kg/cm^2	220	℃	D648
Moisture absorption (24h)(吸湿率)	0.03	%	D570
Flammability acc. to UL94, 3.2 ㎜ thickness (耐燃性)	V-0 -		UL94
Tensile strength(引张强度)	888 MPa		D638
Tensile elongation(引张伸长率)	3.8	%	
Flexural strength(挠曲强度)	1355	kg/cm^2	D790
Flexural modulus(挠曲模数)	≥50000	MPa	D790
Izod impact strength – notched 1/4" (冲击强度)	6	KJ/m^2	D256
Hardness - rockwell (洛氏硬度)	93 M-Scale		D785
Dielectric strength, 2 ㎜ thickness (绝缘破坏强度)	>20	KV/㎜	D149
Volume resistivity(体积抵抗率)	>10^{15}	Ω-cm	D257
Surface resistivity(表面抵抗率)	>10^{13}	Ω	D257
Dielectric constant((介电常数)	4.5 60Hz		D150
Dielectric dissipation factor(诱电正接)	0.001 60Hz		D150
Arc resistance(电弧抵抗率)	100 SEC		D495

※ 表中测试数据仅作参考用,非制定之规格值.

(1) For reference only.

(2) All data in the table are the typical values of the material and not the minimum values of the material specifications.

測試報告
Test Report

號碼(No.): ETR22C03353　　日期(Date): 22-Dec-2022　　頁數(Page): 1 of 28

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
樣品名稱(Sample Name)	:	POLYBUTYLENE TEREPHTHALATE (PBT)
樣品型號(Style/Item No.)	:	PBT(4108,4108F,4115,4115F,4120,4130,4130F,4140,4615,4620,4630,4730,4810M, 4815,4820,4830,4840,4815G,4820G,4830G,4330G,4315,4315F,4330F,4330R,4130R ,4130E,4830E,4830S,4830F,4815F,V4130,V4815G,V4820G,V4830G,4130RB)

==========

收件日(Sample Receiving Date)	:	15-Dec-2022
測試期間(Testing Period)	:	15-Dec-2022 to 22-Dec-2022

測試需求(Test Requested) :

(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定，測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　論(Conclusion) :

(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

(2) 根據客戶所提供的樣品，多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 2 類「供14歲以下兒童使用的產品」之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 2)「Use by children under 14」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

CHECK REPORT
PIN CODE: 74DEA965

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 黑色塑膠粒 (BLACK PLASTIC PELLETS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)		mg/kg	2	8.32	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
多環芳香烴 (Polycyclic Aromatic Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)	參考AfPS GS 2019:01 PAK，以氣相層析儀/質譜儀分析。(With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	Δ
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	Δ
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	Δ
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	Δ
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	Δ
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)		mg/kg	0.2	n.d.	Δ
䓛 (Chrysene) (CAS No.: 218-01-9)		mg/kg	0.2	n.d.	Δ
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)		mg/kg	0.2	n.d.	Δ
苯駢苝 (Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	Δ
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	Δ
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	Δ
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	Δ

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
苊烯 (Acenaphthylene) (CAS No.: 208-96-8)	參考AfPS GS 2019:01 PAK，以氣相層析儀/質譜儀分析。(With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	-
苊 (Acenaphthene) (CAS No.: 83-32-9)		mg/kg	0.2	n.d.	-
芴 (Fluorene) (CAS No.: 86-73-7)		mg/kg	0.2	n.d.	-
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α- HBCDD, β- HBCDD, γ- HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008，以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
四溴雙酚-A (TBBP-A) (Tetrabromobisphenol A (TBBP-A)) (CAS No.: 79-94-7)	參考RSTS-E&E-121，以液相層析儀/質譜儀分析。(With reference to RSTS-E&E-121, analysis was performed by LC/MS.)	mg/kg	10	n.d.	-
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。(Analysis was performed by Pyrolyzer-GC/MS.)	**	-	Negative	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟丁酸 (PFBA) (Perfluorobutane Acid (PFBA)) (CAS No.: 375-22-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟丁磺酸 (PFBS) (Perfluorobutane Sulfonate (PFBS)) (CAS No.: 375-73-5)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟丁基磺酸鉀 (PFBS-K) (Perfluorobutane Sulfonate K-salt (PFBS-K)) (CAS No.: 29420-49-3)	由全氟丁磺酸測試結果計算得之。 (Calculated from the result of PFBS.)	mg/kg	0.01▲	n.d.	-
全氟丁基磺酸氟 (PFBS-F) (Perfluorobutane sulfonyl fluoride (PFBS-F)) (CAS No.: 375-72-4)	由全氟丁磺酸測試結果計算得之。 (Calculated from the result of PFBS.)	mg/kg	0.01▲	n.d.	-
全氟丁基磺酸四乙基銨 (PFBS-N(CH3CH2)4) (Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH3CH2)4)) (CAS No.: 25628-08-4)	由全氟丁磺酸測試結果計算得之。 (Calculated from the result of PFBS.)	mg/kg	0.01▲	n.d.	-
全氟戊酸 (PFPA) (Perfluoropentane Acid (PFPA)) (CAS No.: 2706-90-3)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟已酸 (PFHxA) (Perfluorohexane Acid (PFHxA)) (CAS No.: 307-24-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟已酸銨 (PFHxA-NH4) (Ammonium perfluorohexanoate (PFHxA-NH4)) (CAS No.: 21615-47-4)	由全氟已酸測試結果計算得之。 (Calculated from the result of PFHxA.)	mg/kg	0.01▲	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟己基碘 (PFHxI) (Perfluorohexyl iodide (PFHxI)) (CAS No.: 355-43-1)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
全氟己基乙烯 (PFHxE) (Perfluorohexyl ethylene (PFHxE)) (CAS No.: 25291-17-2)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1H,1H,2H,2H-全氟辛基碘 (6_2FOI) (1H,1H,2H,2H-Perfluorooctyl iodide (6_2FOI)) (CAS No.: 2043-57-4)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟-1-辛醇 (6:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-octanol (6:2FTOH)) (CAS No.: 647-42-7)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟辛基丙烯酸酯 (6:2 FTA) (1H,1H,2H,2H-Perfluorooctylacrylate (6:2FTA)) (CAS No.: 17527-29-6)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟辛基甲基丙烯酸酯 (6_2 FTMAC) (1H,1H,2H,2H-perfluorooctyl methacrylate (6_2 FTMAC)) (CAS No.: 2144-53-8)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟辛磺酸 (H4PFOS 6:2) (1H,1H,2H,2H-Perfluorooctanesulphonic Acid (H4PFOS 6:2)) (CAS No.: 27619-97-2)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟己基磺酸及其鹽類 (PFHxS) (Perfluorohexane-1-sulphonic acid and its salts (PFHxS)) (CAS No.: 355-46-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟己基磺酸鈉 (PFHxS-Na) (Perfluorohexanesulfonate NA-salt (PFHxS-Na)) (CAS No.: 82382-12-5)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟己基磺酸鉀 (PFHxS-K) (Perfluorohexanesulfonate K-salt (PFHxS-K)) (CAS No.: 3871-99-6)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟己基磺酸胺 (PFHxS-NH4) (Perfluorohexanesulfonate ammonium salt (PFHxS-NH4)) (CAS No.: 68259-08-5)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟己基磺酸鋰 (PFHxS-Li) (Perfluorohexanesulfonate Li-salt (PFHxS-Li)) (CAS No.: 55120-77-9)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟己基磺酸鋅 (PFHxS-Zn) (Perfluorohexanesulfonate Zn-salt (PFHxS-Zn)) (CAS No.: 70136-72-0)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟己基磺醯氟 (PFHxS-F) (Perfluorohexanesulfonate sulfonyl fluoride (PFHxS-F)) (CAS No.: 423-50-7)	由全氟己基磺酸測試結果計算得之。(Calculated from the result of PFHxS.)	mg/kg	0.01▲	n.d.	-
全氟庚酸 (PFHpA) (Perfluoroheptane Acid (PFHpA)) (CAS No.: 375-85-9)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
7H-十二氟庚酸 (HPFHpA) (7H-Dodecanefluoroheptane Acid (HPFHpA)) (CAS No.: 1546-95-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
全氟庚基磺酸 (PFHpS) (Perfluoroheptane Sulfonate (PFHpS)) (CAS No.: 375-92-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟庚基磺酸鈉 (PFHpS-Na) (Perfluoroheptanesulfonate Na-salt (PFHpS-Na)) (CAS No.: 68555-66-8)	由全氟庚基磺酸測試結果計算得之。(Calculated from the result of PFHpS.)	mg/kg	0.01▲	n.d.	-
全氟辛烷磺酸 (PFOS) (Perfluorooctane sulfonates (PFOS)) (CAS No.: 1763-23-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛基磺酸鉀 (PFOS-K) (Potassium Perfluorooctanesulfonate (PFOS-K)) (CAS No.: 2795-39-3)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸鋰 (PFOS-Li) (Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)) (CAS No.: 29457-72-5)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸銨 (PFOS-NH4) (Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)) (CAS No.: 29081-56-9)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) (Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2)) (CAS No.: 70225-14-8)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) (Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C2H5)4)) (CAS No.: 56773-42-3)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) (N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)) (CAS No.: 251099-16-8)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺醯氟 (POSF) (Perfluorooctane sulfonyl fluoride (POSF)) (CAS No.: 307-35-7)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸鎂 (PFOS-Mg) (Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)) (CAS No.: 91036-71-4)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
全氟辛基磺酸鈉 (PFOS-Na) (Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0)	由全氟辛烷磺酸測試結果計算得之。(Calculated from the result of PFOS.)	mg/kg	0.01▲	n.d.	-
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl-Perfluoroctanesulfonamidoethanol (N-Me-FOSE alcohol)) (CAS No.: 24448-09-7)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛基磺醯胺 (PFOSA) (Perfluoroctanesulfonamide (PFOSA)) (CAS No.: 754-91-6)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸(PFOA) (Perfluorooctanoic Acid (PFOA)) (CAS No.: 335-67-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸鈉 (PFOA-Na) (Sodium perfluorooctanoate (PFOA-Na)) (CAS No.: 335-95-5)	由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.)	mg/kg	0.01▲	n.d.	-
全氟辛酸鉀 (PFOA-K) (Potassium perfluorooctanoate (PFOA-K)) (CAS No.: 2395-00-8)	由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.)	mg/kg	0.01▲	n.d.	-
全氟辛酸銀 (PFOA-Ag) (Silver perfluorooctanote (PFOA-Ag)) (CAS No.: 335-93-3)	由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.)	mg/kg	0.01▲	n.d.	-
全氟辛氟 (PFOA-F) (Perfluorooctanoyl fluoride (PFOA-F)) (CAS No.: 335-66-0)	由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.)	mg/kg	0.01▲	n.d.	-
全氟辛酸銨 (APFO) (Ammonium pentadecafluorooctanoate (APFO)) (CAS No.: 3825-26-1)	由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.)	mg/kg	0.01▲	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS) (1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)) (CAS No.: 39108-34-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45-9)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基甲基丙烯酸鹽 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟壬酸 (PFNA) (Perfluorononan-1-oic acid (PFNA)) (CAS No.: 375-95-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟壬酸鈉 (PFNA-Na) (Perfluorononanoate NA-Salt (PFNA-Na)) (CAS No.: 21049-39-8)	由全氟壬酸測試結果計算得之。 (Calculated from the result of PFNA.)	mg/kg	0.01▲	n.d.	-
全氟壬酸銨 (APFN) (Perfluorononanoate ammounium salt (APFN)) (CAS No.: 4149-60-4)	由全氟壬酸測試結果計算得之。 (Calculated from the result of PFNA.)	mg/kg	0.01▲	n.d.	-
全氟-3,7-二甲基辛酸 (PF-3,7-DMOA) (Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA)) (CAS No.: 172155-07-6)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟癸酸 (PFDA) (Nonadecafluorodecanoic acid (PFDA)) (CAS No.: 335-76-2)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟癸酸鈉 (PFDA-Na) (Perfluorodecanoate Na-salt (PFDA-Na)) (CAS No.: 3830-45-3)	由全氟癸酸測試結果計算得之。 (Calculated from the result of PFDA.)	mg/kg	0.01▲	n.d.	-
全氟癸酸銨 (APFDA) (Perfluorodecanoate ammonium salt (APFDA)) (CAS No.: 3108-42-7)	由全氟癸酸測試結果計算得之。 (Calculated from the result of PFDA.)	mg/kg	0.01▲	n.d.	-
全氟十一烷酸 (PFUnDA) (Henicosafluoroundecanoic acid (PFUnDA)) (CAS No.: 2058-94-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟十二烷酸 (PFDoDA) (Tricosafluorododecanoic acid (PFDoDA)) (CAS No.: 307-55-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十二烷酸銨 (APFDoDA) (Ammonium Perfluorododecanoate (APFDoDA)) (CAS No.: 3793-74-6)	由全氟十二烷酸測試結果計算得之。(Calculated from the result of PFDoDA.)	mg/kg	0.01▲	n.d.	-
全氟癸烷磺酸 (PFDS) (Perfluorodecane Sulfonate (PFDS)) (CAS No.: 126105-34-8/ 335-77-3)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟癸烷磺酸鈉 (PFDS-Na) (Perfluorodecanesulfonate Na-salt (PFDS-Na)) (CAS No.: 2806-15-7)	由全氟癸烷磺酸測試結果計算得之。(Calculated from the result of PFDS.)	mg/kg	0.01▲	n.d.	-
全氟癸烷磺酸鉀 (PFDS-K) (Perfluorodecanesulfonate K-salt (PFDS-K)) (CAS No.: 2806-16-8)	由全氟癸烷磺酸測試結果計算得之。(Calculated from the result of PFDS.)	mg/kg	0.01▲	n.d.	-
全氟癸基磺酸銨 (PFDS-NH4) (Perfluoroaliphatic Dean-sulfonate salt of NH4 (PFDS-NH4)) (CAS No.: 67906-42-7)	由全氟癸烷磺酸測試結果計算得之。(Calculated from the result of PFDS.)	mg/kg	0.01▲	n.d.	-
全氟十三烷酸 (PFTrDA) (Pentacosafluorotridecanoic acid (PFTrDA)) (CAS No.: 72629-94-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十四烷酸 (PFTDA) (Heptacosafluorotetradecanoic acid (PFTDA)) (CAS No.: 376-06-7)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟十六烷酸 (PFHxDA,C16) (Hexadecanoic acid, hentriacontafluoro (PFHxDA,C16)) (CAS No.: 67905-19-5)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十八烷酸 (PFODA,C18) (Octadecanoic acid, pentatriacontafluoro (PFODA,C18)) (CAS No.: 16517-11-6)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟十二烷基丙烯酸酯 (10:2 FTA) (1H,1H,2H,2H-Perfluorododecylacrylate (10:2FTA)) (CAS No.: 17741-60-5)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟-1-十二醇 (10:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2FTOH)) (CAS No.: 865-86-1)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2H,2H-全氟癸酸 (H2PFDA) (2H,2H-Perfluorodecane Acid (H2PFDA)) (CAS No.: 27854-31-5;882489-14-7)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
2H,2H,3H,3H-全氟癸酸(4HPFUnA) (2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)) (CAS No.: 34598-33-9)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟-1-己醇 (4:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-hexanol (4:2FTOH)) (CAS No.: 2043-47-2)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H,2H-全氟癸基碘 (8_2 FTI) (1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI)) (CAS No.: 2043-53-0)	參考CEN/TS 15968: 2010，以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2,3,3,3-四氟-2-(七氟丙氧基)丙酸 (HFPO-DA) (2,3,3,3-Tetrafluoro-2-(heptafluoropropoxy)propionic acide (HFPO-DA)) (CAS No.: 13252-13-6)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟己磺酸 (4:2 FTS) (1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2 FTS)) (CAS No.: 757124-72-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛烷磺酰胺乙酸 (FOSAA) (Perfluorooctane sulfonamidoacetic acid (FOSAA)) (CAS No.: 2806-24-8)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟辛烷磺酰胺乙酸 (N-MeFOSAA) (N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)) (CAS No.: 2355-31-9)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛烷磺酰胺乙酸 (N-EtFOSAA) (N-ethylperfluorooctane sulfonamidoacetic acid (N-EtFOSAA)) (CAS No.: 2991-50-6)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟戊磺酸 (PFPeS) (Perfluoropentane sulfonic acid (PFPeS)) (CAS No.: 2706-91-4)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
2-全氟己基乙酸 (6:2 FTCA) (2-Perfluorohexyl ethanoic acid (6:2 FTCA)) (CAS No.: 53826-12-3)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
3-全氟戊基丙酸 (5:3 FTCA) (3-Perfluoropentyl propanoic acid (5:3 FTCA)) (CAS No.: 914637-49-3)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟壬烷磺酸 (PFNS) (Perfluorononane sulfonic acid (PFNS)) (CAS No.: 68259-12-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十一烷磺酸 (PFUnS) (Perfluoroundecane sulfonic acid (PFUnS)) (CAS No.: 749786-16-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十二烷磺酸 (PFDoDS) (Perfluorododecane sulfonic acid (PFDoDS)) (CAS No.: 79780-39-5)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
雙(1H,1H,2H,2H-全氟癸基)磷酸酯 (8_2diPAP) (Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8_2diPAP)) (CAS No.: 678-41-1)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十五烷酸 (PFPeDA, C15) (Pentadecanoic acid, nonacosafluoro (PFPeDA,C15)) (CAS No.: 141074-63-7)	參考CEN/TS 15968: 2010，以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出)；小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. **= Qualitative analysis (No Unit) 定性分析(無單位)
6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
7. ▲：MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)
   參數換算表 (Parameter Conversion Table)：
   https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others
8. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

Remark：

Δ 德國產品安全委員會(AfPS): GS PAHs 要求
AfPS (German commission for Product Safety): GS PAHs requirements

項目 (Parameter)	第 1 類(Category 1)	第 2 類(Category 2)		第 3 類(Category 3)	
	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))	不屬於第 1 類的材料，並意圖或可預見與皮膚接觸逾 30 秒(長期皮膚接觸)或重複的短時間接觸(Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin)		不屬於第 1 類或第 2 類的材料，並意圖或可預見與皮膚接觸不超過 30 秒(短期皮膚接觸)(Materials not covered by Category 1 or 2, with intended or foreseeable short-term skin contact (≦ 30 seconds))	
		a. 供 14 歲以下兒童使用的產品(Use by children under 14)	b. 其它產品(Other consumer products)	a. 供 14 歲以下兒童使用的產品(Use by children under 14)	b. 其它產品(Other consumer products)
Naphthalene	< 1	< 2		< 10	
Phenanthrene Anthracene Fluoranthene Pyrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit)：mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）

These samples were dissolved totally by pre-conditioning method according to below flow chart.


（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate


【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)


六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)


四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)


多環芳香烴分析流程圖 /
Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)


紅磷分析流程 / Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

號碼(No.): ETR22C03353 日期(Date): 22-Dec-2022

長春人造樹脂廠股份有限公司 (CHANG CHUN PLASTICS CO., LTD.)
長春化工(漳州)有限公司 (CHANG CHUN CHEMICAL (ZHANGZHOU) CO., LTD.)
長春化工(江蘇)有限公司 (CHANG CHUN CHEMICAL (JIANGSU) CO.,LTD.)
104-83 台灣台北市松江路301號7樓 (7TH FLOOR, NO. 301, SONGJIANG RD., ZHONGSHAN DISTRICT 10483, TAIPEI, TAIWAN)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22C03353



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

iq.ul.com

PROSPECTOR® CLICK TO CONTINUE

View additional material information including performance and processing data

The information presented on the UL Prospector datasheet was acquired by UL Prospector from the producer of the material. UL Prospector makes substantial efforts to assure the accuracy of this data. However, UL Prospector assumes no responsibility for the data values and strongly encourages that upon final material selection, data points are validated with the material supplier.

Component - Plastics E45034

Guide Information

View Certificate of Compliance

POLYPLASTICS CO LTD

18-1 KONAN, 2-CHOME, MINATO-KU TOKYO 108-8280 JP

M25-44(r5), M90-44(r5), M140-44(r5), M270-44(r5), M450-44(r5)

Acetal Polyoxymethylene (POM) "Duracon", furnished as pellets

Color	Min. Thk (mm)	Flame Class	HWI	HAI	RTI Elec (°C)	RTI Imp (°C)	RTI Str (°C)
ALL	0.75	HB	4	0	110	95	100
	1.5	HB	4	0	110	95	100
	3.0	HB	3	0	110	95	100

Comparative Tracking Index (CTI): 0

Dielectric Strength (kV/mm): 29

High-Voltage Arc Tracking Rate (HVTR): 0

Dimensional Change (%): 0.0

Inclined Plane Tracking (IPT) kV: -

Volume Resistivity (10^x ohm-cm): 15

Surface Resistivity (10^x ohms/square): -

High Volt, Low Current Arc Resis (D495): 5

(r5) - Virgin and Regrind from 1 to 100% by weight inclusive have the same basic material charactersitics except for the RTI's are 50C for all three properties for Regrind from 26 - 100%

ANSI/UL 94 small-scale test data does not pertain to building materials, furnishings and related contents. ANSI/UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1984-06-05

Last Revised: 2022-07-05

ALSO CERTIFIED TO IEC REQUIREMENTS

© 2023 UL Solutions

IEC and ISO Test Methods

Test Name	Test Method	Units	Thk (mm)	Value
Flammability	IEC 60695-11-10	Class (color)	0.75	HB, HB75 (ALL)
			1.5	HB, HB75 (ALL)
			3.0	HB, HB40 (ALL)
Glow-Wire Flammability (GWFI)	IEC 60695-2-12	°C	-	-
Glow-Wire Ignition (GWIT)	IEC 60695-2-13	°C	-	-
IEC Comparative Tracking Index	IEC 60112	Volts (Max)	-	-
IEC Ball Pressure	IEC 60695-10-2	°C	-	-
ISO Heat Deflection (1.80 MPa)	ISO 75-2	°C	-	-
ISO Tensile Strength	ISO 527-2	MPa	-	-
ISO Flexural Strength	ISO 178	MPa	-	-
ISO Tensile Impact	ISO 8256	kJ/m^2	-	-
ISO Izod Impact	ISO 180	kJ/m^2	-	-
ISO Charpy Impact	ISO 179-1	kJ/m^2	-	-

Polyplastics
DAICEL Group

夺钢® POM (DURACON)的一般物性(ISO)

项目	单位	测试方法	标准
			M90-44
			标准
颜色			CF2001/CD3068
ISO(JIS)材质表示		ISO11469 (JIS K6999)	>POM<
密度	g/cm³	ISO 1183	1.41
吸水率 (23℃、水中24小时、1mmt)	%	ISO 62	0.5
MFR (190℃、2.16kg)	g/10min	ISO 1133	9
MVR (190℃, 2.16kg)	cm³/10min	ISO 1133	8
拉伸强度	MPa	ISO 527-1,2	62
断裂应变	%	ISO 527-1,2	35 *1
拉伸弹性模量	MPa	ISO 527-1,2	2,700
弯曲强度	MPa	ISO 178	87
弯曲模量	MPa	ISO 178	2,500
简支梁冲击强度 (有缺口、23℃)	kJ/m²	ISO 179/1eA	6.0
负荷变形温度 (1.8MPa)	℃	ISO 75-1,2	95
线性热膨胀系数 (23 - 55℃、流动方向)	$x10^{-5}$/℃	企业标准	12
线性热膨胀系数 (23 - 55℃、垂直方向)	$x10^{-5}$/℃	企业标准	12
绝缘破坏强度 (3mmt)	kV/mm	IEC 60243-1	19
体积电阻率	Ω·cm	IEC 60093	$1 x 10^{14}$
表面电阻率	Ω	IEC 60093	$1 x 10^{16}$
体积电阻率 (本公司方法)	Ω·cm		-
表面电阻率 (本公司方法)	Ω		-
成型收缩率 (60×60×2mmt、流动方向、模腔内压60 MPa)	%	ISO 294-4	2.3
成型收缩率 (60×60×2mmt、垂直方向、模腔内压60 MPa)	%	ISO 294-4	2.1
洛氏硬度	M(Scale)	ISO2039-2	80
摩损量比 (推进式, 对碳素钢, 评价塑料方面, 面压0.49MPa, 30cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	0.65
摩损量比 (推进式, 对碳素钢, 碳素钢方面, 面压0.49MPa, 30cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	< 0.01
动摩擦系数 (推进式, 对碳素钢, 面压0.49MPa, 30cm/s)		JIS K7218	0.46
摩损量比 (推进式, 对碳素钢, 评价塑料方面, 面压0.98MPa, 30cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	0.30
摩损量比 (推进式, 对碳素钢, 碳素钢方面, 面压0.98MPa, 30cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	< 0.01
动摩擦系数 (推进式, 对碳素钢, 面压0.98MPa, 30cm/s)		JIS K7218	0.40
摩损量比 (推进式, 对M90-44, 评价塑料方面, 面压0.06MPa, 15cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	-
摩损量比 (推进式, 对M90-44, M90-44方面, 面压0.06MPa, 15cm/s)	$x10^{-3}$mm³/(N·km)	JIS K7218	-
动摩擦系数 (推进式, 对M90-44, 面压0.06MPa, 15cm/s)		JIS K7218	0.37
阻燃性		UL94	HB
ＵＬ发行的黄卡			E45034
“出口贸易管理法令”的相关项目编号			附表1 第16项

*1) 断裂公称应变

以上数值为材料的代表性测试值、并非该规格材料的最低值。本资料是根据本公司积累的经验及实验数据作成的，本文所示数据对在不同的条件下使用的制品不一定能完全适用。因此其内容并非能保证完全适用于客户的使用条件，引用或借用时请客户作最终判断。有关本公司材料的安全使用，请参考与所用材料、品级相对应的制品安全数据表[SDS]。本资料是根据现阶段搜集到的资料、信息、数据而作成的，如有新的见解时，有可能不加预告而作更改，敬请注意。

Copyright Polyplastics Co., Ltd. All rights reserved.

For Question, Please Contact with SGS www.sgs.com.tw

測試報告
Test Report

號碼(No.): EKR23100956　　日期(Date): 19-Jan-2023　　

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
樣品名稱(Sample Name)	:	POM
樣品型號(Style/Item No.)	:	M90-44 CF2001 / Lot No. 2A2611
樣品色號(Color No.)	:	CF2001

==========

收件日(Sample Receiving Date)	:	11-Jan-2023
測試期間(Testing Period)	:	11-Jan-2023 to 19-Jan-2023

測試需求(Test Requested) :
(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。(As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
(2) 依據客戶指定，測試鹵素-氟、氯、溴、碘。(As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in the submitted sample.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　論(Conclusion) :
(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。(Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部經理
Ray Chang, Ph.D. / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
化學實驗室-高雄/Chemical Laboratory-Kaohsiung

CHECK REPORT
PIN CODE: A6A83744

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

測試部位敘述 (Test Part Description)
No.1 : CF2001 POM

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析 (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)		mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析 (With reference to IEC 62321-4: 2013 + AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 (Hexavalent Chromium) Cr(VI) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017，以紫外光-可見光分光光度計分析 (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析 (With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)		mg/kg	50	n.d.	1000
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)		mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)		mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

備註(Note)：


1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）
These samples were dissolved totally by pre-conditioning method according to below flow chart.
(Cr^{6+} test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate


【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

鹵素分析流程圖 / Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣寶理塑膠股份有限公司大發廠 (POLYPLASTICS TAIWAN CO., LTD.)
高雄市大寮區潮寮里建業路13號 (NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.))

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR23100956



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

检测报告

编号: SZXML2300201202　　日期: 2023年02月16日　第1页,共4页

客户名称: 东莞市虎门田锌五金厂
客户地址: 东莞市虎门镇赤岗社区富马工业区

样品名称: 锌合金
客户参考信息: 3#,5#,8#
以上样品及信息由客户提供。

SGS工作编号: SZPC2302000501 - SZ
样品接收日期: 2023年02月10日
检测周期: 2023年02月10日 - 2023年02月16日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

检测结果概要:

检测要求	结论
欧盟RoHS指令2011/65/EU附录II的修正指令(EU) 2015/863-铅, 汞, 镉和六价铬	符合

通标标准技术服务有限公司深圳分公司
授权签名

Mescal_Ye叶晓键
批准签署人

扫码查看在线报告
SZXML2300201202

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·深圳市龙岗区坪地街道布吉路1003号汇源（集团）工业厂区厂房4号101-401、3号101、3号201、3号301-501 邮编: 518129　t (86-755) 28328888　sgs.china@sgs.com
Member of the SGS Group (SGS SA)

检测结果 :

检测样品描述 :

样品编号	SGS样品ID	描述
SN1	SZX23-002012.001	银色金属

备注:

(1) 1 mg/kg = 0.0001%
(2) MDL = 方法检测限
(3) ND = 未检出 (< MDL)
(4) "-" = 未规定

欧盟RoHS指令2011/65/EU附录II的修正指令(EU) 2015/863-铅, 汞, 镉和六价铬

检测方法 : 参考IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013 和IEC 62321-7-1:2015, 采用ICP-OES和UV-Vis 进行分析.

检测项目	限值	单位	MDL	001
镉 (Cd)	100	mg/kg	2	ND
铅 (Pb)	1000	mg/kg	2	17
汞 (Hg)	1000	mg/kg	2	ND
六价铬 (Cr(VI))▾	-	μg/cm²	0.10	ND

备注 :

(1) 最大允许极限值引用自RoHS指令(EU) 2015/863 。
(2) IEC 62321 系列等同于 EN 62321系列。
(3) ▾ = a. 当六价铬的浓度高于0.13 μg/cm2时，样品为阳性，即含有六价铬；
b. 当六价铬的浓度为ND(低于0.10 μg/cm2)时，样品为阴性，即未检测到六价铬；
c. 当六价铬的浓度介于0.10 μg/cm2与0.13 μg/cm2之间时，无法直接判定是否检测到六价铬，因不同个体的样品表面差异可能会影响测定结果；


由于未获知样品的存储条件和生产日期，样品的六价铬检测结果仅能代表检测时样品含六价铬的状态。
除非另有说明，参照ILAC-G8:09/2019，使用简单接受（w=0）的二元判定规则进行符合性判定。
除非另有说明，此报告结果仅对检测的样品负责。本报告未经本公司书面许可，不可部分复制。
检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的，仅供内部参考。

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

附件

Pb/Cd/Hg/Cr^{6+} 检测流程图

1) 样品按照下述流程被完全消解（六价铬测试除外）。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·深圳市龙岗区坂田街道布吉路3018号天安数码城3号楼 邮编: 518129 t (86-755) 25328888 www.sgsgroup.com.cn sgs.china@sgs.com
Member of the SGS Group (SGS SA)

样品照片:



SZX23-002012.001

此照片仅限于随SGS正本报告使用

*** 报告结束 ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Member of the SGS Group (SGS SA)

检测报告

编号: SZXEC2300186114　　日期: 2023年02月14日　第1页,共6页

客户名称: 深圳市鸿裕新材料有限公司
客户地址: 深圳市光明新区公明街道办事处明环东路松白工业园B区B2号厂房1楼

样品名称: 黄铜H62
型号: C2800
以上样品及信息由客户提供。

SGS工作编号: RP23-001756 - SZ
样品接收日期: 2023年02月09日
检测周期: 2023年02月09日 - 2023年02月14日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

检测结果概要:

检测要求	结论
欧盟RoHS指令2011/65/EU附录II修正指令(EU) 2015/863- 铅, 汞, 镉,六价铬, 多溴联苯(PBBs), 多溴二苯醚(PBDEs) , 邻苯二甲酸二丁酯 (DBP), 邻苯二甲酸丁苄酯(BBP), 邻苯二甲酸二(2-乙基己基)酯(DEHP)和邻苯二甲酸二异丁酯(DIBP)	符合

通标标准技术服务有限公司深圳分公司
授权签名

Mescal_Ye叶晓键
批准签署人

scan to see the report

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·深圳市龙岗区坂田街道布吉路1028号正圆（集团）工业厂区厂房4号101-401、2号101、3号101、5号201-501 邮编：518129 t (86-755) 25328888 www.sgsgroup.com.cn sgs.china@sgs.com
Member of the SGS Group (SGS SA)

检测结果 :

检测样品描述 :

样品编号	SGS样品ID	描述
SN1	SZX23-001861.007	黄铜色金属

备注:

(1) 1 mg/kg = 0.0001%
(2) MDL = 方法检测限
(3) ND = 未检出 (< MDL)
(4) "-" = 未规定

欧盟RoHS指令2011/65/EU附录II修正指令(EU) 2015/863- 铅, 汞, 镉,六价铬, 多溴联苯(PBBs), 多溴二苯醚(PBDEs) , 邻苯二甲酸二丁酯 (DBP), 邻苯二甲酸丁苄酯(BBP), 邻苯二甲酸二(2-乙基己基)酯(DEHP)和邻苯二甲酸二异丁酯(DIBP)

检测方法: 参考IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-6:2015 和IEC 62321-8:2017, 采用ICP-OES,UV-Vis 和GC-MS进行分析.

检测项目	限值	单位	MDL	007
镉 (Cd)	100	mg/kg	2	ND
铅 (Pb)	1000	mg/kg	2	71
汞 (Hg)	1000	mg/kg	2	ND
六价铬(Cr(VI))▾	-	µg/cm²	0.10	ND
多溴联苯之和(PBBs)	1000	mg/kg	-	ND
一溴联苯	-	mg/kg	5	ND
二溴联苯	-	mg/kg	5	ND
三溴联苯	-	mg/kg	5	ND
四溴联苯	-	mg/kg	5	ND
五溴联苯	-	mg/kg	5	ND
六溴联苯	-	mg/kg	5	ND
七溴联苯	-	mg/kg	5	ND
八溴联苯	-	mg/kg	5	ND
九溴联苯	-	mg/kg	5	ND
十溴联苯	-	mg/kg	5	ND
多溴二苯醚之和(PBDEs)	1000	mg/kg	-	ND
一溴二苯醚	-	mg/kg	5	ND
二溴二苯醚	-	mg/kg	5	ND
三溴二苯醚	-	mg/kg	5	ND
四溴二苯醚	-	mg/kg	5	ND

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

检测项目	限值	单位	MDL	007
五溴二苯醚	-	mg/kg	5	ND
六溴二苯醚	-	mg/kg	5	ND
七溴二苯醚	-	mg/kg	5	ND
八溴二苯醚	-	mg/kg	5	ND
九溴二苯醚	-	mg/kg	5	ND
十溴二苯醚	-	mg/kg	5	ND
邻苯二甲酸二丁酯(DBP)	1000	mg/kg	50	ND
邻苯二甲酸丁苄酯(BBP)	1000	mg/kg	50	ND
邻苯二甲酸二(2-乙基己基)酯(DEHP)	1000	mg/kg	50	ND
邻苯二甲酸二异丁酯(DIBP)	1000	mg/kg	50	ND

备注：

(1) 最大允许极限值引用自RoHS指令(EU) 2015/863。

(2) IEC 62321 系列等同于 EN 62321 系列。

(3) ▼= a. 当六价铬的浓度高于0.13 μg/cm2时，样品为阳性，即含有六价铬；

b. 当六价铬的浓度为ND(低于0.10 μg/cm2)时，样品为阴性，即未检测到六价铬；

c. 当六价铬的浓度介于0.10 μg/cm2与0.13 μg/cm2之间时，无法直接判定是否检测到六价铬，因不同个体的样品表面差异可能会影响测定结果；

由于未获知样品的存储条件和生产日期，样品的六价铬检测结果仅能代表检测时样品含六价铬的状态。

除非另有说明，参照ILAC-G8:09/2019，使用简单接受（w=0）的二元判定规则进行符合性判定。

除非另有说明，此报告结果仅对检测的样品负责。本报告未经本公司书面许可，不可部分复制。

检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的，仅供内部参考。

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standard Technical Services Co., Ltd. Shenzhen Branch


中国·广东·深圳市龙岗区坪地国际物流中心B区至华路4301号工厦（厦层）工业厂区厂房4号101-401、3号101、3号201、3号301-401 邮编：518118 t (86-755) 28328888 www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

附件

Pb/Cd/Hg/Cr^{6+}/PBBs/PBDEs 检测流程图


1) 样品按照下述流程被完全消解（六价铬和多溴联苯/多溴二苯醚测试除外）。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standard Technical Services Co., Ltd.
Member of the SGS Group (SGS SA)

附件

Phthalates 检测流程图



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Member of the SGS Group (SGS SA)

样品照片:



SZX23-001861.007

此照片仅限于随SGS正本报告使用

*** 报告结束 ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standard Technical Services Co., Ltd. Shenzhen Branch Guangzhou Testing Laboratory
中国·广东·深圳市龙岗区坪地街道布吉路6288号工业厂区厂房4栋101-401、2栋101、3栋101、5栋101-501 邮编: 518117 t (86-755) 26120868 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Report

No.: SZXPC23000093102 **Date:** Feb 23, 2023

Client Name: SHEN ZHEN SHUN YI FENG INDUSTRIAL CO, LTD (A2)

Client Address: 2ND FLOOR, BLOCK A, NO.183 CHUANGYE 6TH ROAD,JIANGBIAN FIRST INDUSTRIAL ZONE,SONGGANGSTREET,BAOAN DISTRICT,SHENZHEN CITY

Sample Name: NICKEL-PLATED PRODUCTS

The above sample(s) and information were provided by the client.

SGS Job No.: SZPC2302000685

Sample Receiving Date: Feb 17, 2023

Testing Period: Feb 17, 2023 - Feb 23, 2023

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Ford Shi
Approved Signatory

scan to see the report
SZXPC23000093102

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	002	SZX23-0000931-0001.C002	Silvery plated metal

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-6:2015 and IEC62321-8:2017, analysis was performed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	002
Cadmium(Cd)	100	mg/kg	2	ND
Lead(Pb)	1000	mg/kg	2	ND
Mercury(Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND
Polybromobiphenyl (PBBs)	1000	mg/kg	-	ND
Monobromobiphenyl (MonoBB)	-	mg/kg	5	ND
Dibromobiphenyl (DiBB)	-	mg/kg	5	ND
Tribromobiphenyl (TriBB)	-	mg/kg	5	ND
Tetrabromobiphenyl (TetraBB)	-	mg/kg	5	ND
Pentabromobiphenyl (PentaBB)	-	mg/kg	5	ND
Hexabromobiphenyl (HexaBB)	-	mg/kg	5	ND
Heptabromobiphenyl (HeptaBB)	-	mg/kg	5	ND
Octabromobiphenyl (OctaBB)	-	mg/kg	5	ND
Nonabromobiphenyl (NonaBB)	-	mg/kg	5	ND
Decabromobiphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDEs)	1000	mg/kg	-	ND
Monobromodiphenylether (MonoBDE)	-	mg/kg	5	ND
Dibromodiphenylether (DiBDE)	-	mg/kg	5	ND
Tribromodiphenylether (TriBDE)	-	mg/kg	5	ND
Tetrabromodiphenylether (TetraBDE)	-	mg/kg	5	ND
Pentabromodiphenylether (PentaBDE)	-	mg/kg	5	ND
Hexabromodiphenylether (HexaBDE)	-	mg/kg	5	ND
Heptabromodiphenylether (HeptaBDE)	-	mg/kg	5	ND
Octabromodiphenylether (OctaBDE)	-	mg/kg	5	ND
Nonabromodiphenylether (NonaBDE)	-	mg/kg	5	ND
Decabromodiphenylether (DecaBDE)	-	mg/kg	5	ND
Dibutyl Phthalate(DBP)	1000	mg/kg	50	ND
Benzyl Butyl Phthalate(BBP)	1000	mg/kg	50	ND

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Item(s)	Limit	Unit(s)	MDL	002
Bis-(2-ethylhexyl) Phthalate(DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalate(DIBP)	1000	mg/kg	50	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm^2. The sample coating is considered to contain Cr(VI)
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 μg/cm^2). The coating is considered a non-Cr(VI) based coating
c. The result between 0.10 μg/cm^2 and 0.13 μg/cm^2 is considered to be inconclusive - unavoidable coating variations may influence the determination

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.


Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS


Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

PBBs/PBDEs Testing Flow Chart




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Elements (IEC62321) Testing Flow Chart


These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)


ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample Photo:



SZX23-0000931-0001.C002

SGS authenticate the photo on original report only

*** End of Report ***

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn

中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: SZXPC23000093105 **Date:** Feb 23, 2023

Client Name: SHEN ZHEN SHUN YI FENG INDUSTRIAL CO, LTD (A2)

Client Address: 2ND FLOOR, BLOCK A, NO.183 CHUANGYE 6TH ROAD,JIANGBIAN FIRST INDUSTRIAL ZONE,SONGGANGSTREET,BAOAN DISTRICT,SHENZHEN CITY

Sample Name: GOLD-PLATED PRODUCTS

The above sample(s) and information were provided by the client.

SGS Job No.: SZPC2302000685

Sample Receiving Date: Feb 17, 2023

Testing Period: Feb 17, 2023 - Feb 23, 2023

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Ford Shi
Approved Signatory

scan to see the report
SZXPC23000093105

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	005	SZX23-0000931-0001.C005	Silvery/golden plated metal

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-6:2015 and IEC62321-8:2017, analysis was performed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	005
Cadmium(Cd)	100	mg/kg	2	ND
Lead(Pb)	1000	mg/kg	2	ND
Mercury(Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND
Polybromobiphenyl (PBBs)	1000	mg/kg	-	ND
Monobromobiphenyl (MonoBB)	-	mg/kg	5	ND
Dibromobiphenyl (DiBB)	-	mg/kg	5	ND
Tribromobiphenyl (TriBB)	-	mg/kg	5	ND
Tetrabromobiphenyl (TetraBB)	-	mg/kg	5	ND
Pentabromobiphenyl (PentaBB)	-	mg/kg	5	ND
Hexabromobiphenyl (HexaBB)	-	mg/kg	5	ND
Heptabromobiphenyl (HeptaBB)	-	mg/kg	5	ND
Octabromobiphenyl (OctaBB)	-	mg/kg	5	ND
Nonabromobiphenyl (NonaBB)	-	mg/kg	5	ND
Decabromobiphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDEs)	1000	mg/kg	-	ND
Monobromodiphenylether (MonoBDE)	-	mg/kg	5	ND
Dibromodiphenylether (DiBDE)	-	mg/kg	5	ND
Tribromodiphenylether (TriBDE)	-	mg/kg	5	ND
Tetrabromodiphenylether (TetraBDE)	-	mg/kg	5	ND
Pentabromodiphenylether (PentaBDE)	-	mg/kg	5	ND
Hexabromodiphenylether (HexaBDE)	-	mg/kg	5	ND
Heptabromodiphenylether (HeptaBDE)	-	mg/kg	5	ND
Octabromodiphenylether (OctaBDE)	-	mg/kg	5	ND
Nonabromodiphenylether (NonaBDE)	-	mg/kg	5	ND
Decabromodiphenylether (DecaBDE)	-	mg/kg	5	ND
Dibutyl Phthalate(DBP)	1000	mg/kg	50	ND
Benzyl Butyl Phthalate(BBP)	1000	mg/kg	50	ND

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Item(s)	Limit	Unit(s)	MDL	005
Bis-(2-ethylhexyl) Phthalate(DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalate(DIBP)	1000	mg/kg	50	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm^2. The sample coating is considered to contain Cr(VI)
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 μg/cm^2). The coating is considered a non-Cr(VI) based coating
c. The result between 0.10 μg/cm^2 and 0.13 μg/cm^2 is considered to be inconclusive - unavoidable coating variations may influence the determination

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.


Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS


Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

PBBs/PBDEs Testing Flow Chart




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Elements (IEC62321) Testing Flow Chart


These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)


ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory
Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample Photo:



SZX23-0000931-0001.C005

SGS authenticate the photo on original report only

*** End of Report ***

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn

中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏（坂田）工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129 t (86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)