工程圖改版說明

客戶:	鈺緯	生產分發單位	深圳-力泰	蘇州-祥崴	福清-景翔
				*	

型式:	RM-4	客戶料號:		力泰料號:	CC-026012

版次	頁次	原內容	變更內容	日期	備註
A0		ISSUE		2023-09-13	

備註	生產(發行)

LI TAI ELECTRONIC ENTERPRISE CO., LTD.

SPECIFICATION FOR APPROVAL		CUSTOMER: 鈺緯
LI TAI PART NO. :	REV. :	CUSTOMER PART NO.:
CC-026012	*A0*	
PART NAME :	SPEC. NO. :	ISSUE DATE
CHOKE		*2023-09-13*

CONTENT:

Page

1.Configuration & Dimension----------3

2.Winding Specification----------3

3.Electrical Characteristics----------4

4.Material List---------- -- 4

APPROVAL BY	CHECK BY	DRAWING BY

SPECIFICATION FOR APPROVAL		CUSTOMER: 鈺緯
LI TAI PART NO. :	REV. :	CUSTOMER PART NO.:
CC-026012	*A0*	
PART NAME :	SPEC. NO. :	ISSUE DATE
CHOKE		*2023-09-13*

1.Configuration & Dimension :

UNIT: m/m



<FRONT VIEW>



<SIDE VIEW>



<BOTTOM VIEW>

NOTES:

1.產品須含浸.

2.Winding Specification :

2-1 Schematic :



"●":START

2-2 Winding Order :



NO.	Winding	Terminal	Wire	Turns	Remark
1	*N1*	*6---3*	*2UEW ψ0.5*	*28.5*	

SPECIFICATION FOR APPROVAL		CUSTOMER: 鈺緯
LI TAI PART NO. :	REV. :	CUSTOMER PART NO.:
CC-026012	A0	
PART NAME :	SPEC. NO. :	ISSUE DATE
CHOKE		2023-09-13

3.Electrical Characteristics :

ELECTRICAL CHARACTERISTICS				
NO.	ITEM	TEST TERMINAL	SPECIFICATION	TEST INSTRUMENT
1	INDUCTANCE @1KHz,1V	L(6---3)	3.3uH ±15%	WK-3260B LCR METER
2	Rated Current	2A		

4. Material List :

NO	SUB PART	RAW MATERIAL				
		MANUFACTURER	DESCRIPTION	TYPE	FLAME/ TEMP	UL NO.
1	BOBBIN	CHANG CHUN PLASTICS CO.,LTD	PHENOLIC	T375J	94V-0 150℃	E59481
2	WIRE	PACIFIC ELECTRIC WIRE & CABLE (SHENZHEN) CO LTD	POLYURETHANE	UEW/U@ (ANSI MW-75C)	130℃	E201757
3	TAPE	SYMBIO INC	POLYETHYLENE-TEREPHTHALATE	NO.35660(a)	130℃	E50292
		JINGJIANG YAHUA PRESSURE SENSITIVE GLUE CO LTD	POLYETHYLENE TEREPHTHALATE	CT* (c)(g)	130℃	E165111
4	VARNISH	SUZHOU TAIHU ELECTRIC ADVANCED MATERIAL CO LTD	POLYESTER	T-4260(a)	130℃	E228349