







設計驗證
工程課
2023.10.27
發行
鈺緯科技開發股份有限公司

Customer: 鈺緯科技 **Files No.:** **WG231026001**

Part No.: **3MD644LB01A** (M3418) **Date:** **2023/10/26**

Specification: **Product Code:** **PO6B+MPET#25**


CONSTRUCTION:

- Face-stock:
- Base weight: 17.
- Tack: <5cm （PSTC-6，#14 balls）.
- Holding Power: >24 hr （PSTC-7）.
- Release Force: 7~12 g/in.
- Temperature of Service Range: 5 degree C to 150 degree C.
- UV Resistance: Very good.
- Chemical Resistance: Very good.
- Plasticizer Content: None.
- Humidity Resistance: Good.
- ***Laminating: MPET#25***
  - Material: Polypropylene Film.
  - Color: Matt Transparent
  - Film thickness: 0.025mm.
  - Total thickness: 0.043mm
  - Smoothness: Good.
  - 180° Peel Adhesion: 0.6 kg/25mm
- Face-stock: 2.8 Mil (0.07mm±10%) gloss white smooth art paper.
- Adhesive: 0.85 Mil (0.022mm±10%) acrylic base.
- Release Liner: 2.14 Mil (0.055mm±10%) #65 white densified kraft.
- #CLW3 surface material is white color and that printable is good for thermal transfer and ink printing.
- But #CLW3 can not using for water and greasy resistance.
- The adhesive base 180 degree peel off adhesion is 1.0 kg/25mm, Release force is 5-15 g/25mm temperature range is -20 degree C ~ 100 degree C.
- NOTE:
- Die-cutting single label size is 300(W)*20 (L). (+0/-0.3mm), printing colorful text label on the base.



Approval by Customer	Check by Customer	Confirm by Wai Gha Co.	List by Wai Gha Co.
台北縣汐止市大同路三段194號1F 威嘉實業有限公司 TEL:8647-3525(代表號)	設計驗證 工程課 2023.10.27 發行 鈺緯科技開發股份有限公司	*張哲溫*	*蔣仲原*

REV.	DATE	DESCRIPTION	BY	APVD
A	2023/09/20	Add UKCA, BSMI	ALICIA	



Note:
1.Material: polyester film silver matt label (50#) Coated: polyester film transparent label
2.Color: background: Pantone 426C
  Character: Silver
3.Adhesive: acrylic adhesive
4.Material need to meet UL requirements
5.Meet UL second printing standard
6.Use PGDQ2 printed label: MING MEI, type: MM-001
7.材質+背膠總厚度t=0.1mm±0.05mm
8.顏色、尺寸參照承認樣品
9.IQC inspection document : QWI-016

設計驗證
工程課
2023.10.27
發行
鈺鎂科技開發股份有限公司

PM / SALES	ENG.DEPT	SAFETY
Amber 0920 1930	NICK 0921 0925	0921

RANGE OF DIMENSION	TOLERANCE CLASS DESIGNATION		
	f	V m	c
UP TO 30	±0.10	±0.20	±0.50
ABOVE 30~120	±0.15	±0.30	±0.80
ABOVE 120~315	±0.20	±0.50	±1.20
ABOVE 315~1000	±0.30	±0.80	±2.00
ANGLE±1° (±1.75/100)			

THIRD ANGLE PROJECTION	UNITS: mm	SCALE: 1/1	SHEET: 1/1	MODEL NO.:RGP2402AMI_Hemo
	MATERIAL:		TREATMENT:	
DSGD by ALICIA	2023/09/20	PART NAME: MODEL LABEL		
APVD by	2023/10/27	PART NO.: 3MD644LB01A		VER. A
APVD NO.: (M3418)	FILE NAME: RGP2402AMI_Hemo .cdr	DIVA Laboratories ,Ltd.		