





設計驗證
工程課
2023.11.17
發行
鈺緯科技開發股份有限公司









承　　認　　書

日期：2023.10.27

SPECIFICATION FOR APPROVAL

客戶名稱：
CUSTOMER：　鈺緯科技開發股份有限公司

料　　號：
PART NO：　**3KH00284000** (K1165)

品　　名：
ESCRIPTION：　**eDp LVDS Cable Ass'y**

■	RoHS環保產品(無鉛)
□	一般產品(含鉛)

本承認書內容若貴公司確認無誤，
懇請於下方承認欄內簽章寄回。

Please confirm your acceptance of this approval sheet by return fax.

承　認　欄

CONFIRMATION SIGNATURE

設計驗證
工程課
2023.11.17
發行
鈺緯科技開發股份有限公司

穩惠電子工業股份限公司
WEN TE ELECTRONICS CO.,LTD.
新北市中和區中山路二段327巷19號5樓
電話： 02-2240-2482　　傳真： 02-2248-0401
E-mail:Jackie@wentek.com.tw
東莞穩德電子有限公司
DONGGUAN WEN DE ELECTRONICS CO.,LTD
廣東省東莞市虎門鎮新聯高科技工業區高科二路88號
電話： 86-769-85509740　傳真： 86-769-85504618
E-Mail：wd@dgwender.com.cn


核准	審核	品管	製作
沈燕凌	林景杰	溫雁琳	呂宛樺
2023/10/27	2023/10/27	2023/10/27	2023/10/27
APPROVAL	穩惠電子工業股份有限公司 TEL:22402482 工程確認章		

成品圖:

REV.	DATE	DCN NO.	DESCRIPTION	DRAWN
B				

P1: IPEX 20453-040T-03 with Pull Bar

P2: HRS DF13-40DS-1.25C
三角形为第1PIN



PIN位图


| | | Twist | Twist | Twist | | Twist | Twist | Twist | | Twist | Twist | Twist | | | |

成品圖:

REV.	DATE	DCN NO.	DESCRIPTION	DRAWN
B				

P1: IPEX 20453-040T-03 with Pull Bar

P2: HRS DF13-40DS-1.25C
三角形为第1PIN



PIN位图

	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Twist	Twist
P1	1 2 3 4	5 6 7 8 9 10	11 12 13 14 15 16 17	18 19 20 21	22 23 24	25 26 27	28 29 30	31 32 33 34	35 36 37 38	39 40
P2	28 26 24 10	40 38 36	8	19 21 23 25	27 29 6	31 33 9	35 37 14 12	11 13 7	16 18 20 22	15 17

2023/06/20
1025

test item	test condition	do	
		YES	NO
HV test	AC=300V	V	
insulation test	DC=250V IR=20M ohm	V	
cond test	3 ohm	V	

NO.	PART NO.	Q'TY	MATERIAL	VENDOR
5				
4	P 2	1	DF13-40DS-1.25C 2*20pin	HRS
3	TAPE	1	Conductive & Acetate TAPE	Local
2	CABLE	31	UL 10064 32# cable	Local
1	P 1	1	IPEX 20453-040T-03 with Pull Bar	IPEX

WEN TE Electronics CO.,LTD.

jerry gao	jackie	chen ping tao

〈CUST ACCEPT.〉 GENERL TOLERANCE X.±0.50 X.°±3° .X±0.30 .X°±1°


PART NO.
CUTM.NO.
SCALE: FREE

TITLE: 15.6"eDp LVDS Cable
CUSTOMER: 鈺緯科技
(OR.D.): 2022.6.28
REV.: 1
SHEET: 1/1
UNITS: MM

Recommended P/N	20454-3**T

PART NO.	Pos.	A	B	C	D	E	F	G	H
20454-#20T	20	9.50	10.30	12.56	10.20	10.55	11.00	16.00	–
20454-#30T	30	14.50	15.30	17.56	15.20	15.55	16.00	21.00	5.40
20454-#40T	40	19.50	20.30	22.56	20.20	20.55	21.00	26.00	10.40


20454-#**T : STANDARD





P/N:20454-# ** T
Pos.
SEE TABLE.1

30P


BOTTOM VIEW









SECT. X-X
S =15 : 1



DETAIL L
S= 15 : 1



20P



40P

TOP VIEW




TABLE.1

PART NO.	CONTACT FINISH	SHELL-B FINISH
20454-0**T	CONTACT AREA : Au 0.1 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.	TOP SIDE : Au 0.015 μm MIN. OVER Ni 1.00 μm MIN. BOTTOM SIDE : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.
20454-2**T	CONTACT AREA : Au 0.1 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.	TOP SIDE : Ni 1.00 μm MIN. (THERE IS THE POSSIBILITY THAT Au ATTACHES RANDOMLY) BOTTOM SIDE : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN.
20454-3**T	CONTACT AREA : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN.	PARTIAL Au 0.003 μm MIN. OVER Ni 1.00 μm MIN.

NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
3	SHELL B	PHOSPHOR BRONZE	SEE ABOVE TABLE.1
2	CONTACT	PHOSPHOR BRONZE	SEE ABOVE TABLE.1
1	HOUSING	LCP	UL94V-0, BLACK

NOTES.
1.THIS PART IS ASSEMBLED WITH SHELL-A(P/N:2574-#**) AFTER SOLDERED THE CABLE, AND IT BECOMES P/N:20453-#**T-#**.
THIS PART IS ASSEMBLED WITH SHELL-A type-H(P/N:2699-#40) AFTER SOLDERED THE CABLE, AND IT BECOMES P/N:20508-040T-#*.
THIS PART IS ASSEMBLED WITH SHELL-A(P/N:2574-#**) AND ALIGNMENT COVER(P/N:2658-0**) AFTER SOLDERED THE CABLE, AND IT BECOMES P/N:20492-1**T.

PATENT REGISTERED

REV.	ECN	BY	DATE	APP.
17	Z180796	A.K	June/20/'18	Y.S
16	Z151047	H.I	Sept./23/'15	Y.S
15	Z150428	H.I	Apr./15/'15	E.K
14	Z141346	K.T	Nov./25/'14	E.K
13	Z12065	H.I	Jan./27/'12	T.H
12	Z11445	T.D	Sept./12/'11	Y.H

REVISION RECORD

ANGLE	±2°	6 OVER 30 MAX.	±0.3
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5

GENERAL TOLERANCE.

	DWG.	DATE
	H.Ikari	Apr./16/'08
CHK.		DATE
APP.	E.Kawabe	DATE Apr./17/'08

PROJECTION

SERIES No. R11

CUSTOMER COPY

TITLE
CABLINE®-VS
PLUG HOUSING ASS'Y

DWG. No. 20454

SCALE 5:1
UNIT mm
SIZE A3
SHEET 1/4
REV. 17

I-PEX connectors

Confidential C


DAI-ICHI SEIKO CO., LTD.

QKE-DFFDE06-02 REV.11

Recommended P/N	20454-350T-01


PART NO.	Pos.
20454-#50T-01	50


20454-#50T-01 : TYPE-i



P/N:20454- # 50 T-01
- Pos.
- SEE TABLE.2

50P








TABLE.2

PART NO.	CONTACT FINISH	SHELL-B FINISH
20454-0**T-01	CONTACT AREA : Au 0.1 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.	TOP SIDE : Au 0.015 μm MIN. OVER Ni 1.00 μm MIN. BOTTOM SIDE : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.
20454-2**T-01	CONTACT AREA : Au 0.1 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN.	TOP SIDE : Ni 1.00 μm MIN. (THERE IS THE POSSIBILITY THAT Au ATTACHES RANDOMLY) BOTTOM SIDE : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN.
20454-3**T-01	CONTACT AREA : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN. SOLDERING AREA : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN.	PARTIAL Au 0.003 μm MIN. OVER Ni 1.00 μm MIN.

NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
3	SHELL B	PHOSPHOR BRONZE	SEE ABOVE TABLE.2
2	CONTACT	PHOSPHOR BRONZE	SEE ABOVE TABLE.2
1	HOUSING	LCP	UL94V-0, BLACK

PATENT REGISTERED

REV.	ECN	BY	DATE	APP.
REVISION RECORD				

ANGLE	±2°	6 OVER 30 MAX.	±0.3	
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5	

GENERAL TOLERANCE.

PROJECTION | SERIES No. R11 | CUSTOMER COPY

DWG. DATE

CHK. DATE

APP. DATE

TITLE: CABLINE®-VS PLUG HOUSING ASS'Y

DWG. No. 20454

SCALE 5:1 | UNIT mm | SIZE A3 | SHEET 2/4 | REV. 17

I-PEX connectors


Confidential C


DAI-ICHI SEIKO CO., LTD.

QKE-DFFDE06-02 REV.11


PART NO.	QTY. IN DITCH (PIECES / DITCH)	QTY. IN TRAY (PIECES / TRAY)	QTY. PER SHIPPING CARTON (TRAYS / CARTON)	QTY. PER PACKING CARTON (TRAYS / CARTON)
20454-#20T	1	100	20 / CARTON = 2000	8000 (4BOXES)
20454-#30T				
20454-#40T				

FOR 20, 30, 40P





SECT. X-X
(S=2/1)




SECT. Y-Y
(S=2/1)


NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
4	TRAY	PP	ANTI-STATIC TYPE

ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No.	CUSTOMER COPY	
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		R11		
GENERAL TOLERANCE.				TITLE		SCALE	
DWG.		DATE		CABLINE®-VS PLUG HOUSING ASS'Y		1:2	I-PEX connectors
CHK.		DATE				UNIT mm	
APP.		DATE		DWG. No. 20454		SIZE A3	SHEET 3/4 REV. 17


PART NO.	QTY. IN DITCH (PIECES / DITCH)	QTY. IN TRAY (PIECES / TRAY)	QTY. PER SHIPPING CARTON (TRAYS / CARTON)	QTY. PER PACKING CARTON (TRAYS / CARTON)
20454-#50T-01	1	100	20 / CARTON = 2000	8000 (4BOXES)

FOR 50P





SECT. X-X
(S=2/1)



SECT. Y-Y
(S=2/1)

NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
5	TRAY	PS	ANTI-STATIC TYPE

ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No. R11
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		

GENERAL TOLERANCE.

CUSTOMER COPY

DWG.	DATE	TITLE: CABLINE®-VS PLUG HOUSING ASS'Y
CHK.	DATE	SCALE 1:2 / UNIT mm
APP.	DATE	DWG. No. 20454 / SIZE A3


I-PEX connectors

SHEET 4/4 REV. 17


Recommended P/N	2574-1**3


PART NO.	Pos.	A	B	C	D
2574-#20#	20	9.78	12.56	16.00	8.00 {= 4.0 × (3-1)}
2574-#30#	30	14.78	17.56	21.00	12.00 {= 4.0 × (4-1)}
2574-#40#	40	19.78	22.56	26.00	16.00 {= 4.0 × (5-1)}
2574-#50#	50	24.78	27.56	31.00	20.00 {= 4.0 × (6-1)}


P/N:2574-# * * #
- SEE TABLE.1
- Pos.
- 0 : WITH DATUM MARK
  1 : WITHOUT DATUM MARK



TOP VIEW







DETAIL L
S= 15 : 1

BOTTOM VIEW




TABLE.1

PART NO.	SHELL-A FINISH
2574-***	TOP SIDE : Au 0.05 μm MIN. OVER Ni 1.00 μm MIN. BOTTOM SIDE : Au 0.015 μm MIN. OVER Ni 1.00 μm MIN.
2574-***2	TOP SIDE : Au 0.03 μm MIN. OVER Ni 1.00 μm MIN. BOTTOM SIDE : Ni 1.00 μm MIN. (THERE IS THE POSSIBILITY THAT Au ATTACHES RANDOMLY)
2574-***3	PARTIAL Au 0.003 μm MIN. OVER Ni 1.00 μm MIN.

NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
1	SHELL A	PHOSPHOR BRONZE	SEE ABOVE TABLE.1

REV.	ECN	BY	DATE	APP.
12	Z180941	A.K	July/18/'18	H.I
11	Z180796	A.K	June/20/'18	H.I
10	Z151047	H.I	Sept./23.'15	Y.S
9	Z141346	K.T	Nov./25/'14	E.K
8	Z13076	H.I	Feb./18/'13	T.H
7	Z12660	Y.N	Aug./03/'12	T.H

REVISION RECORD

ANGLE	±2°	6 OVER 30 MAX.	±0.3
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5

GENERAL TOLERANCE.

DWG.	DATE
H.Ikari	Apr./16/'08
CHK.	DATE
APP.	DATE
E.Kawabe	Apr./17/'08

PROJECTION

SERIES No. R3

CUSTOMER COPY

TITLE: CABLINE®-VS PLUG SHELL-A

SCALE 5:1

UNIT mm

DWG. No. 2574


SIZE A3

SHEET 1/2 REV. 12


I-PEX connectors

PATENT REGISTERED

PART NO.	E	F	QTY. PER EMBOSS REEL (PIECES / REEL)	QTY. PER PACKING CARTON (REELS / CARTON)
2574-#20#	30	23	5000 PIECES / REEL	3 REELS / CARTON = 15000
2574-#30#	35	28		
2574-#40#	40	33		
2574-#50#	45	38		



PACKING REEL
(S=1/5)





VIEW P


NO.	DISCRIPTION	MATERIAL	FINISH , REMARKS
3	PACKING LABEL	-	-
2	REEL	CARDBOARD	-


ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No.	CUSTOMER COPY	
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		R3		
GENERAL TOLERANCE.				TITLE		SCALE	
DWG.	DATE			CABLINE®-VS PLUG SHELL-A		5:1	I-PEX connectors
CHK.	DATE					UNIT	
APP.	DATE			DWG. No.		mm	
				2574		SIZE A3	SHEET 2/2 REV. 12

Apr.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.









PARTS NO.	HRS NO.	CONTACTS	A	B	C
DF13-30DS-1.25C(10)	CL536-0560-6-10	30	22.9	20.5	17.5
DF13-40DS-1.25C(10)	CL536-0565-0-10	40	29.15	26.75	23.75

HRS DRAWING FOR REFERENCE

NOTE 100 CONNECTORS ARE IN ONE PACK.

NO.	MATERIAL	FINISH . REMARKS
1	POLYAMIDE	BEIGE, UL94V-0

UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	0				

HIROSE ELECTRIC CO., LTD.

APPROVED	SJ. OKAMURA	20211217
CHECKED	SZ. ONO	20211217
DESIGNED	HT. SATO	20211217
DRAWN	SK. CHIBA	20211217


DRAWING NO.	EDC-160109-10-00
PART NO.	DF13-*DS-1.25C(10)
CODE NO.	CL536-

0 1/1

FORM HC0011-5-7

May.1.2017 Copyright 2017 HIROSE ELECTRIC CO., LTD. All Rights Reserved.

	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE		COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					. .	△					. .
△					. .	△					. .
△					. .	△					. .



HRS DRAWING FOR REFERENCE

NOTES 1: APPLICABLE WIRE :26 - 30 AWG
OUTER DIAMETER :φ 0.65-1.0 mm
2: 1 REEL 20000 CONTACTS

NO.	MATERIAL	FINISH, REMARKS
1	PHOSPHOR BRONZE	CONTACT AREA:GOLD PLATING 0.2μm min OTHERS:NICKEL PLATING 0.5μm min

NO.	MATERIAL	FINISH, REMARKS

CODE NO.(OLD)	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
	A.Miura '06.09.08	T.Kumagawa '06.09.08	H.Umehara '06.09.08	T.Ono '06.09.12	

SCALE	DRAWING NO.	PART NO.
20 : 1	EDC3-071220-01	DF13-2630SCFA(41)
UNITS: mm	HRS HIROSE ELECTRIC CO., LTD	CODE NO. CL536-0298-5-41

1/1

TO

RCD-170522

Certificate of RoHS(2011/65/EU) Conformity
ＲｏＨＳ指令適合証明書

Date(yyyy/mm/dd)
2017/5/22

We hereby certify that the following products compl y with RoHS (2011/65/EU).
下記製品は、ＲｏＨＳ指令(2011/65/EU)に適合していることを証明します。

No.	Product code 製品番号	Product Name 製品名	Concerning Applicable RoHS Exemption(s) 適用されるRoHS除外規定について	
			Applicable (Y/N) 適用有無	Applicable Exemption(s) 適用される除外規定
1	CL0536-0555-6-00	DF13-20DS-1.25C	N	-
2	CL0536-0298-5-00	DF13-2630SCFA	N	-
3	intentionally left blank 以下余白	intentionally left blank 以下余白		
4				
5				
6				
7				
8				
9				
10				

Company name: HIROSE ELECTRIC CO., LTD.
会社名: ヒロセ電機株式会社

Address: 2-6-3, NAKAGAWA CHUOH , TSUZUKI-KU, YOKOHAMA-SHI 224-8540, JAPAN
住所: 神奈川県横浜市都筑区中川中央2-6-3

Person in charge: at a anage of n on ent anage ent ff e

sign:

責任者: 環境管理室 室長　松崎 修一　松崎　印

昆山祈硕电子科技有限公司

KUNSHAN QISHUO LIMITED

承　认　书

SPECIFICATION　FOR　APPROVAL

产品名称 ： UL10064 32AWG(19/0.05TA) FEP OD=0.39

客户型号 ： JY-***系列颜色

编　　号 ： WI-E-024-1370

日　　期 ： 2023.04.27

供方确认：

Making 制定	Check 审核	Approve 批准
方卫平	李红征	田乐耕

客户确认：

Confirmed 承认	Check 审核	Approve 批准

制造方：昆山祈硕电子科技有限公司

地　址：江苏省昆山市张浦镇俱进路 399 号

电　话：0512-36886568

传　真：0512-36886468

邮　编：215321

1. Scope


This specification covers UL recognized FEP insulated wire for internal wiring of electronic equipment.

File No.:E358407

[UL style 10064/105℃,30V]

2. Construction

Item		Unit	Spec.
Inner conductor	AWG	---	32
	Material	---	Tinned copper
	Construction	No./mm	19/0.05±0.003
	Pitch	mm	S P=3-4
	Dia.(approx)	mm	0.25±0.01
Insulation	Material	---	FEP
	Nom. thickness	mm	0.065
	Min. thickness	mm	0.052
	Dia.(approx)	mm	0.39±0.02
	Color	---	Black，Brown，Red，Orange，Yellow，Green，Blue，Purple，Grey，White



3. Characteristics

Item	Unit	Spec.
Rated temperature	℃	-10~105
Rated voltage	V	30
Max. conductor resistance at 20℃	Ω/km	575
Min. insulation resistance at 20℃	MΩ-km	1000
Dielectric withstanding voltage	V/min.	500
Unaged elongation	%(min)	200
Unaged tensile strength	kgf/mm^2	1.76
Flame resistance	--	VW-1
Allowable current (Ambient temperature 40℃ in the air)	A	1.4
Spark test	KV	1.5

4. Electrical properties(电气性能)

Item(项目)		Result (结果)
Conductor resistance(导体电阻) (20℃)		≤575 Ω/km
Insulation resistance test （20℃） (绝缘电阻)		>1000 MΩ/km
Max current(最大允许电流)		1.4 A
Finished product voltage test (成品耐电压试验)	Immersed in water (水中) 20±5℃,	All specimen shall withstand 500V for 1minutes without break down (经 1 分钟,500V 电压不击穿)
Rating temperature （额定温度）	105℃	Air oven232±1℃,168hrs
Rating voltage(额定电压)	30V	500V/min

5. Physical properties (机械物理性能)

Elongation of conductor (单支导体伸长率)	≥ 8 %(国标)		
Tensile strength and elongation of insulation (绝缘抗张强度及伸长率)	Unaged (老化前)	Tensile strength (抗张强度)	≥1.76kgf/mm² min
		Elongation (伸长率)	≥200% min
	Aged in a full draft circulation air oven for 232 ± 1 ℃/168 hrs(老 化 后 232 ± 1℃,7 天)	Tensile strength (抗张强度)	75 percent of the result with unaged specimens (至少为非老化样品后的 75%)
		Elongation (伸长率)	75 percent of the result with unaged specimens (至少为非老化样品后的 75%)
Pull-test 外皮拔出力	80—450 g/10mm		

6. Stand properties(持久力特性)

Flame test(燃烧实验)	The sample must be lighted 5 times, each time continue 15seconds and the isolated time is 15 seconds .After above, the flame of sample must be died out by itself in 60 seconds ,at the meantime the sample should not have the burning matter dropped down and the indication flag should not be burned more than 25%(指示旗烧毁≤25)
Storage temperature 存储湿温度	Temperature: 0～30℃，湿度: 80% max, 有效期: 6 个月

7. Tin-dipped

Tin-dipped (沾锡实验)	Tinned temperature 260±20℃,dipped time 2~3 seconds. (沾锡温度 260±20℃时间为 2-3 秒，沾锡均匀,饱满) 收缩尺寸:≤0.5mm

8. Packing

Upon your request.（See finished product packing of SOP）

Test Report

No.: SHAEC22004639301 **Date:** Dec 15, 2022

Client Name: DAIKIN FLUORO CHEMICALS(CHINA) CO., LTD.

Client Address: NO.8 JINYU ROAD(WEST) ADVANCED MATERIALS INDUSTRIAL PARK,CHANGSHU,JIANGSU 215522，CHINA

Sample Name: NEOFLON FEP

Model No.: NP-3180

The above sample(s) and information were provided by the client.

SGS Job No.: SP22-029591

Sample Receiving Date: Dec 09, 2022

Testing Period: Dec 09, 2022 - Dec 15, 2022

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Dibutyl phthalate (DBP)，Butyl benzyl phthalate (BBP)，Bis(2-ethylhexyl) phthalate (DEHP), and Diisobutyl phthalate (DIBP)	Pass
Tetrabromobisphenol A (TBBP-A)	See Results
Alkanes C14-C17, chloro (medium- chain chlorinated paraffins) (MCCPs)	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Carol Luo
Approved Signatory

scan to see the report
CC2DEECC

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA22-0046393-0001.C001	Translucent solid pellet

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Dibutyl phthalate (DBP)，Butyl benzyl phthalate (BBP)，Bis(2-ethylhexyl) phthalate (DEHP), and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analysis was performed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A1
Cadmium(Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBBs)	1000	mg/kg	-	ND
Monobromobiphenyl (MonoBB)	-	mg/kg	5	ND
Dibromobiphenyl (DiBB)	-	mg/kg	5	ND
Tribromobiphenyl (TriBB)	-	mg/kg	5	ND
Tetrabromobiphenyl (TetraBB)	-	mg/kg	5	ND
Pentabromobiphenyl (PentaBB)	-	mg/kg	5	ND
Hexabromobiphenyl (HexaBB)	-	mg/kg	5	ND
Heptabromobiphenyl (HeptaBB)	-	mg/kg	5	ND
Octabromobiphenyl (OctaBB)	-	mg/kg	5	ND
Nonabromobiphenyl (NonaBB)	-	mg/kg	5	ND
Decabromobiphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDEs)	1000	mg/kg	-	ND
Monobromodiphenylether (MonoBDE)	-	mg/kg	5	ND
Dibromodiphenylether (DiBDE)	-	mg/kg	5	ND
Tribromodiphenylether (TriBDE)	-	mg/kg	5	ND
Tetrabromodiphenylether (TetraBDE)	-	mg/kg	5	ND
Pentabromodiphenylether (PentaBDE)	-	mg/kg	5	ND
Hexabromodiphenylether (HexaBDE)	-	mg/kg	5	ND
Heptabromodiphenylether (HeptaBDE)	-	mg/kg	5	ND
Octabromodiphenylether (OctaBDE)	-	mg/kg	5	ND
Nonabromodiphenylether (NonaBDE)	-	mg/kg	5	ND
Decabromodiphenylether (DecaBDE)	-	mg/kg	5	ND
Dibutyl Phthalate(DBP)	1000	mg/kg	50	ND

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Item(s)	Limit	Unit(s)	MDL	A1
Benzyl Butyl Phthalate(BBP)	1000	mg/kg	50	ND
Bis-(2-ethylhexyl) Phthalate(DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalate(DIBP)	1000	mg/kg	50	ND

Notes:
(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
(2) IEC 62321 series is equivalent to EN 62321 series.
(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Tetrabromobisphenol A (TBBP-A)

Test Method: With reference to SGS in house method, analysis was performed by GC-MS or LC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A1
Tetrabromobisphenol A (TBBP-A)	79-94-7	mg/kg	5	ND

Alkanes C14-C17, chloro (medium- chain chlorinated paraffins) (MCCPs)

Test Method: With reference to ISO 22818:2021,analysis was performed by GC-NCl-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A1
Alkanes C_{14}-C_{17}, chloro (medium- chain chlorinated paraffins) (MCCPs)	85535-85-9 and others	mg/kg	50	ND

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.


SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory.
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

ATTACHMENTS

PBBs/PBDEs Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)


ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
检验检测专用章 Inspection & Testing Services
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample Photo:



SHA22-0046393-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

CTI 华测检测

210900341277

CNAS 中国认可 国际互认 检测 TESTING CNAS L5541

Test Report

Report No. A2220469900101001

Company Name shown on Report BAOTOUZHENXIONGCOPPER CO.,LTD

Address NNER MONGOLIA BAOTOU RARE EARTH HIGH-TECH INDUSTROAL PARK OF HOPE

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name	TIN PLATING ROUND COPPER WIRE
Sample Received Date	Oct. 21, 2022
Testing Period	Oct. 21, 2022 to Oct. 25, 2022

Test Requested As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP), Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I) in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

****

Conclusion

Tested Sample	According to standard/directive	Result
Submitted Sample	RoHS Directive 2011/65/EU with amendment (EU) 2015/863	PASS

****

PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

Tested by Ji Chong

Approved by Chen kaimin

Chen kaimin
Lab Manager

Reviewed by Gong Yuzhu

Date Oct. 25, 2022

No. T172791151

Test Report

Report No. A2220469900101001

Test Method

Test Item(s)	Test Method	Measured Equipment(s)
Lead (Pb)	IEC 62321-5:2013	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
Hexavalent Chromium (Cr(VI))	IEC 62321-7-1:2015	UV-Vis
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS
Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS
Fluorine (F)	Refer to EN 14582:2016	IC
Chlorine (Cl)	Refer to EN 14582:2016	IC
Bromine (Br)	Refer to EN 14582:2016	IC
Iodine (I)	Refer to EN 14582:2016	IC

Test Report

Report No. A2220469900101001

Test Result(s)

Tested Item(s)	Result	MDL	Limit
Lead (Pb)	N.D.	2 mg/kg	1000 mg/kg
Cadmium (Cd)	N.D.	2 mg/kg	100 mg/kg
Mercury (Hg)	N.D.	2 mg/kg	1000 mg/kg
Hexavalent Chromium (Cr(VI))	N.D. ▼	0.10 μg/cm² (LOQ)	1000 mg/kg

Tested Item(s)	Result	MDL	Limit
Polybrominated Biphenyls (PBBs)			
Monobromobiphenyl	N.D.	5 mg/kg	1000 mg/kg
Dibromobiphenyl	N.D.	5 mg/kg	
Tribromobiphenyl	N.D.	5 mg/kg	
Tetrabromobiphenyl	N.D.	5 mg/kg	
Pentabromobiphenyl	N.D.	5 mg/kg	
Hexabromobiphenyl	N.D.	5 mg/kg	
Heptabromobiphenyl	N.D.	5 mg/kg	
Octabromobiphenyl	N.D.	5 mg/kg	
Nonabromobiphenyl	N.D.	5 mg/kg	
Decabromobiphenyl	N.D.	5 mg/kg	

Tested Item(s)	Result	MDL	Limit
Polybrominated Diphenyl Ethers (PBDEs)			
Monobromodiphenyl ether	N.D.	5 mg/kg	1000 mg/kg
Dibromodiphenyl ether	N.D.	5 mg/kg	
Tribromodiphenyl ether	N.D.	5 mg/kg	
Tetrabromodiphenyl ether	N.D.	5 mg/kg	
Pentabromodiphenyl ether	N.D.	5 mg/kg	
Hexabromodiphenyl ether	N.D.	5 mg/kg	
Heptabromodiphenyl ether	N.D.	5 mg/kg	
Octabromodiphenyl ether	N.D.	5 mg/kg	
Nonabromodiphenyl ether	N.D.	5 mg/kg	
Decabromodiphenyl ether	N.D.	5 mg/kg	

Test Report

Report No. A2220469900101001

Test Result(s)

Tested Item(s)	Result	MDL	Limit
Phthalates (DBP, BBP, DEHP, DIBP)			
Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	50 mg/kg	1000 mg/kg
Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	50 mg/kg	1000 mg/kg
Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	50 mg/kg	1000 mg/kg
Diisobutyl phthalate (DIBP) CAS#:84-69-5	N.D.	50 mg/kg	1000 mg/kg

Tested Item(s)	Result	MDL
Fluorine (F)	N.D.	10 mg/kg
Chlorine (Cl)	N.D.	10 mg/kg
Bromine (Br)	N.D.	10 mg/kg
Iodine (I)	N.D.	10 mg/kg

Sample/Part Description Metal wire with silvery plating

Remark: **The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.**

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL or LOQ)

-mg/kg = ppm = parts per million

-1000 mg/kg = 0.1%

-LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²


-▼The sample is negative for Cr(VI) − The Cr(VI) concentration is below 0.10 μg/cm². The coating is considered a non-Cr(VI) based coating.

Test Report


Report No. A2220469900101001

Test Process


1. Lead (Pb), Cadmium (Cd)




2. Mercury (Hg)



3. Hexavalent Chromium (Cr(VI))




4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)




Test Report

5. Phthalates (DBP, BBP, DEHP, DIBP)



6. Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I)



Test Report

Report No. A2220469900101001

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Without written approval of CTI, this report can't be reproduced except in full;
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** End of report ***

CTI 华测检测

210900341277

中国认可
国际互认
检测
TESTING
CNAS L5541

Test Report

Report No. A2220469900101002

Company Name shown on Report BAOTOUZHENXIONGCOPPER CO.,LTD

Address NNER MONGOLIA BAOTOU RARE EARTH HIGH-TECH INDUSTROAL PARK OF HOPE

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name	ELECTRICIAN ROUND COPPER WIRE
Sample Received Date	Oct. 21, 2022
Testing Period	Oct. 21, 2022 to Oct. 25, 2022

Test Requested As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP), Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I) in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

****

Conclusion

Tested Sample	According to standard/directive	Result
Submitted Sample	RoHS Directive 2011/65/EU with amendment (EU) 2015/863	PASS

****

PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

Tested by Ji Chong

Approved by Chen kaimin

Chen kaimin
Lab Manager

Reviewed by Gong Yuzhu

Date Oct. 25, 2022

No. T172791151

Test Report

Report No. A2220469900101002

Test Method

Test Item(s)	Test Method	Measured Equipment(s)
Lead (Pb)	IEC 62321-5:2013	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
Hexavalent Chromium (Cr(VI))	IEC 62321-7-1:2015	UV-Vis
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS
Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS
Fluorine (F)	Refer to EN 14582:2016	IC
Chlorine (Cl)	Refer to EN 14582:2016	IC
Bromine (Br)	Refer to EN 14582:2016	IC
Iodine (I)	Refer to EN 14582:2016	IC

Test Report

Report No. A2220469900101002

Test Result(s)

Tested Item(s)	Result	MDL	Limit
Lead (Pb)	N.D.	2 mg/kg	1000 mg/kg
Cadmium (Cd)	N.D.	2 mg/kg	100 mg/kg
Mercury (Hg)	N.D.	2 mg/kg	1000 mg/kg
Hexavalent Chromium (Cr(VI))	N.D. ▼	0.10 μg/cm² (LOQ)	1000 mg/kg
Tested Item(s)	**Result**	**MDL**	**Limit**
Polybrominated Biphenyls (PBBs)			
Monobromobiphenyl	N.D.	5 mg/kg	1000 mg/kg
Dibromobiphenyl	N.D.	5 mg/kg	
Tribromobiphenyl	N.D.	5 mg/kg	
Tetrabromobiphenyl	N.D.	5 mg/kg	
Pentabromobiphenyl	N.D.	5 mg/kg	
Hexabromobiphenyl	N.D.	5 mg/kg	
Heptabromobiphenyl	N.D.	5 mg/kg	
Octabromobiphenyl	N.D.	5 mg/kg	
Nonabromobiphenyl	N.D.	5 mg/kg	
Decabromobiphenyl	N.D.	5 mg/kg	
Tested Item(s)	**Result**	**MDL**	**Limit**
Polybrominated Diphenyl Ethers (PBDEs)			
Monobromodiphenyl ether	N.D.	5 mg/kg	1000 mg/kg
Dibromodiphenyl ether	N.D.	5 mg/kg	
Tribromodiphenyl ether	N.D.	5 mg/kg	
Tetrabromodiphenyl ether	N.D.	5 mg/kg	
Pentabromodiphenyl ether	N.D.	5 mg/kg	
Hexabromodiphenyl ether	N.D.	5 mg/kg	
Heptabromodiphenyl ether	N.D.	5 mg/kg	
Octabromodiphenyl ether	N.D.	5 mg/kg	
Nonabromodiphenyl ether	N.D.	5 mg/kg	
Decabromodiphenyl ether	N.D.	5 mg/kg	

Test Report

Report No. A2220469900101002

Test Result(s)

Tested Item(s)	Result	MDL	Limit
Phthalates (DBP, BBP, DEHP, DIBP)			
Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	50 mg/kg	1000 mg/kg
Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	50 mg/kg	1000 mg/kg
Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	50 mg/kg	1000 mg/kg
Diisobutyl phthalate (DIBP) CAS#:84-69-5	N.D.	50 mg/kg	1000 mg/kg

Tested Item(s)	Result	MDL
Fluorine (F)	N.D.	10 mg/kg
Chlorine (Cl)	N.D.	10 mg/kg
Bromine (Br)	N.D.	10 mg/kg
Iodine (I)	N.D.	10 mg/kg

Sample/Part Description Cupreous metal wire

Remark: **The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.**

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL or LOQ)

-mg/kg = ppm = parts per million

-1000 mg/kg = 0.1%


-LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²

-▼The sample is negative for Cr(VI) − The Cr(VI) concentration is below 0.10 μg/cm². The coating is considered a non-Cr(VI) based coating.


Test Report

Test Process


1. Lead (Pb), Cadmium (Cd)




2. Mercury (Hg)




3. Hexavalent Chromium (Cr(VI))




4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)



5. Phthalates (DBP, BBP, DEHP, DIBP)



6. Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I)



Test Report

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Without written approval of CTI, this report can't be reproduced except in full;
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** End of report ***

Test Report

Company Name shown on Report	BAOTOUZHENXIONGCOPPER CO.,LTD
Address	NNER MONGOLIA BAOTOU RARE EARTH HIGH-TECH INDUSTROAL PARK OF HOPE

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name	TIN PLATING ROUND COPPER WIRE
Sample Received Date	Oct. 21, 2022
Testing Period	Oct. 21, 2022 to Oct. 28, 2022

Test Requested	1.As specified by client, to screen the 224 substances of very high concern (SVHC) under Regulation(EC) No 1907/2006 of REACH in the submitted sample(s). 2.As specified by client, to screen the 10 substances submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation(EC) No1907/2006 of REACH in the submitted sample(s).
Test Method	Please refer to the following page(s).
Test Result(s)	Please refer to the following page(s).
Summary	1.According to the analytical results, concentrations of 224 SVHC substances are all less than 0.1% (w/w) in the submitted sample(s). 2.According to the analytical results, concentrations of 10 substances for intention for identification of SVHC are all less than 0.1% (w/w) in the submitted sample(s).

Tested by Zhang Xiao yu Reviewed by Gu Cuili

Approved by Chen kaimin Date Oct. 28, 2022

Chen kaimin
Lab Manager

No. T172796182

Test Report

Test Result(s) 1

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)	Report Limit (%)
-	-	All tested SVHC (See the candidate list)	–	–	N.D.	-

Test Result(s) 2

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)	Report Limit (%)
-	-	All tested intention for identification of SVHC (See the list of intention for identification of SVHC)	-	-	N.D.	-

Test Method:
Refer to US EPA3052:1996, US EPA 3050B:1996, US EPA3060A:1996, US EPA 3550C:2007, US EPA 3540C:1996, ISO 17353:2004(E), EN 14582:2016 for sample pretreatment.
Analyzed by ICP-OES, UV-Vis, PLM, SEM, IC, HPLC, GC-MS, GC-MS(NCI), GC-FID and LC-MS-MS.

Sample/Part Description Metal wire with silvery plating

Test Report

Remark:

1. The table of tested result(s) only shows detected SVHC/intention for identification of SVHC, and SVHC/intention for identification of SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC/ intention for identification of SVHC on next pages.
2. w/w = weight by weight; 0.1%= 1000 mg/kg =1000 ppm
3. N.D. = Not Detected (<report limit)
4. *: Concentration value of the substance by the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide(TBTO), Dibutyltin dichloride (DBTC), 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE), Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8- oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE), Dibutylbis(pentane-2,4-dionato-O,O')tin, [Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety] by the conversion from the test results of certain compounds(Tributyl Tins(TBT), Dibutyl Tins(DBT), Dioctyl Tins(DOT), Monooctyl Tins(MOT)).
5. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
6. ***: C.I.: Colour Index
7. ****: Light fractions from distillation
8. *****: Concentration value of Disodiumtetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodiumtetraborate, with no consider of the hydrate. Concentration value of Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consider of the hydrate.
9. ▲: Concentration value of Formaldehyde, oligomeric reaction products with aniline by the conversion from the test results of certain compounds(2,4-Diaminodiphenylmethane, 4,4'-Diaminodiphenylmethane, 2,2-Diaminodiphenylmethane).
10. ①: In view of the substances are established as UVCB substances(substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1% (w/w), the presence of the substance in the sample need to be further confirmed by checking MSDS or requesting from suppliers.
11. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.

Test Report

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	1	Anthracene	120-12-7	204-371-1	0.005
I	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.005
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.005
I	4	Cobalt dichloride*	7646-79-9	231-589-4	0.01
I	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01
I	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.01
I	7	Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	0.01
I	8	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	201-329-4	0.005
I	9	Bis(2-ethyl(hexyl)phthalate)(DEHP)	117-81-7	204-211-0	0.005
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	247-148-4 221-695-9	0.005
I	11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCPs)	85535-84-8	287-476-5	0.01
I	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.005
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01
I	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.005
I	15	Triethyl arsenate*	15606-95-8	427-700-2	0.01
II	16	①Anthracene oil	90640-80-5	292-602-7	0.05
II	17	①Anthracene oil, anthracene paste, distn. lights ****	91995-17-4	295-278-5	0.05
II	18	①Anthracene oil, anthracene paste,anthracene fraction	91995-15-2	295-275-9	0.05
II	19	①Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
II	20	①Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
II	21	①Pitch, coal tar, high-temp.	65996-93-2	266-028-2	0.05
II	22	Acrylamide	79-06-1	201-173-7	0.01
II	23	2,4-dinitrotoluene	121-14-2	204-450-0	0.01
II	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.005
II	25	②Lead chromate	7758-97-6	231-846-0	0.05
II	26	②Lead chromate molybdate sulphate red (C.I. Pigment Red 104)***	12656-85-8	235-759-9	0.05
II	27	②Lead sulfochromate yellow (C.I. Pigment Yellow 34)***	1344-37-2	215-693-7	0.05
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.01
III	29	Trichloroethylene	79-01-6	201-167-4	0.005

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
III	30	Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	0.01
III	31	②Disodium tetraborate, anhydrous*****	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01
III	32	②Tetraboron disodium heptaoxide, hydrate*****	12267-73-1	235-541-3	0.01
III	33	Sodium chromate*	7775-11-3	231-889-5	0.01
III	34	Potassium chromate*	7789-00-6	232-140-5	0.01
III	35	Ammonium dichromate*	7789-09-5	232-143-1	0.01
III	36	Potassium dichromate*	7778-50-9	231-906-6	0.01
IV	37	Cobalt(Ⅱ) sulphate*	10124-43-3	233-334-2	0.01
IV	38	Cobalt(Ⅱ) dinitrate*	10141-05-6	233-402-1	0.01
IV	39	Cobalt(Ⅱ) carbonate*	513-79-1	208-169-4	0.01
IV	40	Cobalt(Ⅱ) diacetate*	71-48-7	200-755-8	0.01
IV	41	2-methoxyethanol	109-86-4	203-713-7	0.005
IV	42	2-ethoxyethanol	110-80-5	203-804-1	0.005
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.01
IV	44	①Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.01
V	46	Strontium chromate*	7789-06-2	232-142-6	0.01
V	47	①1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.01
V	48	Hydrazine	7803-57-8 302-01-2	206-114-9	0.01
V	49	1-methyl-2-pyrrolidone (NMP)	872-50-4	212-828-1	0.01
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.01
V	51	①1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.01
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01
VI	53	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	0.01
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01
VI	55	②Aluminosilicate Refractory Ceramic Fibres (RCF) **	-	-	0.05
VI	56	②Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	-	-	0.05
VI	57	①Formaldehyde, oligomeric reaction products with aniline▲	25214-70-4	500-036-1	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005
VI	59	2-Methoxyaniline(o-Anisidine)	90-04-0	201-963-1	0.005
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	205-426-2	0.005
VI	61	1,2-dichloroethane	107-06-2	203-458-1	0.005
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.01
VI	64	Calcium arsenate*	7778-44-1	231-904-5	0.01
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.01
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
VI	68	Phenolphthalein	77-09-8	201-004-7	0.005
VI	69	Lead diazide, Lead azide*	13424-46-9	236-542-1	0.01
VI	70	Lead styphnate*	15245-44-0	239-290-0	0.01
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.01
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.01
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
VII	74	Diboron trioxide*	1303-86-2	215-125-8	0.01
VII	75	Formamide	75-12-7	200-842-0	0.01
VII	76	Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	0.01
VII	77	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	219-514-3	0.01
VII	78	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	423-400-0	0.01
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.01
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)***	548-62-9	208-953-6	0.01
VII	82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl] methylene]cyclohexa-2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Blue 26)***	2580-56-5	219-943-6	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)***	6786-83-0	229-851-8	0.01
VII	84	4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.05
VIII	86	①4-Nonylphenol, branched and linear *[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]*	-	-	0.05
VIII	87	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))(ADCA)	123-77-3	204-650-8	0.05
VIII	88	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated *[covering well-defined substances and UVCB substances, polymers and homologues]*	-	-	0.05
VIII	89	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.05
VIII	90	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.05
VIII	91	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05
VIII	92	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9	247-094-1 243-072-0 256-356-4 260-566-1	0.05
VIII	93	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.05
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.05
VIII	95	①1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.05
VIII	96	n-pentyl-isopentylphthalate	776297-69-9	933-378-9	0.05
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.05
VIII	98	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.05
VIII	99	1,2-diethoxyethane	629-14-1	211-076-1	0.05
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.05

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.05
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.05
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.01
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.05
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.01
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.01
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.01
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.05
VIII	114	Furan	110-00-9	203-727-3	0.05
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.01
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.01
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.05
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.01
VIII	120	Silicic acid ($H_2Si_2O_5$), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.01
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01
VIII	122	*o*-Toluidine	95-53-4	202-429-0	0.05
VIII	123	*o*-aminoazotoluene	97-56-3	202-591-2	0.05
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.05
VIII	125	6-methoxy-*m*-toluidine (*p*-cresidine)	120-71-8	204-419-1	0.05
VIII	126	Dibutyltin dichloride (DBTC)*	683-18-1	211-670-0	0.05
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.01
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.05
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.01
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.01
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.01
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.05
IX	139	Cadmium	7440-43-9	231-152-8	0.01
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.01
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
IX	142	①4-Nonylphenol, branched and linear, ethoxylated*[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]*	-	-	0.05
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01
X	145	①Trixylyl phosphate	25155-23-1	246-677-8	0.01
X	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.01
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.01
X	148	Cadmium sulphide*	1306-23-6	215-147-8	0.01
X	149	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)***	573-58-0	209-358-4	0.01
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.01
X	151	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	202-506-9	0.01
XI	152	①1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.01
XI	153	Cadmium chloride*	10108-64-2	233-296-7	0.01
XI	154	②Sodium perborate; perboric acid, sodium salt*****	15120-21-5 11138-47-9	239-172-9 234-390-0	0.01
XI	155	②Sodium peroxometaborate*****	7632-04-4	231-556-4	0.01
XII	156	2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.01
XII	157	2-Benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.01
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4- stannatetradecanoate (DOTE)*	15571-58-1	239-622-4	0.05

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XII	159	Cadmium fluoride*	7790-79-6	232-222-0	0.01
XII	160	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	0.01
XII	161	①Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)*	-	-	0.05
XIII	162	①1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2- benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201- 559-5)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.05
XIII	163	①5-sec-butyl-2-(2,4- dimethylcyclohex-3-en-1-yl)-5-methyl-1,3- dioxane [1], 5-sec- butyl-2-(4,6-dimethylcyclohex- 3-en-1-yl)- 5-methyl-1,3- dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	-	0.05
XIV	164	Nitrobenzene	98-95-3	202-716-0	0.01
XIV	165	2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.01
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.01
XIV	167	1,3-propanesultone	1120-71-4	214-317-9	0.01
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3 - -	0.01
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.01
XVI	170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.01
XVI	171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7 335-76-2 3830-45-3	221-470-5 206-400-3 -	0.01
XVI	172	*p*-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XVI	173	①4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	-	0.05
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	-	-	0.0005
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	-	-	0.01
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.01
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.01
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.01
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.01
XVIII	180	Chrysene	218-01-9	205-923-4	0.01
XVIII	181	①Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP)[with ≥0.1% w/w 4-heptylphenol, branched and linear (4-HPbl)]	-	-	0.05
XIX	182	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.01
XIX	183	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
XIX	184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
XIX	185	Lead	7439-92-1	231-100-4	0.01
XIX	186	Disodium octaborate*	12008-41-2	234-541-0	0.01
XIX	187	Benzo[ghi]perylene	191-24-2	205-883-8	0.01
XIX	188	①Terphenyl, hydrogenated	61788-32-7	262-967-7	0.01
XIX	189	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
XIX	190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	209-008-0	0.01
XIX	191	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.01
XX	192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.01
XX	193	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
XX	194	Fluoranthene	206-44-0	205-912-4	0.01
XX	195	Phenanthrene	85-01-8	201-581-5	0.01
XX	196	Pyrene	129-00-0	204-927-3	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XX	197	1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) (3-BC)	15087-24-8	239-139-9	0.01
XXI	198	2,3,3,3-tetrafluoro-2- (heptafluoropropoxy) propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	-	0.01
XXI	199	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
XXI	200	4-tert-butylphenol	98-54-4	202-679-0	0.01
XXI	201	①Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	-	0.01
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.01
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.01
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.01
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	0.01
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.01
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.01
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin *	22673-19-4	245-152-0	0.05
XXIV	210	bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety *	-	-	0.05
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.01
XXV	213	2,2-bis(bromomethyl) propane-1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 36483-57-5 1522-92-5 96-13-9	221-967-7 253-057-0 202-480-9	0.01
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	-	0.01
XXV	215	4,4'-(1-methylpropylidene)bisphenol (bisphenol B)	77-40-7	201-025-1	0.01
XXV	216	Glutaral	111-30-8	203-856-5	0.01
XXV	217	①Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	-	0.01
XXV	218	Orthoboric acid, sodium salt *	13840-56-7	237-560-2	0.01
XXV	219	①Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	-	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	-	0.01
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01
XXVI	222	S-(tricyclo[5.2.1.$0^{2,6}$]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01
XXVI	223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01

List of intention for identification of SVHC


Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
-	1	Resorcinol	108-46-3	203-585-2	0.01
XXVIII	2	1,1'-[ethane-1,2-diylbisoxy]bis [2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.01
XXVIII	3	2,2',6,6'-tetrabromo-4,4'- isopropylidenediphenol (TBBPA)	79-94-7	201-236-9	0.01
XXVIII	4	4,4'-sulphonyldiphenol (BPS)	80-09-1	201-250-5	0.01
XXVIII	5	Barium diboron tetraoxide*	13701-59-2	237-222-4	0.01
XXVIII	6	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	-	0.01
XXVIII	7	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
XXVIII	8	Melamine	108-78-1	203-615-4	0.01
XXVIII	9	Perfluoroheptanoic acid and its salts	-	-	0.01
XXVIII	10	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl) morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	473-390-7	0.05

Resorcinol is the substance published on June 1st 2021 submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation (EC) No1907/2006 of REACH. The substances of batch XXVIII are the substances published on September 2nd 2022 submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation (EC) No 1907/2006 of REACH.

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1 % weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
   1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
   2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 3 and Annex II of REACH.
3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
   1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.
   2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures or ≥ 0.2 % by volume for gaseous mixtures.

Test Process



Test Report

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Without written approval of CTI, this report can't be reproduced except in full;
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** End of Report ***

Test Report

Report No. A2220469900102002 Page 1 of 16

Company Name shown on Report	BAOTOUZHENXIONGCOPPER CO.,LTD
Address	NNER MONGOLIA BAOTOU RARE EARTH HIGH-TECH INDUSTROAL PARK OF HOPE

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name	ELECTRICIAN ROUND COPPER WIRE
Sample Received Date	Oct. 21, 2022
Testing Period	Oct. 21, 2022 to Oct. 28, 2022

Test Requested	1.As specified by client, to screen the 224 substances of very high concern (SVHC) under Regulation(EC) No 1907/2006 of REACH in the submitted sample(s). 2.As specified by client, to screen the 10 substances submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation(EC) No1907/2006 of REACH in the submitted sample(s).
Test Method	Please refer to the following page(s).
Test Result(s)	Please refer to the following page(s).
Summary	1.According to the analytical results, concentrations of 224 SVHC substances are all less than 0.1% (w/w) in the submitted sample(s). 2.According to the analytical results, concentrations of 10 substances for intention for identification of SVHC are all less than 0.1% (w/w) in the submitted sample(s).

Tested by Zhang Xiao Yu Reviewed by Gu Cuili

Approved by Chen kaimin Date Oct. 28, 2022

Chen kaimin
Lab Manager

No. T172796182

Centre Testing International Pinbiao(Shanghai) Co., Ltd. No.1351, Wanfang Road, Minhang District, Shanghai, China

Test Report

Test Result(s) 1

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)	Report Limit (%)
-	-	All tested SVHC (See the candidate list)	–	–	N.D.	-

Test Result(s) 2

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)	Report Limit (%)
-	-	All tested intention for identification of SVHC (See the list of intention for identification of SVHC)	-	-	N.D.	-

Test Method:
Refer to US EPA3052:1996, US EPA 3050B:1996, US EPA3060A:1996, US EPA 3550C:2007, US EPA 3540C:1996, ISO 17353:2004(E), EN 14582:2016 for sample pretreatment.
Analyzed by ICP-OES, UV-Vis, PLM, SEM, IC, HPLC, GC-MS, GC-MS(NCI), GC-FID and LC-MS-MS.

Sample/Part Description Cupreous metal wire

Test Report

Remark:

1. The table of tested result(s) only shows detected SVHC/intention for identification of SVHC, and SVHC/intention for identification of SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC/ intention for identification of SVHC on next pages.
2. w/w = weight by weight; 0.1%= 1000 mg/kg =1000 ppm
3. N.D. = Not Detected (<report limit)
4. *: Concentration value of the substance by the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide(TBTO), Dibutyltin dichloride (DBTC), 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE), Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8- oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE), Dibutylbis(pentane-2,4-dionato-O,O')tin, [Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety] by the conversion from the test results of certain compounds(Tributyl Tins(TBT), Dibutyl Tins(DBT), Dioctyl Tins(DOT), Monooctyl Tins(MOT)).
5. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
6. ***: C.I.: Colour Index
7. ****: Light fractions from distillation
8. *****: Concentration value of Disodiumtetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodiumtetraborate, with no consider of the hydrate. Concentration value of Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consider of the hydrate.
9. ▲: Concentration value of Formaldehyde, oligomeric reaction products with aniline by the conversion from the test results of certain compounds(2,4-Diaminodiphenylmethane, 4,4'-Diaminodiphenylmethane, 2,2-Diaminodiphenylmethane).
10. ①: In view of the substances are established as UVCB substances(substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1% (w/w), the presence of the substance in the sample need to be further confirmed by checking MSDS or requesting from suppliers.
11. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.

Test Report

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	1	Anthracene	120-12-7	204-371-1	0.005
I	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.005
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.005
I	4	Cobalt dichloride*	7646-79-9	231-589-4	0.01
I	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01
I	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.01
I	7	Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	0.01
I	8	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	201-329-4	0.005
I	9	Bis(2-ethyl(hexyl)phthalate)(DEHP)	117-81-7	204-211-0	0.005
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	247-148-4 221-695-9	0.005
I	11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCPs)	85535-84-8	287-476-5	0.01
I	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.005
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01
I	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.005
I	15	Triethyl arsenate*	15606-95-8	427-700-2	0.01
II	16	①Anthracene oil	90640-80-5	292-602-7	0.05
II	17	①Anthracene oil, anthracene paste, distn. lights ****	91995-17-4	295-278-5	0.05
II	18	①Anthracene oil, anthracene paste,anthracene fraction	91995-15-2	295-275-9	0.05
II	19	①Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
II	20	①Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
II	21	①Pitch, coal tar, high-temp.	65996-93-2	266-028-2	0.05
II	22	Acrylamide	79-06-1	201-173-7	0.01
II	23	2,4-dinitrotoluene	121-14-2	204-450-0	0.01
II	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.005
II	25	②Lead chromate	7758-97-6	231-846-0	0.05
II	26	②Lead chromate molybdate sulphate red (C.I. Pigment Red 104)***	12656-85-8	235-759-9	0.05
II	27	②Lead sulfochromate yellow (C.I. Pigment Yellow 34)***	1344-37-2	215-693-7	0.05
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.01
III	29	Trichloroethylene	79-01-6	201-167-4	0.005

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
III	30	Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	0.01
III	31	②Disodium tetraborate, anhydrous*****	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01
III	32	②Tetraboron disodium heptaoxide, hydrate*****	12267-73-1	235-541-3	0.01
III	33	Sodium chromate*	7775-11-3	231-889-5	0.01
III	34	Potassium chromate*	7789-00-6	232-140-5	0.01
III	35	Ammonium dichromate*	7789-09-5	232-143-1	0.01
III	36	Potassium dichromate*	7778-50-9	231-906-6	0.01
IV	37	Cobalt(Ⅱ) sulphate*	10124-43-3	233-334-2	0.01
IV	38	Cobalt(Ⅱ) dinitrate*	10141-05-6	233-402-1	0.01
IV	39	Cobalt(Ⅱ) carbonate*	513-79-1	208-169-4	0.01
IV	40	Cobalt(Ⅱ) diacetate*	71-48-7	200-755-8	0.01
IV	41	2-methoxyethanol	109-86-4	203-713-7	0.005
IV	42	2-ethoxyethanol	110-80-5	203-804-1	0.005
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.01
IV	44	①Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.01
V	46	Strontium chromate*	7789-06-2	232-142-6	0.01
V	47	①1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.01
V	48	Hydrazine	7803-57-8 302-01-2	206-114-9	0.01
V	49	1-methyl-2-pyrrolidone (NMP)	872-50-4	212-828-1	0.01
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.01
V	51	①1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.01
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01
VI	53	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	0.01
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01
VI	55	②Aluminosilicate Refractory Ceramic Fibres (RCF) **	-	-	0.05
VI	56	②Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	-	-	0.05
VI	57	①Formaldehyde, oligomeric reaction products with aniline▲	25214-70-4	500-036-1	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005
VI	59	2-Methoxyaniline(o-Anisidine)	90-04-0	201-963-1	0.005
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	205-426-2	0.005
VI	61	1,2-dichloroethane	107-06-2	203-458-1	0.005
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.01
VI	64	Calcium arsenate*	7778-44-1	231-904-5	0.01
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.01
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
VI	68	Phenolphthalein	77-09-8	201-004-7	0.005
VI	69	Lead diazide, Lead azide*	13424-46-9	236-542-1	0.01
VI	70	Lead styphnate*	15245-44-0	239-290-0	0.01
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.01
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.01
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
VII	74	Diboron trioxide*	1303-86-2	215-125-8	0.01
VII	75	Formamide	75-12-7	200-842-0	0.01
VII	76	Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	0.01
VII	77	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	219-514-3	0.01
VII	78	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	423-400-0	0.01
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.01
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)***	548-62-9	208-953-6	0.01
VII	82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl] methylene]cyclohexa-2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Blue 26)***	2580-56-5	219-943-6	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)***	6786-83-0	229-851-8	0.01
VII	84	4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.05
VIII	86	①4-Nonylphenol, branched and linear *[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]*	-	-	0.05
VIII	87	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))(ADCA)	123-77-3	204-650-8	0.05
VIII	88	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated *[covering well-defined substances and UVCB substances, polymers and homologues]*	-	-	0.05
VIII	89	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.05
VIII	90	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.05
VIII	91	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05
VIII	92	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9	247-094-1 243-072-0 256-356-4 260-566-1	0.05
VIII	93	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.05
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.05
VIII	95	①1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.05
VIII	96	n-pentyl-isopentylphthalate	776297-69-9	933-378-9	0.05
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.05
VIII	98	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.05
VIII	99	1,2-diethoxyethane	629-14-1	211-076-1	0.05
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.05

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.05
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.05
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.01
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.05
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.01
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.01
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.01
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.05
VIII	114	Furan	110-00-9	203-727-3	0.05
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.01
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.01
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.05
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.01
VIII	120	Silicic acid ($H_2Si_2O_5$), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.01
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01
VIII	122	*o*-Toluidine	95-53-4	202-429-0	0.05
VIII	123	*o*-aminoazotoluene	97-56-3	202-591-2	0.05
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.05
VIII	125	6-methoxy-*m*-toluidine (*p*-cresidine)	120-71-8	204-419-1	0.05
VIII	126	Dibutyltin dichloride (DBTC)*	683-18-1	211-670-0	0.05
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.01
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.05
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.01
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.01
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.01
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.05
IX	139	Cadmium	7440-43-9	231-152-8	0.01
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.01
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
IX	142	①4-Nonylphenol, branched and linear, ethoxylated*[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]*	-	-	0.05
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01
X	145	①Trixylyl phosphate	25155-23-1	246-677-8	0.01
X	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.01
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.01
X	148	Cadmium sulphide*	1306-23-6	215-147-8	0.01
X	149	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)***	573-58-0	209-358-4	0.01
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.01
X	151	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	202-506-9	0.01
XI	152	①1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.01
XI	153	Cadmium chloride*	10108-64-2	233-296-7	0.01
XI	154	②Sodium perborate; perboric acid, sodium salt*****	15120-21-5 11138-47-9	239-172-9 234-390-0	0.01
XI	155	②Sodium peroxometaborate*****	7632-04-4	231-556-4	0.01
XII	156	2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.01
XII	157	2-Benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.01
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4- stannatetradecanoate (DOTE)*	15571-58-1	239-622-4	0.05

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XII	159	Cadmium fluoride*	7790-79-6	232-222-0	0.01
XII	160	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	0.01
XII	161	①Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)*	-	-	0.05
XIII	162	①1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2- benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201- 559-5)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.05
XIII	163	①5-sec-butyl-2-(2,4- dimethylcyclohex-3-en-1-yl)-5-methyl-1,3- dioxane [1], 5-sec- butyl-2-(4,6-dimethylcyclohex- 3-en-1-yl)- 5-methyl-1,3- dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	-	0.05
XIV	164	Nitrobenzene	98-95-3	202-716-0	0.01
XIV	165	2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.01
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.01
XIV	167	1,3-propanesultone	1120-71-4	214-317-9	0.01
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3 - -	0.01
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.01
XVI	170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.01
XVI	171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7 335-76-2 3830-45-3	221-470-5 206-400-3 -	0.01
XVI	172	*p*-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.01

Test Report

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XVI	173	①4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	-	0.05
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	-	-	0.0005
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	-	-	0.01
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.01
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.01
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.01
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.01
XVIII	180	Chrysene	218-01-9	205-923-4	0.01
XVIII	181	①Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP)[with ≥0.1% w/w 4-heptylphenol, branched and linear (4-HPbl)]	-	-	0.05
XIX	182	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.01
XIX	183	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
XIX	184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
XIX	185	Lead	7439-92-1	231-100-4	0.01
XIX	186	Disodium octaborate*	12008-41-2	234-541-0	0.01
XIX	187	Benzo[ghi]perylene	191-24-2	205-883-8	0.01
XIX	188	①Terphenyl, hydrogenated	61788-32-7	262-967-7	0.01
XIX	189	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
XIX	190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	209-008-0	0.01
XIX	191	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.01
XX	192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.01
XX	193	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
XX	194	Fluoranthene	206-44-0	205-912-4	0.01
XX	195	Phenanthrene	85-01-8	201-581-5	0.01
XX	196	Pyrene	129-00-0	204-927-3	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XX	197	1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) (3-BC)	15087-24-8	239-139-9	0.01
XXI	198	2,3,3,3-tetrafluoro-2- (heptafluoropropoxy) propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	-	0.01
XXI	199	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
XXI	200	4-tert-butylphenol	98-54-4	202-679-0	0.01
XXI	201	①Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	-	0.01
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.01
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.01
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.01
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	0.01
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.01
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.01
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin *	22673-19-4	245-152-0	0.05
XXIV	210	bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety *	-	-	0.05
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.01
XXV	213	2,2-bis(bromomethyl) propane-1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 36483-57-5 1522-92-5 96-13-9	221-967-7 253-057-0 202-480-9	0.01
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	-	0.01
XXV	215	4,4'-(1-methylpropylidene)bisphenol (bisphenol B)	77-40-7	201-025-1	0.01
XXV	216	Glutaral	111-30-8	203-856-5	0.01
XXV	217	①Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	-	0.01
XXV	218	Orthoboric acid, sodium salt *	13840-56-7	237-560-2	0.01
XXV	219	①Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	-	0.01

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	-	0.01
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01
XXVI	222	S-(tricyclo[5.2.1.$0^{2,6}$]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01
XXVI	223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01

List of intention for identification of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
-	1	Resorcinol	108-46-3	203-585-2	0.01
XXVIII	2	1,1'-[ethane-1,2-diylbisoxy]bis [2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.01
XXVIII	3	2,2',6,6'-tetrabromo-4,4'- isopropylidenediphenol (TBBPA)	79-94-7	201-236-9	0.01
XXVIII	4	4,4'-sulphonyldiphenol (BPS)	80-09-1	201-250-5	0.01
XXVIII	5	Barium diboron tetraoxide*	13701-59-2	237-222-4	0.01
XXVIII	6	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	-	0.01
XXVIII	7	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
XXVIII	8	Melamine	108-78-1	203-615-4	0.01
XXVIII	9	Perfluoroheptanoic acid and its salts	-	-	0.01
XXVIII	10	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl) morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	473-390-7	0.05


Resorcinol is the substance published on June 1st 2021 submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation (EC) No1907/2006 of REACH. The substances of batch XXVIII are the substances published on September 2nd 2022 submitted by EU Member States to ECHA for intention for identification of substance of very high concern (SVHC) under Regulation (EC) No 1907/2006 of REACH.

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1 % weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
   1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
   2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 3 and Annex II of REACH.
3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
   1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.
   2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures or ≥ 0.2 % by volume for gaseous mixtures.

Test Report

Test Process



Test Report

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Without written approval of CTI, this report can't be reproduced except in full;
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** End of Report ***