設計驗證
工程課
2025 -03- 24
發行
鈺緯科技開發股份有限公司



承認書

SPECIFICATION FOR APPROVAL

設計驗證 工程課 2025 -03- 24 發行 星徽科技開發股份有限公司

SUPPLIER(廠商) : 苏州星徽纳米新材料有限公司

KG P/N(IVY料號) : 3MD697LG010（M3505）

SUPPLIER P/N(供應商料號) : 3MD697LG010

REVISION(版本) : A/0

KG APPROVAL CENTER（KG批准部門）

R&D DEPARTMENT研發部				
承認組(資料部分)				R&D(機構尺寸)
有害物質檢測報告確認狀況	☐ OK ☐ NG			

SUPPLIER APPROVAL CENTER(廠商批准需加蓋公章)

APPROVAL BY 核准(簽署)	CHECKED BY 審核(簽署)	PREPARED BY 製作
苏溪	张李	陈钰熙

ISSUE DATE（發行日期）：

ITEM（(項目)	DESCRIPTION(類別)	PAGE(頁數)	NOTE(備注)
1	封面	1	
2	變更紀錄	2	
3	图档	3	
4	FAI	4	
5	CPK	5	
7	QC工程图	6	
8	信耐性检验报告	7-12	
9	RoHS/HF 有害物質檢測清單	13	
10	物質安全資料表/SGS	14-79	
11	产品图片	80	

CONTENTS内容說明

廠商地址(SUPPLIER ADDRESS)：苏州市相城区黄埭镇苏阳路7号高纤2号标准厂房1层115室

聯絡電話(LIAISON PHONE): 15710066567

聯系人(LIAISON PERSON): 闫照辉


郵件地址(E-MAIL ADDRESS): QA@mc-star.com.cn

料号：　　日期：　2025.3.14

Revision History


版本	變更內容	變更者	日期	備註

REV.	DATE	DESCRIPTION	BY	APVD
-	2025-01-20	INITIAL RELEASE	JOSEPH	LASLIE



SECTION 2/1

設計驗證
工程課
2025 -03- 24
發行
廷緯科技開發股份有限公司



NOTE:
1.MATERIAL: ELECTROMED FOIL STICKER, t=0.08
2.COLOR:CHROME
3.TREATMENT:DIE CUTTING
4.ADHESIVE ON BACK SIDE
5.DIVA QC INSPECTION DOCUMENT NO.:
QWI-016 (LABEL)

RANGE OF DIMENSION	TOLERANCE CLASS DESIGNATION			
	V			
	fine	medium	coarse	Rubber/Sponge/Mylar/Gasket
0.5 UP TO 3	±0.05	±0.1	±0.2	±0.2
OVER 3~6	±0.05	±0.1	±0.3	±0.2
OVER 6~30	±0.1	±0.2	±0.5	±0.25
OVER 30~120	±0.15	±0.3	±0.8	±0.3
OVER 120~400	±0.2	±0.5	±1.2	±0.5
OVER 400~1000	±0.3	±0.8	±2.0	±0.8

ANGLE ±1° (±1.75/100)

THIRD ANGLE PROJECTION

UNITS: mm	SCALE: 1/1	SHEET: 1 OF 1	MODEL NO.: VM14		
MATERIAL: SEE NOTE		TREATMENT: DIE CUTTING			
DSGD by	JOSEPH	2025-01-20	PART NAME:	NAME PLATE(PHILIPS)	
CHK by	LASLIE	2025-01-20	DIVA P/N:	3MD697LG010	
APVD by	LASLIE	2025-01-20	Qisda NO.:	3A.6HU01.001	
APVD NO.: (M3505)		3D FILE NAME: 024_216_LOGO_PHILIPS_ARIES	DIVA Laboratories ,Ltd.		

苏州星徽纳米新材料有限公司

First article inspection

客户		佳世达			产品名称		NAME PLATE(PHILIPS)			检验日期		2025.3.14	
机种名					产品料号		3MD697LG010 (M3505)			检验人员		黄铭	
序号	测量工具	标准尺寸	公差		上限	下限	数据记录					判定	备注
			上公差	下公差			1	2	3	4	5		
1	二次元	48	0.1	-0.1	48.1	47.9	47.96	47.98	47.97	47.96	47.98	OK	
2	二次元	8.8	0.1	-0.1	8.9	8.7	8.77	8.78	8.79	8.76	8.78	OK	
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													

苏州星徽纳米新材料有限公司

尺寸量測結果報告單（CPK）

客户	佳世达					
品名	NAME PLATE(PHILIPS)			测量人员		刘芸
料号	3MD697LG010(M3505)			测量日期		2025.3.14
Dim.DES						
Dimension	**48.00**	**8.80**				
+ Tol	**0.10**	**0.10**				
- Tol	**-0.10**	**-0.10**				
1	48.028	8.783				
2	47.968	8.764				
3	48.035	8.795				
4	48.036	8.786				
5	47.964	8.797				
6	48.025	8.778				
7	47.97	8.766				
8	48.032	8.792				
9	48.032	8.782				
10	47.966	8.799				
11	48.02	8.773				
12	47.974	8.77				
13	48.027	8.787				
14	48.026	8.775				
15	47.974	8.802				
16	48.015	8.768				
17	47.978	8.774				
18	48.022	8.782				
19	48.02	8.769				
20	47.982	8.807				
21	48.01	8.763				
22	47.982	8.778				
23	48.017	8.777				
24	48.014	8.763				
25	47.99	8.808				
26	48.005	8.758				
27	47.986	8.782				
28	48.012	8.772				
29	48.009	8.758				
30	47.994	8.808				
31	48	8.753				
32	47.98	8.776				
33	48.02	8.78				
34	48.004	8.753				
35	47.998	8.808				
MAX.	**48.036**	**8.808**				
MIN.	**47.964**	**8.753**				
AVERAGE	**48.003**	**8.780**				
STDEV	**0.023**	**0.016**				
CP	**1.475**	**2.082**				
Cpk	**1.427**	**1.658**				

品名	NAME PLATE(PHILIPS)	全工程QC工程表	文件编号	编制部门	编制	审核	承认
料号	3MD697LG010			品管部	工程部	廖人山	苏溪

序号	流程图	工艺	管控项目							检具/工具	责任者
			工序	执行文件	标准	频度	方法	执行文件	异常处理		
1		S01：进料、库存	包装	采购定单、送货单、领料单	不可破损	每次购入、入库、领料	目视、测量	填各种材料检验报告、供应商出货报告、库存表、送货单	退回	目视	卓雯婷
			数量		不可短装						
			规格		不可错误						
			材质		0.1mm镍材						
2		S02：进料检验	外观	板材进料检验标准	点缺陷≤0.2,划伤宽度≤0.05,没有脏污,无裂纹,颜色透明	抽查AQL0.4	目视、测量	进料检验记录	退回、报废	点规、台灯、黑白背景	卓雯婷
			规格		48.0*8.8					直尺	
3		S03:外协电镀	电镀物质	印刷SOP	印刷面电镀CR	每次外发前注明电镀内容或带上电镀样品					卓雯婷
			电镀透过率		30%透过率						
4		S04：电镀检验	颜色	检验标准、百格测试SOP	参照样品（或根据客户要求用透过率仪打透光	抽查AQL0.4	目视、测量	进料检验记录	退回、报废	点规、台灯、黑白背景	闫照辉
			百格		达到3B以上要求					直尺	
			外观		异物，脏污、脏点≤0.2，漏光≤0.1						
3		S03：印刷， 烘烤	油墨	印刷SOP	参照印刷SOP	开始时	目视，测量	调墨记录，烘烤记录，印刷工艺点检表	调整，重工，报废	电子秤，调墨杯，烘箱，印刷机，色卡，网版，色差仪，钟表	张士龙
			烘烤温度		75度						
			烘烤时间		第一道30min						
			静止时间		10分钟						
			套位		十字架套位						
			刮胶		85度						
			网目		350目						
			颜色		参照样品						
4		S04：印刷首件检验	颜色	印刷QC作业指导书、检验标准、百格测试SOP	参照样品（或根据客户要求用色差仪打色差）	生产前	目视、测量	首件检验记录	调整、重工、报废	色差仪、二次元，3M610胶带、点规、样品	闫照辉
			图案		与样品、图纸一致						
			百格		达到3B以上要求						
			外观		溢墨、断线、偏位、重影，异物，脏污、气泡，脏点≤0.2，锯齿H≤0.1，漏光≤0.1						
			尺寸		依据图纸管控						
5		S05：印刷， 检验	图案	印刷QC作业指导书、印刷检验标准、百格测试SOP	与样品、图纸一致	首件：生产前 30分钟/次，每机台抽检10张产品	目视、测量	制程巡检记录	调整、重工、报废	二次元，3M600胶带、点规、样品,万用表	闫照辉
			颜色		参照样品（或根据客户要求用色差仪打色差）						
			百格测试		达到3B以上要求						
			外观		溢墨、断线、偏位、重影，异物，脏污、气泡，脏点≤0.2，锯齿H≤0.1，漏光≤0.1						
6		S06：覆膜和覆膜检验	保护膜型号	覆膜SOP	1.在表面覆一层12-19gPET保护膜 2.在背面覆一层蓝色离型纸	全数	目视	覆膜记录表	调整、重工、报废	覆膜机、刀片	闫照辉
			速度		80r/min						
			外观要求		平整、完整、无毛屑、无气泡						
7		S07：切割	打孔	CAD图纸、切割机SOP、产品模切SOP、切割检验标准	不可偏位	每批	目视、测量	切割记录	调整、重工、报废	二次元，点规，卡尺	高齐
			刀模		专用刀模						
			尺寸		依图纸管控						
			外观		过切、切割偏位、划伤宽度≤0.05、无刀痕、过	全数					
8		S08：切割首件检验	尺寸	图纸、检验标准	按图纸公差要求	生产前	目视、测量	首件检验记录	调整、重工、报废	二次元，点规，卡尺	闫照辉
			外观		漏切、过切、切割偏位、划伤宽度≤0.05、无刀痕、白边、过切						
9		S09：切割检验	尺寸	图纸、模切检验标准	按图纸公差要求	2H/次	目视、测量	制程巡检记录	调整、重工、报废	二次元，点规，卡尺	闫照辉
			外观		过切、切割偏位、划伤宽度≤0.05、无刀痕、过						
10		S10：包装	成品检验	《包装规范》包装作业SOP、包装机SOP	毛屑、溢胶、平整、气泡、重影、断线、偏位、无刀痕、过切、划伤宽度≤0.05、脏点≤0.2、锯齿H≤0.1、漏光≤0.1、无色差、毛屑、	全数	目视	成品生产检查表、包装日报表，包装工艺点检表	重工	无尘布、酒精、黑白背景、灯光	袁义琴
			包装		50PCS/包PE袋70×90(MM) 进行包装						
11		S11：成品检验	外观	成品检验标准、抽样表、可靠性测试作业指导书	重影，断线、脏污、溢墨、掉墨、气泡、溢胶，无刀痕、过切，脏点≤0.2，锯齿H≤0.1，漏光≤0.1，毛屑、背胶不溢胶、无褶皱、平整，图	AQL0.4	目视、测量	成品检验记录、可靠性测试报告	退回、重工、报废	点规、二次元、灯光、黑白背景	闫照辉
			尺寸		依据图面管控					2次元	
12		S12：入库	标签、数量	仓库管理规范	状态标识正确无误，	全数	目视	入库记录、库存记录	退回、重工、报废	温湿度计	卓雯婷
			储存		温度，湿度						
13		S13：OQC检验	标签	客户要求、OQC检验SOP、图纸、抽样表、可靠性测试作业指导书	标识正确无误，	全数	目视、测量	OQC出货检验检验记录	退回、重工、报废	点规、台灯、黑白背景	闫照辉
			外观		重影，断线、脏污、溢墨、掉墨、气泡、溢胶，无刀痕、过切，脏点≤0.2，锯齿H≤0.1，漏光≤0.1，毛屑、背胶不溢胶、无褶皱、平整，图	AQL0.4					
			尺寸		依图纸管控					二次元	
14		S14：出货	包装外观	发货作业SOP	不可破损	全数	目视	发货通知单、送货单	重新发货	货车、推车	卓雯婷
			数量		无误						
			型号、料号		不可发错料						

表示记号： 检查（数） 检查（质） 作业 出货

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	硬度测试	25℃ /45%

一、 测试目的：

材料表面硬度

二、 测试条件：

1.测试样品
2.硬度测试台车
3.三菱铅笔
4.砂纸

三、测试方法：

1. 使用 MITSUBISHI UNI HB 鉛筆, 筆尖要呈圓柱狀.
2. 再用沙紙將筆尖之圓柱體磨平
3. 放入測試治具中, 鉛筆放入臺車後與測試平面呈現 45 度 (兩公斤台車治具,接觸面力量為 765 克)
4. 將治具平放在待測物表面.
5. 順著表面往前推至 10 cm
6. 用一般橡皮擦將鉛筆痕擦拭乾淨, 檢查測試物表面 ，油墨不可出现裂痕和划伤。

四、测试结果：

测试前



测试后



判定依据	样品实测值			审核
				黄铭
油墨不可出现裂痕和划伤	S1	S2	S3	制作
	OK	OK	OK	杨芳

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	附着力测试	25℃ /45%

一、 测试目的：

为确保产品附着力的测试实验，并确保产品品质之优良。

二、测试条件，工具

1. 测试样品
2. 表面与边缘大于 3mm
3. 格刀
4. 百格测试专用胶带 3M-610

三、测试方法：

1. 握起百格刮刀，平均施力於待测物表面，由左向右，割出約 5 cm 長度的線.
2. 將待测物轉 90 度，重覆 1.的動作，最後將會完成十字形的割痕，共形成 100 格的小方格子.
3. 利用刷子將待测物割痕的漆屑清除乾潔.
4. 取一段 3M 膠帶,約 7cm，由左至右，緊密貼合與待测物之十字形的割痕區域，並且可用手指力量將膠帶空氣擠壓出來，務必保持最貼合狀態.
5. 再由右至左，迅速撕開膠帶(約 1 秒)
6. 檢查被撕開膠帶中，有無附著任何漆塊.

四、测试结果如下：

附着力测试达到常规要求≥4B

测试前



测试后



判定依据	样品实测值			审核
				黄铭
附着力测试无脱落	S1	S2	S3	制作
	OK	OK	OK	杨芳

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	耐护手霜测试	25℃ /45%

一、 测试目的：

样品承认：表面涂层耐化妆品测试

二、 测试条件：

1. 测试样品
2. 无尘布
3. 护手霜
4. 恒温恒湿箱

三、测试方法：

1. 取適量的護手霜(模擬一般使用者情境人手塗上護手霜使用相關產品)，均勻塗抹於手指後，再塗抹於待測物的表面.(塗抹區域約80mm*80mm若區域不足之待測樣品則無此限定)
2. 再放入Chamber中，設定所需溫溼度與時間70℃；90%RH
3. 測試完24小時後，再將Chamber設定Temperature:25℃，50%RH，Test Time:2小時，使測試物達到恆溫.
4. 將測試物從Chamber取出後，先以不會傷害測試物表面的方式擦拭後(例如清潔劑、溶劑或布等)，才確認表面狀況

四、测试结果图片如下：

五、

测试前	测试中	测试后
		

判定依据	样品实测值			审核
				黄铭
无涂层脱落	S1	S2	S3	制作
	OK	OK	OK	杨芳

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	酒精测试	25℃ /45%

一、 测试目的：

表面涂层耐酒精测试

二、 测试条件：

1. 测试样品
2. 纱布
3. 酒精
4. 耐磨测试仪
5. 测试专用砝码

三、测试方法：

1. 找一平面待测物,將待測物以平均力量,固定於測試儀器的平台上, 務必確實固定
2. 先準備一塊 45*45 mm 大小, 1.5 mm 厚的紗布.
3. 將紗布固定於挾具上的銅柱, 並且紗布前端要冒出挾具約 5mm 左右. (八層紗布)
加法碼於挾具上套頭, 使測試挾具達到荷重 500g.(含固定架本體重量)
4. 加入適量的藥用酒精(95%)於紗布上.
5. 以 2 秒一個來回的速度, 連續不間斷做來回 80 次測試


四、测试结果

无涂层脱落

测试前



测试中



测试后



判定依据	样品实测值			审核
				黄铭
无涂层脱落	S1	S2	S3	制作
	OK	OK	OK	杨芳

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	冷热冲击测试	25℃ /45%

一、 测试目的：

产品外观测试

二、 测试条件：

1. 测试样品
2. 冷热冲击机

三、测试方法：

1. -40℃±2℃,48H。60℃±2℃，48H。
2. 试验后被测产品放置在室温2H。
4. 检查外观:表面无裂纹，外观无异常。

四、测试结果

测试前



测试中



测试后



判定依据	样品实测值			审核
				黄铭
无涂层脱落	S1	S2	S3	制作
	OK	OK	OK	杨芳

试 验 报 告 书

客户	材料	料号	测试时间	试验项目	实验室温度/湿度
佳世达	镍标	3MD697LG010	2025.03.10	高温高湿测试	25℃ /45%

一、 测试目的：

产品外观测试

二、 测试条件：

1. 测试样品
2. 恒温恒湿箱

三、测试方法：

1. 60℃±2℃,20±3%RH,5H。60℃±2℃,95±3%RH,24H。
2. 试验后被测产品放置在室温2H。
4. 检查外观:表面无裂纹，外观无异常。

四、测试结果

测试前



测试中



测试后



判定依据	样品实测值			审核
				黄铭
无涂层脱落	S1	S2	S3	制作
	OK	OK	OK	杨芳

RoHS/HF 有害物質檢測清單

佳世达料號 / 物品規格名稱: NAME PLATE(PHILIPS) 料号: 3MD697LG010 (M3505) 日期: 2025.3.14

組成成份		製造商	材質	材質型號	有害物質檢測數據表																			檢測機構 / 地區	檢測報告編號	報告日期
					RoHS										鹵素		其它									
序號	產品名稱				Pb	Hg	Cd	Cr^{6+}	PBB	PBDE	DIBP	BBP	DBP	DEHP	Br	Cl	F	I								
1	镍材	嘉能可	镍材	/	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						SGS/挪威	ETR25104685	2025.2.5
2	保护膜	泰银	保护膜	TY9905-FL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						CTI/江苏	A2240717169101001E	2024.11.21
3	胶水	3M	胶水	SP7533	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND										SGS/上海	SHAEC24025767201	2024.11.18
4															ND	201.00	ND	ND						SGS/上海	SHAEC24025767203	2024.11.18

表單版次: A0

備註:

Test Report

No.: ETR25104685 Date: 05-Feb-2025

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By	:	GLENCORE NIKKELVERK AS
Sample Name	:	YEAR SAMPLE 2024, NICKEL METAL A-GRADE UNCUT, 4X4, 2X2 AND 1X1 CUT CATHODES
Buyer/Order No.	:	4500817119

==========

Sample Receiving Date	:	16-Jan-2025
Testing Period	:	16-Jan-2025 to 05-Feb-2025

Test Requested	:	(1)	As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
		(2)	Please refer to next pages for the other item(s).
Test Results	:		Please refer to following pages.
Conclusion	:	(1)	Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

PIN CODE: 6B5B6C82

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Test Part Description

No.1 : SILVER COLORED METAL

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb)		mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.	-
Monobromobiphenyl	With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs		mg/kg	-	n.d.	1000
Monobromodiphenyl ether		mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)		mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)		mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Iodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Bismuth (Bi) (CAS No.: 7440-69-9)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Note :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected (Less than MDL)
4. "-" = Not Regulated
5. **= Qualitative analysis (No Unit)
6. Negative = Undetectable ; Positive = Detectable
7. (#2) =
   a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
   b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
   c. The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
8. Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.


(Cr^{6+} test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Analytical flow chart – PBBs / PBDEs




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Analytical flow chart - Phthalate


【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY


Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY


Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Analysis flow chart - PVC




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

Flow chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO_3, HCl, HF, H_2O_2
Glass	HNO_3/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO_3
Plastic	H_2SO_4, H_2O_2, HNO_3, HCl
Others	Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

GLENCORE NIKKELVERK AS
VESTERVEIEN 31, 4606 KRISTIANSAND, NORWAY

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR25104685



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SAFETY DATA SHEET

GLENCORE IMPORT B.V.

Version #: 08
Issue date: 10-March-2011
Revision date: 28-February-2023
Supersedes date: 25-November-2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance	Nickel
Trade name of the substance	NICKEL (MASSIVE)
Identification number	028-002-00-7 (Index number)
Registration number	01-2119438727-29-0030
Synonyms	Nickel Squares, SUPERELECTRO TM, Full Plate Cathode, Nickel Crowns, D-Crowns, Micro Crowns, Sundries, Ribs, Starting Sheets
SDS number	227019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Manufacture and use of parts and products. Other registered uses, for this product, can be found in section 15 of this eSDS.
Uses advised against	Uses by workers in industrial setting: Design and manufacture of materials or articles which contain nickel, if they are intended for direct and prolonged contact with the skin where the release of nickel exceeds the limit set out in REACH Regulation 1907/2006 (Annex XVII). Manufacture of Ni-containing food contact materials (except Ni-Cr-plated materials) for which migration into foodstuff would exceed 0.14 mg/kg of Ni (according to Council of Europe and EDQM Guidelines on Metals and alloys used in food contact materials and articles, 2013). Manufacture of nickel-containing HIGH SULFUR stainless steel (AISI grade 303, or ISO 7153-1 reference grade N) for surgical implant applications. Manufacture of nickel or chromium-nickel plated heating coils in immersion kettles. Uses by professional workers: Use of nickel-containing HIGH SULFUR stainless steel (AISI grade 303, or ISO 7153-1 reference grade N) for surgical implant applications. Use of nickel in materials or articles intended for direct and prolonged contact with the skin where the release of nickel exceeds the limit set out in REACH Regulation 1907/2006 (Annex XVII). By consumer: Use of nickel in materials or articles intended for direct and prolonged contact with the skin where the release of nickel exceeds the limit set out in REACH Regulation 1907/2006 (Annex XVII). Use of Ni-containing food contact materials (with exception of Ni-Cr-plated materials) for which migration into foodstuff would exceed 0.14 mg/kg of Ni (according to Council of Europe and EDQM Guidelines on metals and alloys used as food contact materials and articles, 2013). Use of nickel or chromium-nickel plated heating coils in immersion kettles.

1.3. Details of the supplier of the safety data sheet

Company name	Glencore Import B.V.
Address	Prinses Beatrixlaan 582 2595 BM The Hague The Netherlands
Telephone	+31 70 222 8322
Email	product.safety@glencore.com
Contact person	product.safety@glencore.com

1.4. Emergency telephone number

+1 760 476 3961 (333085)

General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
National Poisons Information Centre	353 (1) 809 2566 Healthcare Professionals: 24 hours, 7 days a week 353 (1) 809 2166 General Public: 8:00 a.m.to 10 p.m. (7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance/mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Carcinogenicity	Category 2	H351 - Suspected of causing cancer.
Specific target organ toxicity - repeated exposure	Category 1 (Lung, Respiratory system)	H372 - Causes damage to organs (Lung, Respiratory system) through prolonged or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Nickel

Hazard pictograms



Signal word Danger

Hazard statements

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs (Lung, Respiratory system) through prolonged or repeated exposure.

Precautionary statements

Prevention

P201	Obtain special instructions before use.
P260	Do not breathe fumes and dusts.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313	IF exposed or concerned: Get medical advice/attention.

Storage

P405	Store locked up.

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information on the label None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties. The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Nickel	85-100 %	7440-02-0 231-111-4	01-2119438727-29-0030	028-002-00-7	

Classification: Skin Sens. 1;H317, Carc. 2;H351, STOT RE 1;H372

Composition comments This product is registered under the REACH Regulation 1907/2006 as a mono-constituent substance. The full text for all H-statements is displayed in section 16. All concentrations are in percent by weight. For more detailed chemical composition, refer to the certificate of analysis.

SECTION 4: First aid measures

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Get medical attention/advice if you feel unwell. Seek medical attention for all burns, regardless how minor they may seem. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation

In case of exposure to fumes or particulates: Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. If symptoms persist, get medical attention.

Skin contact

Contact with dust: Immediately remove contaminated clothing. Wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily. Removal of solidified molten material from skin requires medical assistance. Cuts or abrasions should be treated promptly with thorough cleansing of the affected area.

Eye contact

Do not rub eyes. Remove contact lenses, if present and easy to do. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Dust may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects. Lung fibrosis. Respiratory system.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

Dust may form explosive mixture with air. Do not use water on molten metal: Explosion hazard could result.

5.1. Extinguishing media

Suitable extinguishing media

Special powder against metal fires. Dry chemical, soda ash, lime or sand. Water spray, fog or mist.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire or high temperatures create: Metal oxides. Metal fumes. Dusts or fumes may form explosive mixtures in air. In a fire, ferronickel may form highly toxic substances: iron carbonyl and nickel carbonyl, a known carcinogen.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use personal protective equipment as required.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Keep unnecessary personnel away. Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation. Keep unnecessary personnel away. Do not breathe dust. Avoid contact with skin and eyes. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Avoid spreading dust or contaminated materials.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Collect spillage. Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Following product recovery, flush area with water.

Never return spills in original containers for re-use. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container.

6.4. Reference to other sections

For waste disposal, see section 13 of the SDS. For personal protection, see section 8 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Access to work area should be restricted to people handling the product only. Should be handled in closed systems, if possible. Welding, burning, sawing, brazing, grinding or machining operations may generate fumes and dusts. Provide adequate ventilation. Use appropriate tools. Avoid contact with sharp edges and hot surfaces. Avoid generation and spreading of dust. Do not breathe dust. Avoid contact with skin and eyes. Avoid prolonged exposure. Persons susceptible to allergic reactions should not handle this product. Pregnant women should not work with the product, if there is the least risk of exposure. Wear appropriate personal protective equipment. Avoid contact with molten material. Do not use water on molten metal. Do not eat, drink or smoke when using the product. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in a dry place. Store in a well-ventilated place. Store away from incompatible materials.

7.3. Specific end use(s)

Industrial use. For detailed information, see section 15.
Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. Occupational Exposure Limits

Material	Type	Value
Nickel (CAS 7440-02-0)	TWA	0.5 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow the schedule for work place measurements.

Derived no effect levels (DNELs)

General population

Product	Value	Assessment factor	Notes
Nickel (CAS 7440-02-0)			
Long-term, Local, Dermal	0.035 mg/cm2		
Long-term, Local, Inhalation	60 ng/m3		
Long-term, Systemic, Inhalation	60 ng/m3		
Long-term, Systemic, Oral	0.011 mg/kg bw/day		
Short-term, Local, Inhalation	0.8 mg/m3		
Short-term, Systemic, Oral	0.37 mg/kg bw/day		

Workers

Product	Value	Assessment factor	Notes
Nickel (CAS 7440-02-0)			
Long-term, Local, Dermal	0.035 mg/m3		
Long-term, Local, Inhalation	0.05 mg/m3		
Long-term, Systemic, Inhalation	0.05 mg/m3		
Short-term, Local, Inhalation	11.9 mg/m3		

Predicted no effect concentrations (PNECs)

Product	Value	Assessment factor	Notes
Nickel (CAS 7440-02-0)			
Freshwater	7.1 µg/l		
Intermittent releases	0 µg/l		
Marine water	8.6 ng/l		
Secondary poisoning	0.12 mg/kg		
Sediment (freshwater)	109 mg/kg		
Sediment (marine water)	109 mg/kg		
Soil	29.9 mg/kg		
STP	0.33 mg/l		

Exposure guidelines

No exposure standards allocated.

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Use explosion-proof equipment if high dust/air concentrations are possible.

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment as required. Keep working clothes separately. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear dust-resistant safety goggles where there is danger of eye contact. In addition to safety glasses or goggles, a welding helmet with appropriate shaded shield is required during welding, burning, or brazing. A face shield is recommended, in addition to safety glasses or goggles, during sawing, grinding, or machining. Eye protection should meet standard EN 166.
Skin protection	
- Hand protection	Wear suitable protective gloves to prevent cuts and abrasions. E.g. type of ¾ dipped natural latex, with steel, fiberglass and Kevlar liner and long knitted cuff, cut protection level 5. When material is heated, wear gloves to protect against thermal burns. Suitable gloves can be recommended by the glove supplier. The protective gloves to be used must comply with the specifications of Regulation (EU) 2016/425 and the related standard EN374.
- Other	Wear suitable protective clothing. Regular protective clothing with high visibility according to EN 471 Class 2 is recommended.
Respiratory protection	In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P3). Follow guidance on selection, use, care and maintenance in accordance with EN 529. Check with respiratory protective equipment suppliers.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Wash hands after handling. Do not eat, drink or smoke when using the product. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and working clothes should be kept separately. Handle in accordance with good industrial hygiene and safety practices. Follow up on any medical surveillance requirements.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. Contain spills and prevent releases and observe national regulations on emissions. Notify relevant authorities if this material is released to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Form	Solid forms such as: Pellets, Offcuts, Briquettes, Sheets, Cathodes, Cuts, Uncuts and Crowns.
Colour	Silver-grey
Odour	Odourless.
Odour threshold	Odourless.
Melting point/freezing point	1455 °C (2651 °F)
Boiling point or initial boiling point and boiling range	2730 °C (4946 °F)
Flammability	Non flammable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Non flammable.
Explosive limit – upper (%)	Non flammable.
Flash point	Does not flash.
Auto-ignition temperature	Property has not been measured.
Decomposition temperature	Toxic gases and vapours (such as nickel carbonyl) may be released in the decomposition of nickel compound.
pH	Not applicable (the material is a solid).
Kinematic viscosity	Not applicable (the material is a solid).
Solubility	
Solubility (water)	Insoluble (in water).
Partition coefficient (n-octanol/water) (log value)	Not applicable for inorganic substances.
Vapour pressure	1 mm Hg (1810 °C / 3290 °F)

Density and/or relative density

Relative density 8.9 (25 °C / 77 °F)

Vapour density Not applicable (the material is a solid).

Particle characteristics

Particle size Solid forms.

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

Evaporation rate Property has not been measured.

SECTION 10: Stability and reactivity

10.1. Reactivity Massive metal is non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability The product is stable under normal conditions of use, storage and transport.

10.3. Possibility of hazardous reactions Hazardous polymerisation does not occur. Hazardous reactions do not occur.

10.4. Conditions to avoid Contact with incompatible materials. Contact with acids will release flammable hydrogen gas.

10.5. Incompatible materials Oxidising materials. Strong acids.

10.6. Hazardous decomposition products Welding, burning, sawing, brazing, grinding or machining operations may generate dusts and fumes of metal oxides.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Suspected of causing cancer by inhalation. Causes damage to organs through prolonged or repeated exposure by inhalation.

Skin contact Dust or powder may irritate the skin. May cause an allergic skin reaction.

Eye contact Dust may irritate the eyes.

Ingestion Ingestion may cause irritation and malaise. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects. Lung fibrosis. Respiratory system.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity The acute oral toxicity of nickel metal has been determined in a well-performed animal study which concluded the acute oral LD50 was greater than >9000 mg/kg body weight. High concentrations of freshly formed fumes/dusts of metal oxides can produce symptoms of metal fume fever. Data on acute toxicity in animals via dermal exposure have not been found. Dermal acute toxicity is expected to be low in view of the low oral toxicity and the negligible absorption via the skin.

Product	Species	Test Results
Nickel (CAS 7440-02-0)		
Acute		
Oral		
LD50	Rat	> 9000 mg/kg

Skin corrosion/irritation Not irritant in skin irritation study using the rabbit (animal number: 2, dose: 500mg/animal's ear, exposure period: 24 hours, observation period: 7 days).

Serious eye damage/eye irritation No studies of eye irritation by metallic nickel have been found. Toxicity data from water-soluble nickel compounds can be used to estimate the potential of nickel metal to cause eye irritation. No classification for eye irritation is proposed.

Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation May cause an allergic skin reaction. Sufficient data from human studies exists to warrant classification of Ni metal as a dermal sensitizer.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Suspected of causing cancer by inhalation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel (CAS 7440-02-0) 2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Causes damage to organs (Lung, Respiratory system) through prolonged or repeated exposure.
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.
Mixture versus substance information	The product is a substance.

11.2. Information on other hazards

Endocrine disrupting properties	The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties. This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.
Other information	Welding or plasma arc cutting of metal and alloys can generate ozone, nitric oxides and ultraviolet radiation. Ozone overexposure may result in mucous membrane irritation or pulmonary discomfort. UV radiation can cause skin erythema and welders flash.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Nickel (CAS 7440-02-0)			
Aquatic			
Algae	EC50	Pseudokirchneriella subcapitata	0.18 mg/l, 72 hours
			> 0.174 - < 0.311 mg/l, 96 hours Static
Crustacea	EC50	Water flea (Daphnia magna)	100 mg/l, 48 hours
			1 mg/l, 48 hours Static
Fish	LC50	Brachydanio rerio	100 mg/l, 96 hours
		Carp (Cyprinus carpio)	10.4 mg/l, 96 hours Static
			1.3 mg/l, 96 hours Semi-static

12.2. Persistence and degradability	The product is not biodegradable.
12.3. Bioaccumulative potential	Accumulates in soil and sediment. Potential to bioaccumulate is low.
Partition coefficient n-octanol/water (log Kow)	Not applicable for inorganic substances.

Bioconcentration factor (BCF)
270 mg/l
Species: Aquatic microorganisms

12.4. Mobility in soil	Nickel in massive forms is not mobile in the environment.
12.5. Results of PBT and vPvB assessment	This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties. This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.
12.7. Other adverse effects	Nickel in massive forms presents a limited hazard for the environment. Nickel in form of particles or dust is harmful to aquatic organisms and may cause long-term adverse effects in the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose in accordance with local regulations. Recover and recycle, if practical. Solid metal and alloys in the form of particles may be reactive. Its hazardous characteristics, including fire and explosion, should be determined prior to disposal.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	06 04 05* The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Dispose in accordance with all applicable regulations. This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

ADN

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IATA

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IMDG

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions for user	Not assigned.

14.7. Maritime transport in bulk according to IMO instruments	Not applicable. However, this product is a solid. When transported in bulk, it is not covered under Appendix I of the IMSBC Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Nickel (CAS 7440-02-0)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Nickel (CAS 7440-02-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work, in accordance with Directive 2004/37/EC, as amended. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.

15.2. Chemical safety assessment

Chemical Safety Assessment has been carried out.

Exposure scenarios relevant for this material are annexed and distributed as separate document to this eSDS.

Identified Uses:
Uses by workers in industrial settings
Production of nickel metal.
S4A: Stainless, special steels and special alloys manufacturing.
Integrated steel and iron manufacturing.
EAF carbon steel.
Powder Metallurgy.
Metal surface treatment (nickel electroplating and nickel electroforming technologies).
Production of nickel salts from nickel metal.
Manufacturing of batteries using positive nickel electrodes.
Production of catalyst.
Use pre-reduced nickel containing catalyst.
Production of magnets.
Production of nickel-containing products (e.g. electronics).
Production of brazing alloys.
Use of brazing alloys.
Production of silver-nickel contact material.
Use of silver-nickel contact material.
Sputter Deposition.
Thin film deposition by evaporation technique.

Uses by professional workers
Use of brazing alloys.
Use of silver-nickel contact material.

Uses by consumers.
Drinking water from nickel-containing kettles.
Coinage.
Direct and prolonged contact with skin.
Drinking water from nickel containing pipes and taps.
Food contact materials containing nickel.
Piercings post containing nickel.
Tools and other release surfaces containing nickel.

SECTION 16: Other information

List of abbreviations

PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.
LD50: Lethal Dose, 50%.
LC50: Lethal Concentration, 50%.
EC50: Effective Concentration, 50%.
TWA: Time Weighted Average.
PEL: Permissible Exposure Limit.

References

IUCLID
IARC: International Agency for Research on Cancer.
Chemical safety report.
ECHA registered substances database

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.

This SDS contains revisions in the following section(s):

All sections.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet is specifically designed to comply with the requirements of the EU Regulation called REACH - Registration, Evaluation and Authorisation of Chemicals (EC No. 1907/2006 of the European Parliament and of the Council of 18 December 2006) and the corresponding country law, and may not comply with the requirements of any other regulations for safe product handling. This data sheet and the health, safety and environmental information is considered to be accurate as of the date specified below. We have reviewed any information contained therein which we received from sources outside the Glencore group of companies. However, no warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet. Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid licence. Glencore shall not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

NIKKELVERK
A GLENCORE COMPANY

To whom it may concern

Deres ref./Your ref.:	Deres brev/Your letter:	Vår ref./Our ref.:	Dato/Date:
		TAS 2021426_01	26. April 2021

Letter of compliance SVHC

Substances of Very High Concern (SVHC) are a categorization in REACH for certain substances based on their carcinogenic, mutagenic, reproductive toxicity or bio-accumulative properties. These substances are not of themselves banned from the marked as a consequence of REACH legislation, although some may later be selected for prioritization and possible authorization.

Should a substance designated by the European Union as a SVHC be present in our nickel, cobalt, copper, sulphuric acid and precious metals, we are obliged to advise all downstream users.

We can confirm that we are fully compliant with the obligations of the REACH legislation, including the management of SVHC. We follow this legislation closely as well as any updates on the Candidate List. Should any substance in the Candidate List be found in our products or packaging, we will promptly advise you. We can confirm that none of these substances are present today.

Glencore Nikkelverk has been ISO 9001 certified since 1994. We are also ISO 14001 certified (since 2000), OHSAS 18001/ISO 45001 certified (since 2008) and ISO 50001 (since February 2016)

Regards,

Harald Eik
Director HSE & Quality
Glencore Nikkelverk AS
Kristiansand, Norway

Test Report

No.: SHAEC24025767201 **Date:** Nov 18, 2024

Client Name: 3M CHINA LIMITED

Client Address: 222 TIANLIN ROAD, SHANGHAI

Sample Name: 3M SP7533

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-036098

Sample Receiving Date: Nov 12, 2024

Testing Period: Nov 12, 2024 ~ Nov 18, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jenny Lan
Approved Signatory

scan to see the report
E83E55E1

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA24-0257672-0001.C001	White liquid

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Item(s)	Limit	Unit(s)	MDL	A1
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

检验检测专用章 Inspection & Testing Services

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Elements Testing Flow Chart


These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS


PBB/PBDE Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample Photo:



SHA24-0257672-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Test Report

No.: SHAEC24025767203 **Date:** Nov 18, 2024

Client Name: 3M CHINA LIMITED

Client Address: 222 TIANLIN ROAD, SHANGHAI

Sample Name: 3M SP7533

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-036098

Sample Receiving Date: Nov 12, 2024

Testing Period: Nov 12, 2024 ~ Nov 18, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
Halogen	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jenny Lan
Approved Signatory

scan to see the report
481E319F

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA24-0257672-0001.C001	White liquid

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	Unit(s)	MDL	A1
Fluorine(F)	mg/kg	20	ND
Chlorine(Cl)	mg/kg	50	201
Bromine(Br)	mg/kg	50	ND
Iodine(I)	mg/kg	50	ND


Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Halogen Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Sample Photo:



SHA24-0257672-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Test Report (SVHC)

No.: SHAEC24025767205 **Date:** Nov 18, 2024

Client Name: 3M CHINA LIMITED

Client Address: 222 TIANLIN ROAD, SHANGHAI

Sample Name: 3M SP7533

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-036098

Sample Receiving Date: Nov 12, 2024

Testing Period: Nov 12, 2024 ~ Nov 18, 2024

Test Requested: As requested by client, SVHC in Candidate List screening is performed according to:
(i) Two hundred and forty two (242) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Nov 07, 2024 regarding Regulation (EC) No 1907/2006 concerning the REACH.
As requested by client, Potential SVHC screening is performed according to:
(i) Six (6) substances in the Public Consultation List of potential Substances of Very High Concern (SVHC) published by European Chemicals Agency (ECHA) on and before Aug 30, 2024 regarding Regulation (EC) No 1907/2006 concerning the REACH.
(ii) One (1) potential Substances of Very High Concern (SVHC) in the Identification ongoing.
(iii) Six (6) potential Substances of Very High Concern (SVHC) in the Intention List published by European Chemicals Agency (ECHA) regarding Regulation (EC) No 1907/2006 concerning the REACH.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Summary:

According to the specified scope and evaluation screening, the results of 242 SVHC in the Candidate List are ≤ 0.1% (w/w) in the submitted sample.	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jenny Lan
Approved Signatory

scan to see the report
51B6AD98

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

According to the specified scope and evaluation screening, the results of 13 Potential SVHC are ≤ 0.1% (w/w) in the submitted sample.	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory.
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Remark :

1. The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
   http://echa.europa.eu/web/guest/candidate-list-table
   These lists are under evaluation by ECHA and may subject to change in the future.
2. REACH obligation:
   2.1 Concerning article(s):
   Communication:
   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

   Notification:
   In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

   Companies supplying articles containing substances of very high concern (SVHCs) on the Candidate List in a concentration above 0.1% weight by weight (w/w) on the EU market must comply with the Waste Framework Directive 2008/98/EC requirement and submit SCIP notifications on these articles to ECHA, as from 5 January 2021.

   2.2 Concerning material(s):
   Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

   If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

   2.3 Concerning substance and preparation:
   If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:
   - a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
   - a mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
   - a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

(a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
(b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
(c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
(d) a substance for which there are Europe-wide workplace exposure limits

3. If a SVHC is found over the reporting limit, client is suggested to identify the composite component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Sample:

Testing Group:

Test Result ID	Description	Test Part ID	SGS Sample ID
001	White liquid	A1	SHA24-0257672-0001.C001

Test Method:
With reference to SGS In-House method, analysis was performed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Result of SVHC in the Candidate List

Batch	Substance Name	CAS No.	001 Concentration (%)	RL (%)
-	All SVHC in Candidate list	-	ND	-

Result of Potential SVHC

Batch	Substance Name	CAS No.	001 Concentration (%)	RL (%)
/	All Potential SVHC	-	ND	-

Notes:

(1) The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.

(2) RL = Reporting Limit (Test data will be shown if it ≥ RL. RL is not regulatory limit.)
ND = Not detected (lower than RL), ND is denoted on the SVHC substance.

(3) * The result is based on the calculation of selected element(s) under the worst-case scenario, and the evaluation of substance usage and material properties.
** The test result is based on the calculation of selected marker(s) and to the worst-case scenario.
Calculated concentration of boric compounds are based on water extractive boron detected by ICP-OES.
Calculated concentration of Barium diboron tetraoxide is based on water extractive boron and barium detected by ICP-OES.
RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, chromium, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.0005%, boron RL=0.0025% (only for Lead bis(tetrafluoroborate)), fluorine RL=0.050%.

(4) § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) ≥0.1% (w/w).

(5) / = Potential SVHC

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Appendix

Full list of tested SVHC:

Batch	No.	Substance Name	CAS No.	RL (%)
I	1	4,4'-Diaminodiphenylmethane(MDA)	101-77-9	0.050
I	2	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	0.050
I	3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	0.050
I	4	Anthracene	120-12-7	0.050
I	5	Benzyl butyl phthalate (BBP)	85-68-7	0.050
I	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.050
I	7	Bis(tributyltin)oxide (TBTO)	56-35-9	0.050
I	8	Cobalt dichloride*	7646-79-9	0.005
I	9	Diarsenic pentaoxide*	1303-28-2	0.005
I	10	Diarsenic trioxide*	1327-53-3	0.005
I	11	Dibutyl phthalate (DBP)	84-74-2	0.050
I	12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD)	-	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	0.005
I	14	Sodium dichromate*	10588-01-9 /7789-12-0	0.005
I	15	Triethyl arsenate*	15606-95-8	0.005
II	16	2,4-Dinitrotoluene	121-14-2	0.050
II	17	Anthracene oil**	90640-80-5	0.050
II	18	Anthracene oil, anthracene paste**	90640-81-6	0.050
II	19	Anthracene oil, anthracene paste, anthracene fraction**	91995-15-2	0.050
II	20	Anthracene oil, anthracene paste, distn. Lights**	91995-17-4	0.050
II	21	Anthracene oil, anthracene-low**	90640-82-7	0.050
II	22	Diisobutyl phthalate	84-69-5	0.050
II	23	Lead chromate*	7758-97-6	0.005
II	24	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	0.005
II	25	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	0.005
II	26	Pitch, coal tar, high temp. **	65996-93-2	0.050
II	27	Tris(2-chloroethyl)phosphate	115-96-8	0.050
II	28	Acrylamide	79-06-1	0.050
III	29	Ammonium dichromate*	7789-09-5	0.005
III	30	Boric acid*	-	0.005
III	31	Disodium tetraborate, anhydrous*	12179-04-3 /1303-96-4 /1330-43-4	0.005
III	32	Potassium chromate*	7789-00-6	0.005
III	33	Potassium dichromate*	7778-50-9	0.005
III	34	Sodium chromate*	7775-11-3	0.005
III	35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1	0.005

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Batch	No.	Substance Name	CAS No.	RL (%)
III	36	Trichloroethylene	79-01-6	0.050
IV	37	2-Ethoxyethanol	110-80-5	0.050
IV	38	2-Methoxyethanol	109-86-4	0.050
IV	39	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	-	0.005
IV	40	Chromium trioxide*	1333-82-0	0.005
IV	41	Cobalt(II) carbonate*	513-79-1	0.005
IV	42	Cobalt(II) diacetate*	71-48-7	0.005
IV	43	Cobalt(II) dinitrate*	10141-05-6	0.005
IV	44	Cobalt(II) sulphate*	10124-43-3	0.005
V	45	1,2,3-trichloropropane	96-18-4	0.050
V	46	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	0.050
V	47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	0.050
V	48	1-methyl-2-pyrrolidone	872-50-4	0.050
V	49	2-ethoxyethyl acetate	111-15-9	0.050
V	50	Hydrazine	302-01-2 /7803-57-8	0.050
V	51	strontium chromate*	7789-06-2	0.005
VI	52	1,2-Dichloroethane	107-06-2	0.050
VI	53	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	0.050
VI	54	2-Methoxyaniline; o-Anisidine	90-04-0	0.050
VI	55	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.050
VI	56	Aluminosilicate Refractory Ceramic Fibres*	-	0.005
VI	57	Arsenic acid*	7778-39-4	0.005
VI	58	Bis(2-methoxyethyl) ether	111-96-6	0.050
VI	59	Bis(2-methoxyethyl) phthalate	117-82-8	0.050
VI	60	Calcium arsenate*	7778-44-1	0.005
VI	61	Dichromium tris(chromate)*	24613-89-6	0.005
VI	62	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	0.050
VI	63	Lead diazide, Lead azide*	13424-46-9	0.005
VI	64	Lead dipicrate*	6477-64-1	0.005
VI	65	Lead styphnate*	15245-44-0	0.005
VI	66	N,N-dimethylacetamide	127-19-5	0.050
VI	67	Pentazinc chromate octahydroxide*	49663-84-5	0.005
VI	68	Phenolphthalein	77-09-8	0.050
VI	69	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	0.005
VI	70	Trilead diarsenate*	3687-31-8	0.005
VI	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	-	0.005
VII	72	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)§	2580-56-5	0.050

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Batch	No.	Substance Name	CAS No.	RL (%)
VII	73	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) §	548-62-9	0.050
VII	74	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.050
VII	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	0.050
VII	76	4,4'-bis(dimethylamino) benzophenone (Michler's Ketone)	90-94-8	0.050
VII	77	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol§	561-41-1	0.050
VII	78	Diboron trioxide*	1303-86-2	0.005
VII	79	Formamide	75-12-7	0.050
VII	80	Lead(II) bis(methanesulfonate)*	17570-76-2	0.005
VII	81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	0.050
VII	82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	0.050
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) §	6786-83-0	0.050
VII	84	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	0.050
VIII	85	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.005
VIII	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.050
VIII	87	1,2-Diethoxyethane	629-14-1	0.050
VIII	88	1-Bromopropane	106-94-5	0.050
VIII	89	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.050
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.050
VIII	91	4,4'-Methylenedi-o-toluidine	838-88-0	0.050
VIII	92	4,4'-Oxydianiline and its salts	101-80-4	0.050
VIII	93	4-Aminoazobenzene	60-09-3	0.050
VIII	94	4-Methyl-m-phenylenediamine	95-80-7	0.050
VIII	95	4-Nonylphenol, branched and linear	-	0.050
VIII	96	6-Methoxy-m-toluidine	120-71-8	0.050
VIII	97	Acetic acid, lead salt, basic*	51404-69-4	0.005
VIII	98	Biphenyl-4-ylamine	92-67-1	0.050
VIII	99	Decabromodiphenyl ether (DecaBDE)	1163-19-5	0.050
VIII	100	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	-	0.050
VIII	101	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	0.050

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	102	Dibutyltin dichloride (DBTC)	683-18-1	0.050
VIII	103	Diethyl sulphate	64-67-5	0.050
VIII	104	Diisopentylphthalate	605-50-5	0.050
VIII	105	Dimethyl sulphate	77-78-1	0.050
VIII	106	Dinoseb	88-85-7	0.050
VIII	107	Dioxobis(stearato)trilead*	12578-12-0	0.005
VIII	108	Fatty acids, C16-18, lead salts*	91031-62-8	0.005
VIII	109	Furan	110-00-9	0.050
VIII	110	Henicosafluoroundecanoic acid	2058-94-8	0.050
VIII	111	Heptacosafluorotetradecanoic acid	376-06-7	0.050
VIII	112	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	-	0.050
VIII	113	Lead bis(tetrafluoroborate)*	13814-96-5	0.005
VIII	114	Lead cyanamidate*	20837-86-9	0.005
VIII	115	Lead dinitrate*	10099-74-8	0.005
VIII	116	Lead monoxide*	1317-36-8	0.005
VIII	117	Lead oxide sulfate*	12036-76-9	0.005
VIII	118	Lead tetroxide (orange lead)*	1314-41-6	0.005
VIII	119	Lead titanium trioxide*	12060-00-3	0.005
VIII	120	Lead titanium zirconium oxide*	12626-81-2	0.005
VIII	121	Methoxyacetic acid	625-45-6	0.050
VIII	122	Methyloxirane (Propylene oxide)	75-56-9	0.050
VIII	123	N,N-Dimethylformamide	68-12-2	0.050
VIII	124	N-Methylacetamide	79-16-3	0.050
VIII	125	N-Pentyl-isopentylphthalate	776297-69-9	0.050
VIII	126	o-Aminoazotoluene	97-56-3	0.050
VIII	127	o-Toluidine	95-53-4	0.050
VIII	128	Pentacosafluorotridecanoic acid	72629-94-8	0.050
VIII	129	Pentalead tetraoxide sulphate*	12065-90-6	0.005
VIII	130	Pyrochlore, antimony lead yellow*	8012-00-8	0.005
VIII	131	Silicic acid, barium salt, lead-doped*	68784-75-8	0.005
VIII	132	Silicic acid, lead salt*	11120-22-2	0.005
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.005
VIII	134	Tetraethyllead*	78-00-2	0.005
VIII	135	Tetralead trioxide sulphate*	12202-17-4	0.005
VIII	136	Tricosafluorododecanoic acid	307-55-1	0.050
VIII	137	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	0.005
VIII	138	Trilead dioxide phosphonate*	12141-20-7	0.005
IX	139	4-Nonylphenol, branched and linear, ethoxylated	-	0.050
IX	140	Ammonium pentadecafluorooctanoate (APFO)**	3825-26-1	0.050
IX	141	Cadmium oxide*	1306-19-0	0.005
IX	142	Cadmium	7440-43-9	0.005

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Batch	No.	Substance Name	CAS No.	RL (%)
IX	143	Dipentyl phthalate (DPP)	131-18-0	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.050
X	145	Cadmium sulphide*	1306-23-6	0.005
X	146	Dihexyl phthalate	84-75-3	0.050
X	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.050
X	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.050
X	149	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.050
X	150	Lead di(acetate)*	301-04-2	0.005
X	151	Trixylyl phosphate	25155-23-1	0.050
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.050
XI	153	Cadmium chloride*	10108-64-2	0.005
XI	154	Sodium perborate; perboric acid, sodium salt*	-	0.005
XI	155	Sodium peroxometaborate*	7632-04-4	0.005
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.050
XII	157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.050
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	0.050
XII	159	Cadmium fluoride*	7790-79-6	0.005
XII	160	Cadmium sulphate*	10124-36-4 /31119-53-6	0.005
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE)	-	0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	-	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	0.050
XIV	164	1,3-propanesultone	1120-71-4	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327)	3864-99-1	0.050

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Batch	No.	Substance Name	CAS No.	RL (%)
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	0.050
XIV	167	Nitrobenzene	98-95-3	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	-	0.050
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.050
XVI	170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.050
XVI	171	4-Heptylphenol, branched and linear	-	0.050
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	-	0.050
XVI	173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	-	0.050
XVIII	175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.050
XVIII	176	Benz[a]anthracene	56-55-3	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	0.005
XVIII	178	Cadmium carbonate*	513-78-0	0.005
XVIII	179	Cadmium hydroxide*	21041-95-2	0.005
XVIII	180	Chrysene	218-01-9	0.050
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.050
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	0.050
XIX	183	Benzo[ghi]perylene	191-24-2	0.050
XIX	184	Decamethylcyclopentasiloxane (D5)	541-02-6	0.050
XIX	185	Dicyclohexyl phthalate (DCHP)	84-61-7	0.050
XIX	186	Disodium octaborate*	12008-41-2	0.005
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	0.050
XIX	189	Lead	7439-92-1	0.005
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	0.050
XX	195	Fluoranthene	206-44-0	0.050
XX	196	Phenanthrene	85-01-8	0.050
XX	197	Pyrene	129-00-0	0.050
XXI	198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts	-	0.050

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Batch	No.	Substance Name	CAS No.	RL (%)
		and its acyl halides (covering any of their individual isomers and combinations thereof)		
XXI	199	2-methoxyethyl acetate	110-49-6	0.050
XXI	200	4-tert-butylphenol (PTBP)	98-54-4	0.050
XXI	201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.050
XXIII	206	1-vinylimidazole	1072-63-5	0.050
XXIII	207	2-methylimidazole	693-98-1	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin**	22673-19-4	0.050
XXIV	210	bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	0.050
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety**	-	0.050
XXV	212	1,4-Dioxane	123-91-1	0.050
XXV	213	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	-	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.050
XXV	215	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)	77-40-7	0.050
XXV	216	Glutaral	111-30-8	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	0.050
XXV	218	Orthoboric acid, sodium salt*	13840-56-7	0.005
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-	-	0.050

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Batch	No.	Substance Name	CAS No.	RL (%)
		2-one covering any of the individual isomers and/or combinations thereof (4-MBC)		
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	0.050
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	0.050
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	0.050
XXVIII	228	Barium diboron tetraoxide*	13701-59-2	0.005
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	0.050
XXVIII	231	Melamine	108-78-1	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	-	0.050
XXVIII	233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine*	-	0.050
XXIX	234	Bis(4-chlorophenyl) sulphone	80-07-9	0.050
XXIX	235	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	0.050
XXX	236	2,4,6-tri-tert-butylphenol	732-26-3	0.050
XXX	237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	3147-75-9	0.050
XXX	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	0.050
XXX	239	Bumetrizole (UV-326)	3896-11-5	0.050
XXX	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	-	0.050
XXXI	241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	0.050
XXXI	242	Triphenyl phosphate	115-86-6	0.050
/	243	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	0.050
/	244	O,O,O-triphenyl phosphorothioate	597-82-0	0.050
/	245	Octamethyltrisiloxane	107-51-7	0.050
/	246	Perfluamine	338-83-0	0.050
/	247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	0.050
/	248	Tris(4-nonylphenyl, branched) phosphite	-	0.050
/	249	Resorcinol	108-46-3	0.050

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Batch	No.	Substance Name	CAS No.	RL (%)
/	250	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane	17928-28-8	0.050
/	251	1,1,1,3,5,5,5-heptamethyltrisiloxane	1873-88-7	0.050
/	252	Decamethyltetrasiloxane	141-62-8	0.050
/	253	Dodecamethylpentasiloxane	141-63-9	0.050
/	254	Hexamethyldisiloxane	107-46-0	0.050
/	255	Barium chromate*	10294-40-3	0.005


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory.
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)


ATTACHMENTS

Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center-Chemical Laboratory
检验检测专用章 Inspection & Testing Services
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample photos:



SHA24-0257672-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center-Chemical Laboratory
3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

安全技术说明书

版权,2016,3M公司。
保留所有权利。如果：(1)全部复制且未改变该信息(除非从3M获得事先的书面同意)，以及(2）未以营利为目的而转卖或以其他方式发布该复制件或原件，则允许为了合理利用3M产品的目的而复制和/或下载该信息。

文件编号：	08-4391-2	**版本：**	5.01
发行日期：	2016/03/07	**旧版日期：**	2016/03/03

本安全技术说明书（SDS）根据GB/T16483化学品安全技术说明书，内容和项目顺序以及GB/T 17519化学品安全技术说明书编写指南编制。

1 产品及企业标识

1.1 产品名称

中文名称：3M SP-7533 丝网印刷胶

英文名称：3M™ Screen Printable Adhesive SP7533

其他鉴别方法

产品编号

62-4533-7530-5　　62-4533-7535-4　　JS-3000-4678-1

1.2 推荐用途和限制用途

推荐用途

丝网印刷胶

1.3 供应商信息

供应商： 3M Japan Limited
产品部： 工业胶粘剂及胶带产品部
地址： 6-7-29, Kita-Shinagawa, Shinagawa-ku, Tokyo 141-8684, Japan
电话： 021-22105335
传真： 021-22105036
电子邮件： Tox.cn@mmm.com
网址： www.3m.com.cn

1.4 应急电话

国家化学事故应急咨询专线： 0532-83889090 (24h)

2 危险性概述

紧急情况概述

液体，轻微丙烯酸气味，白色
怀疑致癌。

2.1 物质或混合物的分类
致癌性：类别2。

2.2 标签要素
图形符号
健康危险|

象形图



警示词
警告

危险性说明
H351 怀疑致癌。

防范说明

【预防措施】
P280E 戴防护手套。

【事故响应】
无特殊要求。

【安全储存】
无特殊要求。

【废弃处置】
P501 本品/容器的处置应当遵从当地/上级区域/国家/国际适用的法规。

物理和化学危险
没有已知的GHS危险分类，请查看第9或第10章节获取更多的信息。

健康危害
怀疑致癌。

环境危害
没有已知的GHS危险分类，请查看第12章节获取更多的信息。

2.3 其他危险

未知。

3 成分/组成信息

该产品为混合物.

成分	**CAS号：**	**%重量比**
醋酸乙烯和丙烯酸酯的共聚物	商业机密	40 - 70
水	7732-18-5	15 - 40
异丙醇	67-63-0	< 0.3
乙酸乙烯酯	108-05-4	< 0.2
壬基酚聚氧乙烯醚	9016-45-9	< 0.1

4 急救措施

4.1 急救措施

吸入：
将患者转移到空气新鲜处。如果感觉不适，就医。

皮肤接触：
用肥皂水和水清洗。如果有担心，就医。

眼睛接触：
立即用大量水冲洗。如带隐形眼镜并可方便地取出，则取出隐形眼镜。继续冲洗。如果征兆/症状持续，就医。

如果食入：
漱口。如果感觉不适，就医。

4.2 重要的症状和影响，包括急性的和迟发的
详见第十一章毒理学资料

4.3 建议保护救援人员并特别向医生发出警告
物理和健康的危害、呼吸防护、通风和个人防护装备信息请参考SDS其它章节。

4.4 及时的医疗护理和特殊的治疗的指示
不适用

5 消防措施

5.1 适用的灭火剂
此物质不会燃烧。

5.2 物质或混合物引发的特殊危险性
本产品中没有固有的（危险）。

有害分解产物或副产物

物质	条件
一氧化碳	燃烧过程中
二氧化碳	燃烧过程中

5.3 保护消防人员特殊的防护装备

无异常火灾和爆炸危害。

6 泄漏应急处理

6.1 作业人员防护措施、防护装备和应急处置程序

撤离现场。 用新鲜空气通风工作场所。
如果大量的溢出，或在密闭空间中溢出，根据良好的工业卫生措施，采用机械通风措施驱散和排放蒸汽。
有关物理和健康危险、呼吸防护、通风和个体防护设备的信息请参考本安全技术说明书其他章节。

6.2 环境保护措施

避免释放到环境中。 如果大量溢出，下水道进口盖上并筑防护堤，以防溢出物流入下水道或水体环境中。

6.3 泄露化学品的收容、清除方法及所使用的处置材料

将溢出物收集于容器内。
从溢出物边缘向内进行清理，用膨润土，蛭石，或市售无机吸收材料覆盖。在充分吸收后混合，直至干燥。
记住,添加吸附物质并不能消除物理,健康或环境危害 收集尽可能多的溢出物。
置于有关当局批准用于运输的密闭容器。 用清洗剂和水清理残余物。 密封容器。
尽快废弃处理收集起来的物质。

6.4 次生灾害的预防措施

不适用。

7 操作处置与储存

7.1 安全处置注意事项

仅作工业或专业之用。 在阅读并了解所有安全预防措施之前，切勿操作。
避免吸入粉尘/烟气/气体/烟雾/蒸气/喷雾。 避免接触眼睛、皮肤或衣服。
使用本产品时不得进食、饮水或吸烟。 操作后彻底清洗。
远离活性金属（如铝，锌等）以避免形成具有爆炸危险的氢气。
使用所需的个人防护装备（如手套，呼吸器等...）。

7.2 安全储存的条件，包括不相容的物质

远离热源储存。 远离酸储存。 请远离强碱存储。

8 接触控制/个体防护

8.1 控制参数

职业接触限值

如果第3章节成分/组成信息中有化学物质未出现在下表中，即表示该物质无职业接触限值。

成分	CAS号：	（机构）	限制类型	附加注释
乙酸乙烯酯	108-05-4	中国OELs	TWA(8 hrs):10 mg/m3;STEL(15 mins):15 mg/m3	
乙酸乙烯酯	108-05-4	ACGIH	TWA:10 ppm;STEL:15 ppm	A3：对动物致癌
乙酸乙烯酯	108-05-4	CMRG	TWA:5 ppm	
异丙醇	67-63-0	香港OELs	TWA(8hr):983 mg/m3(400 ppm);STEL(15min):1230 mg/m3(500 ppm)	
异丙醇	67-63-0	中国OELs	TWA(8hr):350 mg/m3;STEL(15min):700 mg/m3	
异丙醇	67-63-0	ACGIH	TWA:200 ppm;STEL:400 ppm	A4：对人类的致癌性尚无法分类

ACGIH ： 美国政府工业卫生学家会议
AIHA ： 美国工业卫生协会

中国OELs ： 中国工作场所有害因素职业接触限值
CMRG ： 化学品厂商推荐标准
香港OELs ： 香港工作环境中化学物质学物质职业接触限值
TWA: 时间加权平均容许浓度
STEL: 短时接触容许浓度
CEIL: 最高容许浓度

生物接触限值

成分	CAS编号	（机构）	测定物	生物标本	采样时间	值	附加注释
异丙醇	67-63-0	ACGIH BEIs	丙酮	尿	ESW	40 mg/l	

ACGIH BEIs ： 美国政府工业卫生师协会(ACGIH)生物接触指数(BEIs)
ESW: 工作周最后一个工作班后

8.2 接触控制

8.2.1 工程控制
使用普通稀释通风和/或局部排气通风设备，以使空气中有害物质(粉尘/烟气/气体/烟雾/蒸汽/喷雾)低于相关的接触限值。如果通风不足，戴呼吸防护设备。

8.2.2 个体防护设备

眼睛/面部防护
不需要。

皮肤/手防护
依据暴露评估结果选择和使用当地相关标准认可的手套和/或防护服，防止皮肤接触。选择应根据使用因素，例如暴露水平，物质或混合物浓度，频率和持续时间，物理挑战，例如极端温度，及其它使用条件。请咨询手套和/或防护服制造商，选择合适匹配的手套和/或防护服。
建议使用以下材质的手套： 丁基橡胶

呼吸防护

需要进行暴露评估来判断是否需要呼吸器。如果需要呼吸器，将其作为完整呼吸防护措施中的一部分。基于暴露评估结果，选择以下型号呼吸器来降低吸入暴露：
可用于有机蒸气和颗粒物过滤的半面罩或全面罩呼吸器

有关特殊设备的适用性，请咨询您的呼吸器生产商。

9 理化特性

9.1 基本理化特性

物理状态：	液体
外观/气味：	轻微丙烯酸气味，白色
嗅觉阈值：	*无资料*
pH值：	7
熔点/凝固点：	*不适用*
沸点/初沸点/沸程：	大约 100 ℃
闪点：	*不适用*
易燃性 （固体、气体）：	
燃烧极限范围（下限）：	*不适用*
燃烧极限范围（上限）：	*不适用*
密度：	1.02 g/ml
相对密度：	1.02 ［*参考标准：*水=1］
水溶解度：	可估量的
溶解度-非水溶：	*无资料*
n-辛醇/水分配系数：	*无资料*
自燃温度：	*不适用*
分解温度：	*无资料*
粘度：	24,000 - 40,000 mPa-s ［@ 20 ℃ ］
分子量	*无资料*
豁免的无水VOC溶剂	<=8 g/l ［*测试方法：*按照美国南海岸空气质量管理局（SCAQMD）标准 443.1计算］

10 稳定性和反应性

10.1 反应性
这种原料在一定条件下可能会与某些试剂反应 - 参见本章节的其他内容。

10.2 化学品稳定性
稳定。

10.3 危险反应的可能性
不会发生有害聚合反应。

10.4 应避免的条件
热

10.5 不相容的物质
强酸
强碱
活性金属

10.6 危险的分解产物

物质	条件
未知	

11 毒理学资料

如果主管当局对某特殊成分进行强制性分类，下面的信息可能与第2章的物质分类不一致。由于某成分浓度低于标签要求阈值，或该成分可能不会产生暴露接触，或者该数据与整个物质不相关，那么该成分的毒理数据可能不会与物质分类或暴露的征兆/症状有关。

11.1 毒理学信息

征兆/症状

根据组分的试验数据和/或信息，本物质可能会产生以下健康效应：

吸入：
呼吸道刺激：征兆/症状可能包括咳嗽、打喷嚏、流鼻涕、头痛、嗓子沙哑、鼻痛、喉咙痛。

皮肤接触：
使用产品时皮肤接触不会导致明显的刺激。

眼睛接触：
在使用产品时眼睛接触不会导致明显的刺激。

食入：
胃肠道刺激：征兆/症状可能包括腹痛、胃不舒服、恶心、呕吐和腹泻。

其他健康影响：

致癌性：
包含一种或多种可能致癌的化学品。

毒理学数据
如果一个成分在第三章节被公开，但是没有出现在下表中，是因为没有可用数据或数据不足以进行分类。

急性毒性

名称	途径	物种	值
产品总体	食入		无数据；计算的急性毒性估计值(ATE)2,000 - 5,000 mg/kg
异丙醇	皮肤	兔子	半数致死剂量(LD50) 12,870 mg/kg
异丙醇	吸入-蒸汽(4 hr)	大鼠	半数致死浓度(LC50) 72.6 mg/l
异丙醇	食入	大鼠	半数致死剂量(LD50) 4,710 mg/kg

乙酸乙烯酯	皮肤	兔子	半数致死剂量(LD50) 2,320 mg/kg
乙酸乙烯酯	吸入-蒸汽 (4 hr)	大鼠	半数致死浓度(LC50) 11.3 mg/l
乙酸乙烯酯	食入	大鼠	半数致死剂量(LD50) 2,920 mg/kg
壬基酚聚氧乙烯醚	皮肤	兔子	半数致死剂量(LD50) 2,091 mg/kg
壬基酚聚氧乙烯醚	食入	大鼠	半数致死剂量(LD50) 1,310 mg/kg

ATE=急性毒性估计值

皮肤腐蚀/刺激

名称	物种	值
异丙醇	多种动物种群	无显著刺激
乙酸乙烯酯	兔子	最小刺激性
壬基酚聚氧乙烯醚	兔子	刺激物

严重眼损伤/眼刺激

名称	物种	值
异丙醇	兔子	严重刺激性
乙酸乙烯酯	兔子	轻度刺激性
壬基酚聚氧乙烯醚	兔子	严重刺激性

皮肤致敏

名称	物种	值
异丙醇	豚鼠	不会致敏
乙酸乙烯酯	豚鼠	存在一些阳性数据，但不足以根据这些数据进行分类。

呼吸过敏

对于该产品组分，没有已知参考数据或当前数据不足以进行分类。

生殖细胞致突变性

名称	途径	值
异丙醇	体外	不会致突变
异丙醇	体外	不会致突变
乙酸乙烯酯	体外	存在一些阳性数据，但不足以根据这些数据进行分类。
乙酸乙烯酯	体外	存在一些阳性数据，但不足以根据这些数据进行分类。

致癌性

名称	途径	物种	值
异丙醇	吸入	大鼠	存在一些阳性数据，但不足以根据这些数据进行分类。
乙酸乙烯酯	食入	多种动物种群	致癌的

乙酸乙烯酯	吸入	大鼠	致癌的

生殖毒性

生殖和/或发育效应：

名称	途径	值	物种	测试结果	暴露时间
异丙醇	食入	存在一些发育毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 400 mg/kg/day	在器官形成过程中
异丙醇	吸入	存在一些发育毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	出现副反应的最小剂量(LOAEL) 9 mg/l	怀孕期间
乙酸乙烯酯	食入	存在一些女性生殖毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 140 mg/kg/day	2 代
乙酸乙烯酯	食入	存在一些男性生殖毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 140 mg/kg/day	2 代
乙酸乙烯酯	食入	存在一些发育毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 700 mg/kg/day	2 代
乙酸乙烯酯	吸入	存在一些发育毒性的阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 0.7 mg/l	在器官形成过程中

靶器官

特异性靶器官系统毒性--一次接触

名称	途径	靶器官	值	物种	测试结果	暴露时间
异丙醇	吸入	中枢神经系统受抑	可能导致困倦或头昏。	人	不出现副反应的剂量水平(NOAEL) 无数据	
异丙醇	吸入	呼吸刺激	存在一些阳性数据，但不足以根据这些数据进行分类。	人	不出现副反应的剂量水平(NOAEL) 无数据	
异丙醇	吸入	听觉系统	存在一些阳性数据，但不足以根据这些数据进行分类。	豚鼠	不出现副反应的剂量水平(NOAEL) 13.4 mg/l	24 hr
异丙醇	食入	中枢神经系统受抑	可能导致困倦或头昏。	人	不出现副反应的剂量水平(NOAEL) 无数据	中毒和/或滥用
乙酸乙烯酯	吸入	呼吸刺激	可能引起呼吸道刺激。	人类和动物	不出现副反应的剂量水平(NOAEL)	

					无数据	
乙酸乙烯酯	吸入	中枢神经系统受抑	存在一些阳性数据，但不足以根据这些数据进行分类。		不出现副反应的剂量水平(NOAEL) 无数据	

特异性靶器官系统毒性-反复接触

名称	途径	靶器官	值	物种	测试结果	暴露时间
异丙醇	吸入	肾和/或膀胱	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 12.3 mg/l	24 月
异丙醇	吸入	神经系统	所有数据为阴性	大鼠	不出现副反应的剂量水平(NOAEL) 12 mg/l	13 周
异丙醇	食入	肾和/或膀胱	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 400 mg/kg/day	12 周
乙酸乙烯酯	吸入	呼吸系统	存在一些阳性数据，但不足以根据这些数据进行分类。	多种动物种群	不出现副反应的剂量水平(NOAEL) 0.2 mg/l	104 周
乙酸乙烯酯	吸入	心脏 | 造血系统 | 肝脏 | 肾和/或膀胱	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 2.1 mg/l	104 周
乙酸乙烯酯	吸入	内分泌系统	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 0.07 mg/l	120 天
乙酸乙烯酯	吸入	免疫系统	存在一些阳性数据，但不足以根据这些数据进行分类。	多种动物种群	不出现副反应的剂量水平(NOAEL) 3.5 mg/l	3 月
乙酸乙烯酯	吸入	神经系统	存在一些阳性数据，但不足以根据这些数据进行分类。	多种动物种群	不出现副反应的剂量水平(NOAEL) 2.1 mg/l	104 周
乙酸乙烯酯	食入	肝脏	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	出现副反应的最小剂量(LOAEL) 684 mg/kg/day	3 月
乙酸乙烯酯	食入	造血系统 | 神经系统 | 肾和/或膀胱	存在一些阳性数据，但不足以根据这些数据进行分类。	大鼠	不出现副反应的剂量水平(NOAEL) 235 mg/kg/day	104 周
乙酸乙烯酯	食入	免疫系统 | 呼吸系统	存在一些阳性数据，但不足以根据这些数据进行分类。	老鼠	不出现副反应的剂量水平(NOAEL) 950 mg/kg/day	3 月
乙酸乙烯酯	食入	心脏	所有数据为阴性	大鼠	不出现副反应的剂量水平(NOAEL) 235	104 周

					mg/kg/day	

化学品吸入性肺炎危险
对于该产品组分，没有已知参考数据或当前数据不足以进行分类。

对于本物质和/或其组分额外的毒理学信息，请联系安全技术说明书首页中列出的地址或电话号码。

12 生态学资料

如果主管当局对某特殊成分进行强制性分类，下面的信息可能与第2部分的物质分类不一致。如有需要，可提供产品分类所需的额外信息。此外，由于某成分浓度低于标签要求阈值，或该组分可能不会产生暴露接触，或者该数据与整个物质不相关，那么本章中可能不会包含环境归宿和环境效应。

12.1 毒性

急性水生危险：
根据GHS分类对水生生物没有急性毒性。

慢性水生危险：
根据GHS分类对水生生物没有慢性毒性。

无产品测试数据

材料	CAS号：	有机体	类型	暴露	测试终点	测试结果
乙酸乙烯酯	108-05-4	饭鱼	试验	96 hr	半数致死浓度	2.4 mg/l
乙酸乙烯酯	108-05-4	水蚤	试验	48 hr	50%效应浓度	9.2 mg/l
乙酸乙烯酯	108-05-4	绿藻	试验	72 hr	50%效应浓度	8.9 mg/l
乙酸乙烯酯	108-05-4	绿藻	试验	72 hr	未观察到效应的浓度	0.2 mg/l
乙酸乙烯酯	108-05-4	水蚤	试验	21 天	未观察到效应的浓度	0.32 mg/l
壬基酚聚氧乙烯醚	9016-45-9	蓝鳃太阳鱼	试验	96 hr	半数致死浓度	1.3 mg/l
壬基酚聚氧乙烯醚	9016-45-9	绿藻	估计值	72 hr	50%效应浓度	1 mg/l
壬基酚聚氧乙烯醚	9016-45-9	水蚤	估计值	48 hr	50%效应浓度	0.148 mg/l
异丙醇	67-63-0	甲壳纲动物	试验	48 hr	50%效应浓度	1,400 mg/l
异丙醇	67-63-0	水藻	试验	24 hr	50%效应浓度	>1,000 mg/l
异丙醇	67-63-0	黑头呆鱼	试验	96 hr	半数致死浓度	6,120 mg/l
异丙醇	67-63-0	水蚤	试验	21 天	未观察到效应的浓度	30 mg/l

12.2 持久性和降解性

材料	CAS号	测试类型	持续时间	研究类型	测试结果	条约草案
乙酸乙烯酯	108-05-4	试验 光分解		光分解的半衰期(空气中)	1.28 天 (半衰期)	其他方法
壬基酚聚氧乙烯醚	9016-45-9	估计值 生物降解	21 天	生化需氧量	0 %重量比	OECD 化学品试验导则301C - 改进的MITI试验
异丙醇	67-63-0	试验 生物降解	14 天	生化需氧量	86 %重量比	OECD 化学品试验导则301C - 改进的MITI试验
乙酸乙烯酯	108-05-4	试验 生物降解	14 天	生化需氧量	90 %重量比	OECD 化学品试验导则301C - 改进的MITI试验

12.3 潜在的生物累积性

材料	CAS号	测试类型	持续时间	研究类型	测试结果	条约草案
乙酸乙烯酯	108-05-4	试验 生物富集		辛醇/水分离系数对数	0.73	其他方法
异丙醇	67-63-0	试验 生物富集		辛醇/水分离系数对数	0.05	其他方法

12.4 土壤中的迁移性
更多详细信息请联系制造商。

12.5 其它不利效应
无资料

13 废弃处置

13.1 处置方法
详见第十一章毒理学资料

在许可的工业废物处置设施中处置废物。
应将用于运输和处理有害化学品（根据适用法规分类为有害的化学物质/混合物/配制品）的空的鼓状桶/桶/容器作为危险废物存储、处理和处置，除非适用于废物的相关法规对其有其它的定义。请咨询各主管机关以确定可用的处理和处置设施。

14 运输信息

当地法规
运输上分类为非危险品

中国运输危险级别：不适用

国际法规
运输上分类为非危险品

UN编号：不适用
联合国正确的运输名称：不适用
运输分类（IMO）：不适用
运输分类（IATA）:不适用
包装类别：不适用
环境危害：

海洋污染物：不是

使用者特别注意事项
不适用。

15 法规信息

该物质或混合物特定安全、健康和环境法律法规

新化学物质环境管理办法
该产品符合中国新物质环境管理办法，所有成分都已列在或被豁免于现有化学物质名录上。

危险化学品安全管理条例
危险化学品目录（2015版） 以下成分被列入

CAS号：	成分	剧毒化学品
108-05-4	乙酸乙烯酯	未列入
67-63-0	异丙醇	未列入
9016-45-9	壬基酚聚氧乙烯醚	未列入

GB18218 危险化学品重大危险源辨识
无成分列入

使用有毒物品作业场所劳动保护条例
高毒物品目录 无成分列入

本安全技术说明书符合下列国家标准：GB/T 17519 化学品安全技术说明书编写指南；GB15258 化学品安全标签编写规定；GB 30000.1-GB30000.29 化学品分类和标签规范；GBZ/T210.1职业卫生标准制定指南第1部分工作场所化学物质职业接触限值；GBZ/T210.2职业卫生标准制定指南第2部分工作场所粉尘职业接触限值；GBZ/T210.3职业卫生标准制定指南第3部分工作场所物理因素职业接触限值；GB6944 危险货物分类和品名编号；GB/T15098 危险货物运输包装类别划分方法；GB12268 危险货物品名表。

更多信息请联系本安全技术说明书第一章节所列的制造商。

16 其他信息

参考
《联合国关于危险货物运输的建议书-规章范本》
联合国《全球化学品统一分类和标签制度》(GHS)

修订信息：
本SDS部分章节更新.请您重新审阅本SDS中的信息.

此安全技术说明书上的信息代表我们现有的数据和在常规条件下处理此产品的最适当的使用方法。但我们不承担由使用该产品所带来的任何损失（除非法律规定）。此信息可能不适用于以下情况：使用者不遵照此安全技术说明书的指导使用此产品，或将此产品与其他材料混合使用。因此，重要的是客户通过测试验证该产品是否满足自己的应用。

3M中国MSDS可在www.3m.com.cn查找。

CTI 华测检测

221020340516

检测报告
Test Report

报告抬头公司名称 Company Name shown on Report	苏州泰银新材料科技有限公司 SUZHOU TAIYIN NEW MATERIAL TECHNOLOGY CO., LTD
地 址 Address	江苏省太仓市城厢镇东浜路28号2幢一层 1ST FLOOR, BUILDING 2, NO. 28, DONGBANG ROAD, CHENGXIANG TOWN, TAICANG CITY, JIANGSU PROVINCE

以下测试之样品及样品信息由申请者提供并确认
The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

样品名称 Sample Name	透明薄膜胶 ransparent film adhesive
样品接收日期 Sample Received Date	2024.11.18 Nov. 18, 2024
样品检测日期 Testing Period	2024.11.18-2024.11.21 Nov. 18, 2024 to Nov. 21, 2024
检测要求 Test Requested	根据客户要求，对所提交样品中的铅(Pb)，镉(Cd)，汞(Hg)，六价铬(Cr(VI))，多溴联苯(PBBs)，多溴二苯醚(PBDEs)，邻苯二甲酸酯(DBP，BBP，DEHP，DIBP)，氟(F)，氯(Cl)，溴(Br)，碘(I)进行测试。 As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP), Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I) in the submitted sample(s).
检测依据/检测结果 Test Method/Test Result(s)	请参见下页。 Please refer to the following page(s).

批 准
Approved by:

宋岩
技术经理 Technical Manager

日 期
Date 2024.11.21

No. R375305752

苏州市华测检测技术有限公司
Centre Testing International(Suzhou) Co.,Ltd
江苏省苏州市相城区澄阳路3286号
No.3286 Chengyang Road, Xiangcheng District, Suzhou,Jiangsu

检测报告
Test Report

检测依据 Test Method

测试项目 Test Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)
铅 Lead (Pb)	IEC 62321-5:2013	ICP-OES
镉 Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
汞 Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
六价铬 Hexavalent Chromium (Cr(VI))	IEC 62321-7-2:2017和/或IEC 62321-5:2013测试总铬含量 IEC 62321-7-2:2017 and/or determination of Total Chromium by IEC 62321-5:2013	UV-Vis/ICP-OES
多溴联苯 Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS
氟 Fluorine (F)	EN 14582:2016	IC
氯 Chlorine (Cl)	EN 14582:2016	IC
溴 Bromine (Br)	EN 14582:2016	IC
碘 Iodine (I)	EN 14582:2016	IC

检测报告
Test Report

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
铅 Lead (Pb)	N.D.	2 mg/kg
镉 Cadmium (Cd)	N.D.	2 mg/kg
汞 Mercury (Hg)	N.D.	2 mg/kg
六价铬 Hexavalent Chromium (Cr(VI))	N.D.	8 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
多溴联苯 Polybrominated Biphenyls (PBBs)		
一溴联苯 Monobromobiphenyl	N.D.	5 mg/kg
二溴联苯 Dibromobiphenyl	N.D.	5 mg/kg
三溴联苯 Tribromobiphenyl	N.D.	5 mg/kg
四溴联苯 Tetrabromobiphenyl	N.D.	5 mg/kg
五溴联苯 Pentabromobiphenyl	N.D.	5 mg/kg
六溴联苯 Hexabromobiphenyl	N.D.	5 mg/kg
七溴联苯 Heptabromobiphenyl	N.D.	5 mg/kg
八溴联苯 Octabromobiphenyl	N.D.	5 mg/kg
九溴联苯 Nonabromobiphenyl	N.D.	5 mg/kg
十溴联苯 Decabromobiphenyl	N.D.	5 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs)		
一溴二苯醚 Monobromodiphenyl ether	N.D.	5 mg/kg
二溴二苯醚 Dibromodiphenyl ether	N.D.	5 mg/kg
三溴二苯醚 Tribromodiphenyl ether	N.D.	5 mg/kg
四溴二苯醚 Tetrabromodiphenyl ether	N.D.	5 mg/kg
五溴二苯醚 Pentabromodiphenyl ether	N.D.	5 mg/kg
六溴二苯醚 Hexabromodiphenyl ether	N.D.	5 mg/kg
七溴二苯醚 Heptabromodiphenyl ether	N.D.	5 mg/kg
八溴二苯醚 Octabromodiphenyl ether	N.D.	5 mg/kg
九溴二苯醚 Nonabromodiphenyl ether	N.D.	5 mg/kg
十溴二苯醚 Decabromodiphenyl ether	N.D.	5 mg/kg

检测报告
Test Report

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP)		
邻苯二甲酸二丁酯 Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	50 mg/kg
邻苯二甲酸丁基苄基酯 Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	50 mg/kg
邻苯二甲酸二(2-乙基)己酯 Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	50 mg/kg
邻苯二甲酸二异丁酯 Diisobutyl phthalate (DIBP) CAS#:84-69-5	N.D.	50 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
氟 Fluorine (F)	N.D.	10 mg/kg
氯 Chlorine (Cl)	N.D.	10 mg/kg
溴 Bromine (Br)	N.D.	10 mg/kg
碘 Iodine (I)	N.D.	10 mg/kg

样品/部位描述 Sample/Part Description

序号 No.	CTI样品ID CTI Sample ID	描述 Description
1	001	无色透明塑料膜与胶 Colorless transparent plastic film and adhesive


备注: **对于检测铅，镉，汞之样品已消解完全。**
-N.D. = 未检出（小于方法检出限）
-mg/kg = ppm = 百万分之一

Remark: **The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.**
-MDL = Method Detection Limit
-N.D. = Not Detected (<MDL)
-mg/kg = ppm = parts per million


检测报告
Test Report

检测流程 Test Process


1. **铅(Pb)，镉(Cd)，铬(Cr)**
   Lead (Pb), Cadmium (Cd), Chromium (Cr)



2. **汞(Hg)**
   Mercury (Hg)




3. **六价铬(Cr(VI))**
   Hexavalent Chromium (Cr(VI))




检测报告
Test Report


4. 多溴联苯(PBBs)， 多溴二苯醚(PBDEs)
Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)



5. 邻苯二甲酸酯(DBP, BBP, DEHP, DIBP)
Phthalates (DBP, BBP, DEHP, DIBP)



6. 氟(F)， 氯(Cl)， 溴(Br)， 碘(I)
Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I)



检测报告
Test Report

样品图片
Photo(s) of the sample(s)



声明Statement：

1. 检测报告无批准人签字、“专用章”及报告骑缝章无效；
   This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. 报告抬头公司名称及地址、样品及样品信息由申请者提供，申请者应对其真实性负责，CTI未核实其真实性；
   The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn’t verified;
3. 本报告检测结果仅对受测样品负责；
   The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 除非另有说明，报告参照ILAC-G8:09/2019 / CNAS-GL015:2022使用简单接受(w=0)二元判定规则进行符合性判定；
   Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. 未经CTI书面同意，不得部分复制本报告；
   Without written approval of CTI, this report can’t be reproduced except in full;
6. 如检测报告中的英文内容与中文内容有差异，以中文为准。
   In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

报告结束

*** End of report ***

CTI 华测检测

附录 Appendix

客户参考信息 Client Reference Information

TY-50-AP	TY-25-AP	TY-38-AP	TY-75-AP	TY-100-AP
TY-50-BP	TY-25-BP	TY-38-BP	TY-75-BP	TY-100-BP
TY-50-CP	TY-25-CP	TY-38-CP	TY-75-CP	TY-100-CP
TY-50-DP	TY-25-DP	TY-38-DP	TY-75-DP	TY-100-DP
TY-50-EP	TY-25-EP	TY-38-EP	TY-75-EP	TY-100-EP
TY-50-FP	TY-25-FP	TY-38-FP	TY-75-FP	TY-100-FP
TY-50-GP	TY-25-GP	TY-38-GP	TY-75-GP	TY-100-GP
TY-50-HP	TY-25-HP	TY-38-HP	TY-75-HP	TY-100-HP
TY-50-IP	TY-25-IP	TY-38-IP	TY-75-IP	TY-100-IP
TY-50-JP	TY-25-JP	TY-38-JP	TY-75-JP	TY-100-JP
TY-50-KP	TY-25-KP	TY-38-KP	TY-75-KP	TY-100-KP
TY-50-LP	TY-25-LP	TY-38-LP	TY-75-LP	TY-100-LP
TY-50-MP	TY-25-MP	TY-38-MP	TY-75-MP	TY-100-MP
TY-50-NP	TY-25-NP	TY-38-NP	TY-75-NP	TY-100-NP

Ty-25-A	Ty-38-A	Ty-75-A	Ty-100-A	Ty-125-A
Ty-25-B	Ty-38-B	Ty-75-B	Ty-100-B	Ty-125-B
Ty-25-C	Ty-38-C	Ty-75-C	Ty-100-C	Ty-125-C
Ty-25-D	Ty-38-D	Ty-75-D	Ty-100-D	Ty-125-D
Ty-25-E	Ty-38-E	Ty-75-E	Ty-100-E	Ty-125-E
Ty-25-F	Ty-38-F	Ty-75-F	Ty-100-F	Ty-125-F
Ty-25-G	Ty-38-G	Ty-75-G	Ty-100-G	Ty-125-G
Ty-25-H	Ty-38-H	Ty-75-H	Ty-100-H	Ty-125-H
Ty-25-I	Ty-38-I	Ty-75-I	Ty-100-I	Ty-125-I
Ty-25-J	Ty-38-J	Ty-75-J	Ty-100-J	Ty-125-J
Ty-25-K	Ty-38-K	Ty-75-K	Ty-100-K	Ty-125-K
Ty-25-L	Ty-38-L	Ty-75-L	Ty-100-L	Ty-125-L
Ty-25-M	Ty-38-M	Ty-75-M	Ty-100-M	Ty-125-M
Ty-25-N	Ty-38-N	Ty-75-N	Ty-100-N	Ty-125-N
Ty-25-O	Ty-38-O	Ty-75-O	Ty-100-O	Ty-125-O
Ty-25-P	Ty-38-P	Ty-75-P	Ty-100-P	Ty-125-P
Ty-25-Q	Ty-38-Q	Ty-75-Q	Ty-100-Q	Ty-125-Q

TY8803-A	TY8805-A	TY8807-A	TY8801-A	TY8812-A
TY8803-B	TY8805-B	TY8807-B	TY8801-B	TY8812-B
TY8803-C	TY8805-C	TY8807-C	TY8801-C	TY8812-C
TY8803-D	TY8805-D	TY8807-D	TY8801-D	TY8812-D
TY8803-E	TY8805-E	TY8807-E	TY8801-E	TY8812-E
TY8803-F	TY8805-F	TY8807-F	TY8801-F	TY8812-F
TY8803-G	TY8805-G	TY8807-G	TY8801-G	TY8812-G
TY8803-H	TY8805-H	TY8807-H	TY8801-H	TY8812-H
TY8803-I	TY8805-I	TY8807-I	TY8801-I	TY8812-I
TY8803-J	TY8805-J	TY8807-J	TY8801-J	TY8812-J
TY8803-K	TY8805-K	TY8807-K	TY8801-K	TY8812-K

CTI 华测检测

TY8803-L	TY8805-L	TY8807-L	TY8801-L	TY8812-L
TY8803-M	TY8805-M	TY8807-M	TY8801-M	TY8812-M
TY8803-N	TY8805-N	TY8807-N	TY8801-N	TY8812-N
TY8803-O	TY8805-O	TY8807-O	TY8801-O	TY8812-O
TY8803-P	TY8805-P	TY8807-P	TY8801-P	TY8812-P
TY8803-Q	TY8805-Q	TY8807-Q	TY8801-Q	TY8812-Q
TY8803-R	TY8805-R	TY8807-R	TY8801-R	TY8812-R
TY8803-S	TY8805-S	TY8807-S	TY8801-S	TY8812-S
TY8803-T	TY8805-T	TY8807-T	TY8801-T	TY8812-T
TY8803-U	TY8805-U	TY8807-U	TY8801-U	TY8812-U
TY8803-V	TY8805-V	TY8807-V	TY8801-V	TY8812-V
TY8803-W	TY8805-W	TY8807-W	TY8801-W	TY8812-W
TY8803-X	TY8805-X	TY8807-X	TY8801-X	TY8812-X
TY8803-Y	TY8805-Y	TY8807-Y	TY8801-Y	TY8812-Y
TY8803-Z	TY8805-Z	TY8807-Z	TY8801-Z	TY8812-Z
TY8803-SS	TY8805-SS	TY8807-SS	TY8801-SS	TY8812-SS
TY8803-KK	TY8805-KK	TY8807-KK	TY8801-KK	TY8812-KK
TY8803-TT	TY8805-TT	TY8807-TT	TY8801-TT	TY8812-TT
TY8803-BT	TY8805-BT	TY8807-BT	TY8801-BT	TY8812-BT
TY8803-BS	TY8805-BS	TY8807-BS	TY8801-BS	TY8812-BS
TY8803-CC	TY8805-CC	TY8807-CC	TY8801-CC	TY8812-CC

TY8803-AP	TY8803-AL	TY8805-AP	TY8803-AL	TY8807-AP
TY8803-BP	TY8803-BL	TY8805-BP	TY8803-BL	TY8807-BP
TY8803-CP	TY8803-CL	TY8805-CP	TY8803-CL	TY8807-CP
TY8803-DP	TY8803-DL	TY8805-DP	TY8803-DL	TY8807-DP
TY8803-EP	TY8803-EL	TY8805-EP	TY8803-EL	TY8807-EP
TY8803-FP	TY8803-FL	TY8805-FP	TY8803-FL	TY8807-FP
TY8803-GP	TY8803-GL	TY8805-GP	TY8803-GL	TY8807-GP
TY8803-HP	TY8803-HL	TY8805-HP	TY8803-HL	TY8807-HP
TY8803-IP	TY8803-IL	TY8805-IP	TY8803-IL	TY8807-IP
TY8803-JP	TY8803-JL	TY8805-JP	TY8803-JL	TY8807-JP
TY8803-KP	TY8803-KL	TY8805-KP	TY8803-KL	TY8807-KP
TY8803-LP	TY8803-LL	TY8805-LP	TY8803-LL	TY8807-LP
TY8803-MP	TY8803-ML	TY8805-MP	TY8803-ML	TY8807-MP
TY8803-NP	TY8803-NL	TY8805-NP	TY8803-NL	TY8807-NP
TY8803-OP	TY8803-OL	TY8805-OP	TY8803-OL	TY8807-OP
TY8803-PP	TY8803-PL	TY8805-PP	TY8803-PL	TY8807-PP
TY8803-QP	TY8803-QL	TY8805-QP	TY8803-QL	TY8807-QP
TY8803-RP	TY8803-RL	TY8805-RP	TY8803-RL	TY8807-RP
TY8803-SP	TY8803-SL	TY8805-SP	TY8803-SL	TY8807-SP
TY8803-TP	TY8803-TL	TY8805-TP	TY8803-TL	TY8807-TP
TY8803-UP	TY8803-UL	TY8805-UP	TY8803-UL	TY8807-UP
TY8803-VP	TY8803-VL	TY8805-VP	TY8803-VL	TY8807-VP
TY8803-WP	TY8803-WL	TY8805-WP	TY8803-WL	TY8807-WP
TY8803-XP	TY8803-XL	TY8805-XP	TY8803-XL	TY8807-XP
TY8803-YP	TY8803-YL	TY8805-YP	TY8803-YL	TY8807-YP
TY8803-ZP	TY8807-RL	TY8805-ZP	TY8807-WL	TY8807-ZP

CTI 华测检测

TY8803-SSP	TY8807-SL	TY8805-SSP	TY8807-XL	TY8807-SSP
TY8803-KKP	TY8807-TL	TY8805-KKP	TY8807-YL	TY8807-KKP
TY8803-TTP	TY8807-UL	TY8805-TTP	TY8808-YL	TY8807-TTP
TY8803-BTP	TY8807-VL	TY8805-BTP	TY8809-YL	TY8807-BTP
TY8803-BSP	TY8808-VL	TY8805-BSP	TY8810-YL	TY8807-BSP
TY8803-CCP	TY8809-VL	TY8805-CCP	TY8811-YL	TY8807-CCP

TY8801-AP	TY8801-AL	TY8812-AP	TY8812-AL	TY-125-AP
TY8801-BP	TY8801-BL	TY8812-BP	TY8812-BL	TY-125-BP
TY8801-CP	TY8801-CL	TY8812-CP	TY8812-CL	TY-125-CP
TY8801-DP	TY8801-DL	TY8812-DP	TY8812-DL	TY-125-DP
TY8801-EP	TY8801-EL	TY8812-EP	TY8812-EL	TY-125-EP
TY8801-FP	TY8801-FL	TY8812-FP	TY8812-FL	TY-125-FP
TY8801-GP	TY8801-GL	TY8812-GP	TY8812-GL	TY-125-GP
TY8801-HP	TY8801-HL	TY8812-HP	TY8812-HL	TY-125-HP
TY8801-IP	TY8801-IL	TY8812-IP	TY8812-IL	TY-125-IP
TY8801-JP	TY8801-JL	TY8812-JP	TY8812-JL	TY-125-JP
TY8801-KP	TY8801-KL	TY8812-KP	TY8812-KL	TY-125-KP
TY8801-LP	TY8801-LL	TY8812-LP	TY8812-LL	TY-125-LP
TY8801-MP	TY8801-ML	TY8812-MP	TY8812-ML	TY-125-MP
TY8801-NP	TY8801-NL	TY8812-NP	TY8812-NL	TY-125-NP
TY8801-OP	TY8801-OL	TY8812-OP	TY8812-OL	TY8807-AL
TY8801-PP	TY8801-PL	TY8812-PP	TY8812-PL	TY8807-BL
TY8801-QP	TY8801-QL	TY8812-QP	TY8812-QL	TY8807-CL
TY8801-RP	TY8801-RL	TY8812-RP	TY8812-RL	TY8807-DL
TY8801-SP	TY8801-SL	TY8812-SP	TY8812-SL	TY8807-EL
TY8801-TP	TY8801-TL	TY8812-TP	TY8812-TL	TY8807-FL
TY8801-UP	TY8801-UL	TY8812-UP	TY8812-UL	TY8807-GL
TY8801-VP	TY8801-VL	TY8812-VP	TY8812-VL	TY8807-HL
TY8801-WP	TY8801-WL	TY8812-WP	TY8812-WL	TY8807-IL
TY8801-XP	TY8801-XL	TY8812-XP	TY8812-XL	TY8807-JL
TY8801-YP	TY8801-YL	TY8812-YP	TY8812-YL	TY8807-KL

TY9903-A	TY9903-AP	TY9903-AL	TY9905-A	TY9905-AP
TY9903-B	TY9903-BP	TY9903-BL	TY9905-B	TY9905-BP
TY9903-C	TY9903-CP	TY9903-CL	TY9905-C	TY9905-CP
TY9903-D	TY9903-DP	TY9903-DL	TY9905-D	TY9905-DP
TY9903-E	TY9903-EP	TY9903-EL	TY9905-E	TY9905-EP
TY9903-F	TY9903-FP	TY9903-FL	TY9905-F	TY9905-FP
TY9903-G	TY9903-GP	TY9903-GL	TY9905-G	TY9905-GP
TY9903-H	TY9903-HP	TY9903-HL	TY9905-H	TY9905-HP
TY9903-I	TY9903-IP	TY9903-IL	TY9905-I	TY9905-IP
TY9903-J	TY9903-JP	TY9903-JL	TY9905-J	TY9905-JP
TY9903-K	TY9903-KP	TY9903-KL	TY9905-K	TY9905-KP
TY9903-L	TY9903-LP	TY9903-LL	TY9905-L	TY9905-LP
TY9903-M	TY9903-MP	TY9903-ML	TY9905-M	TY9905-MP
TY9903-N	TY9903-NP	TY9903-NL	TY9905-N	TY9905-NP
TY9903-O	TY9903-OP	TY9903-OL	TY9905-O	TY9905-OP

TY9903-P	TY9903-PP	TY9903-PL	TY9905-P	TY9905-PP
TY9903-Q	TY9903-QP	TY9903-QL	TY9905-Q	TY9905-QP
TY9903-R	TY9903-RP	TY9903-RL	TY9905-R	TY9905-RP
TY9903-S	TY9903-SP	TY9903-SL	TY9905-S	TY9905-SP
TY9903-T	TY9903-TP	TY9903-TL	TY9905-T	TY9905-TP
TY9903-U	TY9903-UP	TY9903-UL	TY9905-U	TY9905-UP
TY9903-V	TY9903-VP	TY9903-VL	TY9905-V	TY9905-VP
TY9903-W	TY9903-WP	TY9903-WL	TY9905-W	TY9905-WP
TY9903-X	TY9903-XP	TY9903-XL	TY9905-X	TY9905-XP
TY9903-Y	TY9903-YP	TY9903-YL	TY9905-Y	TY9905-YP
TY9903-Z	TY9903-ZP	TY9903-ZL	TY9905-Z	TY9905-ZP
TY9903-SS	TY9903-SSP	TY9903-SSL	TY9905-SS	TY9905-SSP
TY9903-KK	TY9903-KKP	TY9903-KKL	TY9905-KK	TY9905-KKP
TY9903-TT	TY9903-TTP	TY9903-TTL	TY9905-TT	TY9905-TTP
TY9903-BT	TY9903-BTP	TY9903-BTL	TY9905-BT	TY9905-BTP
TY9903-BS	TY9903-BSP	TY9903-BSL	TY9905-BS	TY9905-BSP
TY9903-CC	TY9903-CCP	TY9903-CCL	TY9905-CC	TY9905-CCP

TY9907-A	TY9907-AP	TY9907-AL	TY9901-A	TY9901-AP
TY9907-B	TY9907-BP	TY9907-BL	TY9901-B	TY9901-BP
TY9907-C	TY9907-CP	TY9907-CL	TY9901-C	TY9901-CP
TY9907-D	TY9907-DP	TY9907-DL	TY9901-D	TY9901-DP
TY9907-E	TY9907-EP	TY9907-EL	TY9901-E	TY9901-EP
TY9907-F	TY9907-FP	TY9907-FL	TY9901-F	TY9901-FP
TY9907-G	TY9907-GP	TY9907-GL	TY9901-G	TY9901-GP
TY9907-H	TY9907-HP	TY9907-HL	TY9901-H	TY9901-HP
TY9907-I	TY9907-IP	TY9907-IL	TY9901-I	TY9901-IP
TY9907-J	TY9907-JP	TY9907-JL	TY9901-J	TY9901-JP
TY9907-K	TY9907-KP	TY9907-KL	TY9901-K	TY9901-KP
TY9907-L	TY9907-LP	TY9907-LL	TY9901-L	TY9901-LP
TY9907-M	TY9907-MP	TY9907-ML	TY9901-M	TY9901-MP
TY9907-N	TY9907-NP	TY9907-NL	TY9901-N	TY9901-NP
TY9907-O	TY9907-OP	TY9907-OL	TY9901-O	TY9901-OP
TY9907-P	TY9907-PP	TY9907-PL	TY9901-P	TY9901-PP
TY9907-Q	TY9907-QP	TY9907-QL	TY9901-Q	TY9901-QP
TY9907-R	TY9907-RP	TY9907-RL	TY9901-R	TY9901-RP
TY9907-S	TY9907-SP	TY9907-SL	TY9901-S	TY9901-SP
TY9907-T	TY9907-TP	TY9907-TL	TY9901-T	TY9901-TP
TY9907-U	TY9907-UP	TY9907-UL	TY9901-U	TY9901-UP
TY9907-V	TY9907-VP	TY9907-VL	TY9901-V	TY9901-VP
TY9907-W	TY9907-WP	TY9907-WL	TY9901-W	TY9901-WP
TY9907-X	TY9907-XP	TY9907-XL	TY9901-X	TY9901-XP
TY9907-Y	TY9907-YP	TY9907-YL	TY9901-Y	TY9901-YP
TY9907-Z	TY9907-ZP	TY9907-ZL	TY9901-Z	TY9901-ZP
TY9907-SS	TY9907-SSP	TY9907-SSL	TY9901-SS	TY9901-SSP
TY9907-KK	TY9907-KKP	TY9907-KKL	TY9901-KK	TY9901-KKP
TY9907-TT	TY9907-TTP	TY9907-TTL	TY9901-TT	TY9901-TTP
TY9907-BT	TY9907-BTP	TY9907-BTL	TY9901-BT	TY9901-BTP

TY9907-BS	TY9907-BSP	TY9907-BSL	TY9901-BS	TY9901-BSP
TY9907-CC	TY9907-CCP	TY9907-CCL	TY9901-CC	TY9901-CCP

TY7701Z	TY6601P	TY6601Z	TY7701H	TY6601H
TY7702Z	TY6602P	TY6602Z	TY7702H	TY6602H
TY7703Z	TY6603P	TY6603Z	TY7703H	TY6603H
TY7704Z	TY6604P	TY6604Z	TY7704H	TY6604H
TY7705Z	TY6605P	TY6605Z	TY7705H	TY6605H
TY7706Z	TY6606P	TY6606Z	TY7706H	TY6606H
TY7707Z	TY6607P	TY6607Z	TY7707H	TY6607H
TY7708Z	TY6608P	TY6608Z	TY7708H	TY6608H
TY7709Z	TY6609P	TY6609Z	TY7709H	TY6609H
TY7710Z	TY6610P	TY6610Z	TY7710H	TY6610H
TY7711Z	TY6611P	TY6611Z	TY7711H	TY6611H
TY7712Z	TY6612P	TY6612Z	TY7712H	TY6612H
TY7713Z	TY6613P	TY6613Z	TY7713H	TY6613H
TY7714Z	TY6614P	TY6614Z	TY7714H	TY6614H
TY7715Z	TY6615P	TY6615Z	TY7715H	TY6615H
TY7716Z	TY6616P	TY6616Z	TY7716H	TY6616H
TY7717Z	TY6617P	TY6617Z	TY7717H	TY6617H
TY7718Z	TY6618P	TY6618Z	TY7718H	TY6618H
TY7719Z	TY6619P	TY6619Z	TY7719H	TY6619H
TY7720Z	TY6620P	TY6620Z	TY7720H	TY6620H

TY38-01L	TY38-01LB	TY50-01L	TY50-01LB	TY75-01L
TY38-02L	TY38-02LB	TY50-02L	TY50-02LB	TY75-02L
TY38-03L	TY38-03LB	TY50-03L	TY50-03LB	TY75-03L
TY38-04L	TY38-04LB	TY50-04L	TY50-04LB	TY75-04L
TY38-05L	TY38-05LB	TY50-05L	TY50-05LB	TY75-05L
TY38-06L	TY38-06LB	TY50-06L	TY50-06LB	TY75-06L
TY38-07L	TY38-07LB	TY50-07L	TY50-07LB	TY75-07L
TY38-08L	TY38-08LB	TY50-08L	TY50-08LB	TY75-08L
TY38-09L	TY38-09LB	TY50-09L	TY50-09LB	TY75-09L
TY38-10L	TY38-10LB	TY50-10L	TY50-10LB	TY75-10L
TY38-11L	TY38-11LB	TY50-11L	TY50-11LB	TY75-11L
TY38-12L	TY38-12LB	TY50-12L	TY50-12LB	TY75-12L
TY38-13L	TY38-13LB	TY50-13L	TY50-13LB	TY75-13L
TY38-14L	TY38-14LB	TY50-14L	TY50-14LB	TY75-14L
TY38-15L	TY38-15LB	TY50-15L	TY50-15LB	TY75-15L
TY38-16L	TY38-16LB	TY50-16L	TY50-16LB	TY75-16L
TY38-17L	TY38-17LB	TY50-17L	TY50-17LB	TY75-17L
TY38-18L	TY38-18LB	TY50-18L	TY50-18LB	TY75-18L
TY38-19L	TY38-19LB	TY50-19L	TY50-19LB	TY75-19L
TY38-20L	TY38-20LB	TY50-20L	TY50-20LB	TY75-20L

TY100-01L	TY100-01LB	TY25-01L	TY25-01LB	TY125-01LB

CTI 华测检测

TY100-02L	TY100-02LB	TY25-02L	TY25-02LB	TY125-02LB
TY100-03L	TY100-03LB	TY25-03L	TY25-03LB	TY125-03LB
TY100-04L	TY100-04LB	TY25-04L	TY25-04LB	TY125-04LB
TY100-05L	TY100-05LB	TY25-05L	TY25-05LB	TY125-05LB
TY100-06L	TY100-06LB	TY25-06L	TY25-06LB	TY125-06LB
TY100-07L	TY100-07LB	TY25-07L	TY25-07LB	TY125-07LB
TY100-08L	TY100-08LB	TY25-08L	TY25-08LB	TY125-08LB
TY100-09L	TY100-09LB	TY25-09L	TY25-09LB	TY125-09LB
TY100-10L	TY100-10LB	TY25-10L	TY25-10LB	TY125-10LB
TY100-11L	TY100-11LB	TY25-11L	TY25-11LB	TY125-11LB
TY100-12L	TY100-12LB	TY25-12L	TY25-12LB	TY125-12LB
TY100-13L	TY100-13LB	TY25-13L	TY25-13LB	TY125-13LB
TY100-14L	TY100-14LB	TY25-14L	TY25-14LB	TY125-14LB
TY100-15L	TY100-15LB	TY25-15L	TY25-15LB	TY125-15LB
TY100-16L	TY100-16LB	TY25-16L	TY25-16LB	TY125-16LB
TY100-17L	TY100-17LB	TY25-17L	TY25-17LB	TY125-17LB
TY100-18L	TY100-18LB	TY25-18L	TY25-18LB	TY125-18LB
TY100-19L	TY100-19LB	TY25-19L	TY25-19LB	TY125-19LB
TY100-20L	TY100-20LB	TY25-20L	TY25-20LB	TY125-20LB

TYP5080A	TY9905-XP-K1	TY9907-XP-K1	TY9901-XP-K1	TY9905L-XP-K1
TYP5080B	TY9905-YP-K1	TY9907-YP-K1	TY9901-YP-K1	TY9905L-YP-K1
TYP5080C	TY9905-ZP-K1	TY9907-ZP-K1	TY9901-ZP-K1	TY9905L-ZP-K1
TYP5080D	TY9905-ZP-K1	TY9907-ZP-K1	TY9901-ZP-K1	TY9905L-ZP-K1
TYP5080E	TY9905-XP-K2	TY9907-XP-K2	TY9901-XP-K2	TY9905L-XP-K2
TYP5080F	TY9905-YP-K2	TY9907-YP-K2	TY9901-YP-K2	TY9905L-YP-K2
TYP5080G	TY9905-ZP-K2	TY9907-ZP-K2	TY9901-ZP-K2	TY9905L-ZP-K2
TYP5080H	TY9905-ZP-K2	TY9907-ZP-K2	TY9901-ZP-K2	TY9905L-ZP-K2
TYP5080I	TY9905-XP-K3	TY9907-XP-K3	TY9901-XP-K3	TY9905L-XP-K3
TYP5080K	TY9905-XP-K3	TY9907-XP-K3	TY9901-XP-K3	TY9905L-XP-K3
TYP5080L	TY9905-XP-K3	TY9907-XP-K3	TY9901-XP-K3	TY9905L-XP-K3
TYP5080M	TY9905-XP-K3	TY9907-XP-K3	TY9901-XP-K3	TY9905L-XP-K3
TYP5080N	TY9901L-XP-K1	TY9907L-XP-K1	TY9901-XP-K4	TY9905L-XP-K4
TYP5080O	TY9901L-YP-K1	TY9907L-YP-K1	TY9901-XP-K5	TY9905L-XP-K5
TYP5080P	TY9901L-ZP-K1	TY9907L-ZP-K1	TY9901-XP-K6	TY9905L-XP-K6
TYP5080Q	TY9901L-ZP-K1	TY9907L-ZP-K1	TY9901-XP-K7	TY9905L-XP-K7
TYP5080R	TY9901L-XP-K2	TY9907L-XP-K2	TY9901-XP-K8	TY9905L-XP-K8
TYP5080S	TY9901L-YP-K2	TY9907L-YP-K2	TY9901-XP-K9	TY9905L-XP-K9
TYP5080T	TY9901L-ZP-K2	TY9907L-ZP-K2	TY9901-XP-K10	TY9905L-XP-K10
TYP50800U	TY9901L-ZP-K2	TY9907L-ZP-K2	TY9901-XP-K11	TY9905L-XP-K11
TYP5080V	TY9901L-XP-K3	TY9907L-XP-K3	TY9901-XP-K12	TY9905L-XP-K12
TYP5080W	TY9901L-XP-K3	TY9907L-XP-K3	TY9901-XP-K13	TY9905L-XP-K13
TYP5080X	TY9901L-XP-K3	TY9907L-XP-K3	TY9901-XP-K14	TY9905L-XP-K14
TYP5080Y	TY9901L-XP-K3	TY9907L-XP-K3	TY9901-XP-K15	TY9905L-XP-K15

CTI 华测检测

TYP-05-01	TYP-05-01L	TYP-05-01W	TYP-05-01WB	TYP-06-01WB
TYP-05-02	TYP-05-02L	TYP-05-02W	TYP-05-02WB	TYP-06-02WB
TYP-05-03	TYP-05-03L	TYP-05-03W	TYP-05-03WB	TYP-06-03WB
TYP-05-04	TYP-05-04L	TYP-05-04W	TYP-05-04WB	TYP-06-04WB
TYP-05-05	TYP-05-05L	TYP-05-05W	TYP-05-05WB	TYP-06-05WB
TYP-05-06	TYP-05-06L	TYP-05-06W	TYP-05-06WB	TYP-06-06WB
TYP-05-07	TYP-05-07L	TYP-05-07W	TYP-05-07WB	TYP-06-07WB
TYP-05-08	TYP-05-08L	TYP-05-08W	TYP-05-08WB	TYP-06-08WB
TYP-05-09	TYP-05-09L	TYP-05-09W	TYP-05-09WB	TYP-06-09WB
TYP-05-10	TYP-05-10L	TYP-05-10W	TYP-05-10WB	TYP-06-10WB
TYP-05-11	TYP-05-11L	TYP-05-11W	TYP-05-11WB	TYP-06-11WB
TYP-05-12	TYP-05-12L	TYP-05-12W	TYP-05-12WB	TYP-06-12WB
TYP-05-13	TYP-05-13L	TYP-05-13W	TYP-05-13WB	TYP-06-13WB
TYP-05-14	TYP-05-14L	TYP-05-14W	TYP-05-14WB	TYP-06-14WB
TYP-05-15	TYP-05-15L	TYP-05-15W	TYP-05-15WB	TYP-06-15WB
TYP-05-16	TYP-05-16L	TYP-05-16W	TYP-05-16WB	TYP-06-16WB
TYP-05-17	TYP-05-17L	TYP-05-17W	TYP-05-17WB	TYP-06-17WB
TYP-05-18	TYP-05-18L	TYP-05-18W	TYP-05-18WB	TYP-06-18WB
TYP-05-19	TYP-05-19L	TYP-05-19W	TYP-05-19WB	TYP-06-19WB
TYP-05-20	TYP-05-20L	TYP-05-20W	TYP-05-20WB	TYP-06-20WB
TYP-06-01	TYP-06-01L	TYP-06-01W	TYP-08-01W	TYP-07-01WB
TYP-06-02	TYP-06-02L	TYP-06-02W	TYP-08-02W	TYP-07-02WB
TYP-06-03	TYP-06-03L	TYP-06-03W	TYP-08-03W	TYP-07-03WB
TYP-06-04	TYP-06-04L	TYP-06-04W	TYP-08-04W	TYP-07-04WB
TYP-06-05	TYP-06-05L	TYP-06-05W	TYP-08-05W	TYP-07-05WB
TYP-06-06	TYP-06-06L	TYP-06-06W	TYP-08-06W	TYP-07-06WB
TYP-06-07	TYP-06-07L	TYP-06-07W	TYP-08-07W	TYP-07-07WB
TYP-06-08	TYP-06-08L	TYP-06-08W	TYP-08-08W	TYP-07-08WB
TYP-06-09	TYP-06-09L	TYP-06-09W	TYP-08-09W	TYP-07-09WB
TYP-06-10	TYP-06-10L	TYP-06-10W	TYP-08-10W	TYP-07-10WB
TYP-06-11	TYP-06-11L	TYP-06-11W	TYP-08-11W	TYP-07-11WB
TYP-06-12	TYP-06-12L	TYP-06-12W	TYP-08-12W	TYP-07-12WB
TYP-06-13	TYP-06-13L	TYP-06-13W	TYP-08-13W	TYP-07-13WB
TYP-06-14	TYP-06-14L	TYP-06-14W	TYP-08-14W	TYP-07-14WB
TYP-06-15	TYP-06-15L	TYP-06-15W	TYP-08-15W	TYP-07-15WB
TYP-06-16	TYP-06-16L	TYP-06-16W	TYP-08-16W	TYP-07-16WB
TYP-06-17	TYP-06-17L	TYP-06-17W	TYP-08-17W	TYP-07-17WB
TYP-06-18	TYP-06-18L	TYP-06-18W	TYP-08-18W	TYP-07-18WB
TYP-06-19	TYP-06-19L	TYP-06-19W	TYP-08-19W	TYP-07-19WB
TYP-06-20	TYP-06-20L	TYP-06-20W	TYP-08-20W	TYP-07-20WB
TYP-07-01	TYP-07-01L	TYP-07-01W	TYP-08-01L	TYP-08-01WB
TYP-07-02	TYP-07-02L	TYP-07-02W	TYP-08-02L	TYP-08-02WB
TYP-07-03	TYP-07-03L	TYP-07-03W	TYP-08-03L	TYP-08-03WB
TYP-07-04	TYP-07-04L	TYP-07-04W	TYP-08-04L	TYP-08-04WB
TYP-07-05	TYP-07-05L	TYP-07-05W	TYP-08-05L	TYP-08-05WB
TYP-07-06	TYP-07-06L	TYP-07-06W	TYP-08-06L	TYP-08-06WB

CTI 华测检测

TYP-07-07	TYP-07-07L	TYP-07-07W	TYP-08-07L	TYP-08-07WB
TYP-07-08	TYP-07-08L	TYP-07-08W	TYP-08-08L	TYP-08-08WB
TYP-07-09	TYP-07-09L	TYP-07-09W	TYP-08-09L	TYP-08-09WB
TYP-07-10	TYP-07-10L	TYP-07-10W	TYP-08-10L	TYP-08-10WB
TYP-07-11	TYP-07-11L	TYP-07-11W	TYP-08-11L	TYP-08-11WB
TYP-07-12	TYP-07-12L	TYP-07-12W	TYP-08-12L	TYP-08-12WB
TYP-07-13	TYP-07-13L	TYP-07-13W	TYP-08-13L	TYP-08-13WB
TYP-07-14	TYP-07-14L	TYP-07-14W	TYP-08-14L	TYP-08-14WB
TYP-07-15	TYP-07-15L	TYP-07-15W	TYP-08-15L	TYP-08-15WB
TYP-07-16	TYP-07-16L	TYP-07-16W	TYP-08-16L	TYP-08-16WB
TYP-07-17	TYP-07-17L	TYP-07-17W	TYP-08-17L	TYP-08-17WB
TYP-07-18	TYP-07-18L	TYP-07-18W	TYP-08-18L	TYP-08-18WB
TYP-07-19	TYP-07-19L	TYP-07-19W	TYP-08-19L	TYP-08-19WB
TYP-07-20	TYP-07-20L	TYP-07-20W	TYP-08-20L	TYP-08-20WB

TYP-08-01	TY9905-AL	TY125-01L	TY75-01LB	TY6601P
TYP-08-02	TY9905-BL	TY125-02L	TY75-02LB	TY6602P
TYP-08-03	TY9905-CL	TY125-03L	TY75-03LB	TY6603P
TYP-08-04	TY9905-DL	TY125-04L	TY75-04LB	TY6604P
TYP-08-05	TY9905-EL	TY125-05L	TY75-05LB	TY6605P
TYP-08-06	TY9905-FL	TY125-06L	TY75-06LB	TY6606P
TYP-08-07	TY9905-GL	TY125-07L	TY75-07LB	TY6607P
TYP-08-08	TY9905-HL	TY125-08L	TY75-08LB	TY6608P
TYP-08-09	TY9905-IL	TY125-09L	TY75-09LB	TY6609P
TYP-08-10	TY9905-JL	TY125-10L	TY75-10LB	TY6610P
TYP-08-11	TY9905-KL	TY125-11L	TY75-11LB	TY6611P
TYP-08-12	TY9905-LL	TY125-12L	TY75-12LB	TY6612P
TYP-08-13	TY9905-ML	TY125-13L	TY75-13LB	TY6613P
TYP-08-14	TY9905-NL	TY125-14L	TY75-14LB	TY6614P
TYP-08-15	TY9905-OL	TY125-15L	TY75-15LB	TY6615P
TYP-08-16	TY9905-PL	TY125-16L	TY75-16LB	TY6616P
TYP-08-17	TY9905-QL	TY125-17L	TY75-17LB	TY6617P
TYP-08-18	TY9905-RL	TY125-18L	TY75-18LB	TY6618P
TYP-08-19	TY9905-SL	TY125-19L	TY75-19LB	TY6619P
TYP-08-20	TY9905-TL	TY125-20L	TY75-20LB	TY6620P

TY9905-UL	TY9901-AL	TY9901-ML	TY9901-YL	TY9905-CCL
TY9905-VL	TY9901-BL	TY9901-NL	TY9901-ZL	TY9906-CCL
TY9905-WL	TY9901-CL	TY9901-OL	TY9901-SSL	TY9907-CCL
TY9905-XL	TY9901-DL	TY9901-PL	TY9901-KKL	TY9908-CCL
TY9905-YL	TY9901-EL	TY9901-QL	TY9901-TTL	TY9909-CCL
TY9905-ZL	TY9901-FL	TY9901-RL	TY9901-BTL	TY9910-CCL
TY9905-SSL	TY9901-GL	TY9901-SL	TY9901-BSL	TY9911-CCL
TY9905-KKL	TY9901-HL	TY9901-TL	TY9901-CCL	TY9912-CCL
TY9905-TTL	TY9901-IL	TY9901-UL	TY9902-YL	TY9913-CCL
TY9905-BTL	TY9901-JL	TY9901-VL	TY9902-ZL	TY9914-CCL
TY9905-BSL	TY9901-KL	TY9901-WL	TY9902-SSL	TY9915-CCL
TY9905-CCL	TY9901-LL	TY9901-XL	TY9902-KKL	TY9916-CCL

声明 Statement:

1. 附录内容由申请者提供，申请者应对其真实性负责，CTI 未核实其真实性。
   The Appendix Information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified.
2. 附录内容为 A2240717169101001E 报告的补充。
   The Appendix Information is/are the supplement(s) for the Report A2240717169101001E.

物质安全数据表

一、物质

材料名称：PET 保护膜

材料型号：TY9905-FL

二、危害辩识资料

健康危害效应：

对健康之危害（急性及慢性）

暴露于本物质时会产生的现象与病因：无

因暴露于本物质所可能引起的一般病理情况：无

主要症状：无

三、成分辩识资料

组成名称：	1. 聚脂薄膜	2.硅胶	3.抗静电液
CAS.NO：	25038-59-9	63148-62-9	155090-83-8
含量%：	90-98	2-10	0-1

四、急救措施

不同暴露途径之急救方法： 若因处理气体或分解物而致感觉不适，应将患者移离现场。

五、灭火措施

适用灭火剂： 水、干式消防药剂、二氧化碳

特殊灭火程序： 应穿着通风良好之衣物及防护衣，以防止烟雾与皮肤及眼睛接触

消防人员之特殊防护设备： 消防人员须穿戴防护具及空气呼吸器，站在上风处救火

六、泄漏处理方法

此物品为固体状态并无泄露之疑虑

七、安全处置与储存方法

处置：避免日晒雨淋之场所，并远离火苗及高温

储存：常温室，温度为 15-28℃，湿度为 40-70%RH 最佳

八、暴露预防措施

工程控制： 建议使用机械式（一般型）通风设备，并应该具有防爆措施

个人防护设备： 无

卫生措施：工作完后须彻底洗手、维持工作场所干净清洁

九、物理及化学性质

物理状态： 固体

分解温度： 无参考数据

汽化比例： 无

溶解度： 不溶解于水

十、稳定性及反应性

稳定性： 常温常压下稳定

应避免之状况： 任何纸张与塑料遇到持续加温均有可能导致燃烧

十一、毒性资料

无毒性

十二、生态资料

可能之环境影响/环境流失： 水溶性很低，对环境影响很小

十三、废弃处置方法

废弃处置方法：

依据最新版 [废弃物清理法]及其它相关环保法规处置，废弃品于未回收前须分类置于回收设备中

十四、运送资料

国内运送规定：道路交通安全规则

十五、法规资料

适用法规：劳工安全卫生设施规则、危险物及有害物通识规则、道路交通安全规则、事业废弃物贮存清除处理方法及设施标准

十六、其它数据

制表时间：2019-4-24


PHILIPS