

設計驗證工程課
2026 -08- 03
發行

承　認　書

SPECIFICATION FOR APPROVAL

客　　戶 MESSRS ：鈺緯科技開發股份有限公司

日　　期 DATE ：2026/07/30

品　　名 PART NAME ：AC SOCKET(R-301SN(BOO)-Z)&GND WIRE,YOMIN,

物料代號 PART NO. ：3KH0007734B (K1041)

設計驗證工程課
2026 -08- 03
發行
鈺緯科技開發股份有限公司

福盈電子有限公司
東莞塘廈福盈電子廠
總公司：台北市內湖區成功路四段 223 巷 15 弄 8 號
TEL：(02) 2790-7366　　FAX：(02) 2793-1393
中國廠：東莞市塘廈鎮宏業北十三路 188 號 B 棟 4F
TEL：(0769) 8791-0131~2　　FAX：(0769) 8791-0130



配線表:

P1	顏色	P2
E	黃/綠	TER
其他:NC		

設計驗證工程課
2026 -08- 03
發行
鈺緯科技開發股份有限公司

NOTE:1.P1端焊接處,線材需脫皮10mmREF,捻線后全鍍錫并折彎（見圖示).
2.線材需穿好套管,用橡皮筋扎好.

項目	材料名稱	用量
1	WIRE:UL1015#18 -LF- (REI HSING) 顏色:黃/綠	L=79mm 1PCS
2	電源插座:富灣 R-301SN(B00)-Z 臺北購買	1PCS
3	TERMINAL:WST-B40405BS-2 限用	1PCS
4	HEAT SHRINK TUBE:BLACK 5.0Φ L=15±2mm 厚	1PCS

折彎圖示: 注意折彎方向



3		
2		
1		
項目	變更內容	日 期

制 作	審 核	核 准	比 例		客戶名稱:
余加民	劉進蓉	林嘉威	單 位	mm	鈺緯科技開發股份有限公司
福盈電子有限公司 FUW YNG ELECTRONICS CO.,LTD			版本/版次	A0	機種:
			頁 次	1/1	料號: 3KH0007734B (K1041)
			制作日期	2026.07.23	圖紙編號:DI15072301

UL Style 1015
CSA Type TEW

105°C 600V PVC電子線

UL Subject 758
CSA Standard

UL FILE NO: E108485
CSA FILE NO: LL84687

▲說明：

- 導體使用單條或絞線28-9AWG裸銅或鍍錫銅
- PVC絕緣
- 額定溫度：105℃額定電壓：600 Volts
- 使用標準厚度，易剝，截斷容易
- 可通過UL VW-1及CSA FT1，垂直耐燃測試

▲應用：

- 用於一般電器產品內部配線。

Product Description:

- Solid or stranded, tinned or bare copper conductor, 28-9 AWG
- Color-coded PVC insulation.
- Rated temperature: 105°C. Rated voltage: 600 volts.
- Uniform thickness of wire to ensure easy stripping and cutting.
- Passes UL VW-1 & CSA FT1 vertical flame test.

Applications:

- For internal wiring of appliances.



構造及電氣性能
structure &
electric properties



UL 1015 CSA TEW	額定 Range		導體 Conductor			絕緣體 Insulation		公差值 Tolerance mm	最大導體阻抗 Maximum Conductor Resistance Ω/Km		最小絕緣阻抗 Minimum Insulation Resistance MΩ-Km	絕緣耐電壓(VAC/min.) Insulation Potengial Strengh
	溫度 Temp. ℃	電壓 Voltage V	線號 AWG	構成 No./mm	外徑 O.D. mm	厚度 Thickness mm	外徑 O.D. mm					
多蕊線 Standed	105ºC	600V	26	7/0.16	0.48	0.76	2.00	±0.05	152.0		15	2000
			24	11/0.160	0.64	0.76	2.10	±0.05	88.6			
			22	17/0.160	0.78	0.76	2.25	±0.05	62.5			
			20	21/0.180	0.95	0.76	2.45	±0.05	39.5			
			18	34/0.180	1.21	0.76	2.70	±0.05	24.4			
			16	26/0.254	1.50	0.76	3.00	±0.05	15.6			
			14	41/0.254	1.88	0.76	3.35	±0.05	9.90			
			12	65/0.254	2.36	0.76	3.83	±0.05	6.24			
先絞後鍍 Top-Coated (ATC)			24	7/0.200	0.61	0.76	2.10	±0.05	85.9			
			22	7/0.254	0.76	0.76	2.25	±0.05	54.8			
			20	7/0.320	0.96	0.76	2.45	±0.05	34.1			
單蕊線 Solid (TA)			24	1/0.511	0.51	0.76	2.05	±0.05	92.4			
			22	1/0.643	0.64	0.76	2.20	±0.05	60.1			
			20	1/0.813	0.81	0.76	2.40	±0.05	37.0			
			18	1/1.02	1.02	0.76	2.65	±0.05	23.6			

註：容許電流：係指周圍環境溫度為40℃導體單蕊配線之條件下訂定。

瑞興 瑞興電線電纜制品廠

UL 電子線資格承認卡

AVLV8 May 30, 1997

Component - Appliance Wiring Material Certified For Canada

REI HSING WIRE CO LTD **E108485 (S)**

26 CHANG SAN RD, SEC 3 TAI-SAN HSIANG, TAIPEI HSIEN TAIWAN

TSENG TEN INDUSTRIAL PARK, CHEN-KOU CHANG AN TOWN, DONG GUAN CITY. GUANG DONG CHINA

Appliance Wiring Material, Type AWM Class I or II, Group A, B or both.

Marking: Product name and the Recognized Component Mark for Canada, on the attached tag, the reel or the smallest unit container in which the product is packaged.

See General Information Preceding These Recognitions.

For use only in equipment where the acceptability of the combination is determined by Underwriters Laboratories Inc.

Report: June 4, 1997.

559504001 **Underwriters Laboratories Inc.®** D1I/0322424 21

5

UL 電源線資格承認卡

ZJCZ September 12, 1988

Flexible Cord

REI HSING WIRE CO LTD , TAIPEI HSIEN TAIWAN E98652 (S)

Braidless parallel cords, Types SPT-1, SPT-2.
Miscellaneous and special cords: Refrigerator cord, Type SPT-3.

8 DER AN ST TAI SAN HSIANG

LOOK FOR LISTING MARK ON PRODUCT

Replaces E98652 dated January 21, 1986.

559504001 Underwriters Laboratories Inc.® F1I/0124641

瑞興電線電纜制品廠

CERTIFICATION RECORD

The company named below has been authorized by CSA to represent the products listed in this record as "CSA Certified" and to affix the CSA Mark to these products according to the terms and conditions of the CSA Service Agreement and applicable CSA program requirements (including additional Markings).

NUMBR 084687X0000 November 5, 1996(Replaces:July 7, 1995)

CLASS 5851 01 (Label/Licensing Service)

REI HSING WIRE CO. LTD. 84687
No 26, Sec 3, Chung San Rd.
Tai San Hsiang
Taipei Hsien, Taiwan
FACTORIES
F1 REI HSING WIRE CO., LTD.
No 26, Sec 3, Chung San Rd.
Tai San Hsiang
Taipei Hsien, Taiwan
F2 REI HSING WIRE AND CABLE CO.,LTD
Tseng Ten Industrial Park,chen-kou
Chang An Town, Dong Guan City.
Guang Dong,China

WIRES - Appliance

TO THE REQUIREMENTS OF CSA STANDARD C22.2 NO 210.2-M90:

AWM Class	AWM Group	Temp Deg C	Max Volt	Jacket Type Min Avg. Thick (mm)	Coverings Type Min Avg. Thick (mm)	Size Range AWG	Insul. Type Min Avg. Thick (mm)	Note
- SINGLE CONDUCTOR:								
I	A	80	150 300 600	-	-	32-10	PVC/ .25	1,2
I	A	80	300	-	-	32-10	SR-PVC/ .17	1,2
I	A/B	105	600	PVC/ .38	-	32-10	PVC/ .76	1,2, 5
- MULTICONDUCTOR/ROUND:								
I/II	A	80	300	PVC/*	-	32-10	SR-PVC/ .17	1,2, 3
- MULTICONDUCTOR/FLAT:								
I	A/B	80	300	-	-	32-10	PVC/ .38	1,2, 4
I	A/B	80	300	-	-	32-10	PVC/ .38	1,2, 6

Test Report

Company Name shown on Report	REIHSING(DONGGUAN) ELECTRIC WIRE AND CABLE CO.,LTD
Address	NO.18 LANYUAN ROAD XINAN VILLAGE CHANGAN TOWN DONGGUAN CITY GUANGDONG CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name	GREEN/YELLOW PVC LF INSULATED WIRE
Model No.	UL1015 PVC WIRE UL1007,1015,1571,1061,1028,1032,1080，1095,1569,1581,1674,1500,1283,1285，1011,1013,1497,1789,1685,1617,1672,1618,1010,1316,1429,1430,1431,3443,3610,2468,2464,2444,20080,2555,2476,2697,2733,2562,2096,1533,2547,20005,20276,2854,2851,1185,10070,10198,SPT,(H)VSF,(H)VFF,(H)VCTF,(H)VCFK,H05V2-U,H05V2-K,AV,AVS,AVSS,CCC60227IEC02(RV)06(RV)08(RV-90)52(RVV)53(RVV),OR Other PVC insulated wire
Material	PVC
Supplier	Reihsing
Sample Received Date	Mar. 19, 2026
Testing Period	Mar. 19, 2026 to Mar. 25, 2026

Test Requested As specified by client, to test Phosphorus,Red phosphorus in the submitted sample(s).

Test Method/Test Result(s) Please refer to the following page(s).

Approved by: Anso Fang Date Mar. 25, 2026

Anso Fang
Lab Authorized Signatory

No. R338852098

Hotline:400-6788-333 Complaint call:0755-33681700 www.cti-cert.com www.ctimall.com E-mail:info@cti-cert.com Complaint E-mail:complaint@cti-cert.com

Test Report

Test Method

Tested Item(s)	Test Method	Measured Equipment(s)
phosphorus	EPA 6010D:2018	ICP-OES
Red phosphorus	GB/T 9722-2023	PY-GC-MS

Test Result(s)

Tested Item(s)	**Result**	**MDL**
	006	
phosphorus	937 mg/kg	20 mg/kg

Tested Item(s)	**Result**	**MDL**
	006	
Red phosphorus	Negative	500 mg/kg

Sample/Part Description

No.	CTI Sample ID	Description
1	006	Green/yellow wire jacket

Remark: **-Information Statement: Different Model No. with different buyer.**

-MDL = Method Detection Limit

-mg/kg = ppm = parts per million

-Negative = Not Contained (The red phosphorus is qualified by PY-GC-MS method which detect pyrolysis products P_4 of red phosphorus. But there is a false positive risk by performing this method, since P_4 could also generate while the phosphate and organic phosphate coexist with some strong oxidizing or reductant agent in pyrolysis process. The result for reference only.)

Test Process

1. phosphorus



2. Red phosphorus



Test Report

Sample Test Spectra

Phosphorus



Sample ID	Intensity	Style	Scale	Offset
->A2260199700101006	1306.3		1.0	0.0
A2260199700101006-2	1155.4		1.0	0.0

2026/3/25 14:58:54

Standard Material Test Spectra



Sample ID	Intensity	Style	Scale	Offset
->Calib Std 4	1602.3		1.0	0.0

Test Report

Sample Test Spectra

Red phosphorus



Standard Material Test Spectra



Test Report

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;
6. In case of any discrepancy between the English version and Chinese version of the reports (if generated), the Chinese version shall prevail.

*** End of Report ***

Test Report

No.: CANEC25032584402 **Date:** Jan 05, 2026

Client Name: DONGGUAN LUCKY FLY CONDUCTOR CO.,LTD.

Client Address: QIAO ZI REGION CHANGPING TOWN DONGGUAN CITY GUANGDONG PROVINCE

Sample Name: TINNED COPPER WIRE

The above sample(s) and information were provided by the client.

SGS Job No.: SZP25-066626

Sample Receiving Date: Dec 29, 2025

Testing Period: Dec 29, 2025 ~ Jan 05, 2026

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass
AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)	See Results
Element(s)	See Results
PFOS, its salts and related compounds,PFOA, its salts	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Arsene Ye

Arsene Ye
Approved Signatory

Scan to see the report

4E124CD3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A2	CAN25-0325844-0001.C002	Silvery plated metal wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-6:2015 and IEC62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A2
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))▼	-	μg/cm²	0.10	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Limit	Unit(s)	MDL	A2
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:
(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
(2) IEC 62321 series is equivalent to EN 62321 series.
(3) ▼ = a. The sample is positive for Cr(VI) if the Cr(VI)concentration is greater than 0.13 μg/cm^2. The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 μg/cm^2). The coating is considered a non-Cr(VI) based coating.
c. The result between 0.10 μg/cm^2 and 0.13 μg/cm^2 is considered to be inconclusive-unavoidable coating variations may influence the determination.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A2
Benzo(a)pyrene(BaP)	50-32-8	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	mg/kg	0.1	ND
Benzo(b)Fluoranthene(BbF)	205-99-2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	mg/kg	0.1	ND
Benzo(k)Fluoranthene(BkF)	207-08-9	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	mg/kg	0.1	ND
Dibenzo(a,h)Anthracene(DBA)	53-70-3	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	mg/kg	0.1	ND
Sum of Phenanthrene(PHE), Pyrene(PYR), Anthracene(ANT), Fluoranthene(FLT)	-	mg/kg	-	ND
Naphthalene(NAP)	91-20-3	mg/kg	0.1	ND

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Item(s)	CAS No.	Unit(s)	MDL	A2
Sum of 15 PAHs	-	mg/kg	-	ND
Material Category	-	-	-	-

Notes:

AfPS（German commission for Product Safety）: PAHs requirements

Parameter	Category 1	Category 2		Category 3	
	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use -in toys according to Directive 2009/48/EC or -for the use by children[a,b] up to 3 years of age.	Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact[c] with skin during the intended or foreseeable use[d].		Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use.	
		a. use by children	b. other consumer products	a. use by children	b. other consumer products
Benzo(a)pyrene (BaP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene (BeP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene (BaA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene (DBA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(1,2,3-cd)pyrene (IPY) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT), mg/kg	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene (NAP) mg/kg	< 1	< 2		< 10	
Sum of 15 PAHs	<1	< 5	< 10	< 20	< 50

Notes:
[a] A “Child” is legally defined as a person before reaching the age of 14 years.
[b] Use by children includes both active and passive contact by children.
[c] Definition “short-term repetitive contact” taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.1272/2013)
[d] According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) “foreseeable use” shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

Remark:
The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

Element(s)

Test Method: With reference to US EPA 3050B:1996, analysis was performed by ICP-OES/AAS.

Test Item(s)	Unit(s)	MDL	A2
Beryllium(Be)	mg/kg	5	ND

PFOS, its salts and related compounds,PFOA, its salts

Test Method: Modified EN 17681-1:2025, analysis was performed by LC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A2
PFOS, its salts				
Perfluorooctane sulfonic acid (PFOS), its salts^	1763-23-1	mg/kg	0.010	ND
PFOS-related compounds				
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND
N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)	31506-32-8	mg/kg	0.010	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)	1691-99-2	mg/kg	0.010	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	24448-09-7	mg/kg	0.010	ND
Perfluorooctane Sulfonamide (PFOSA), its salts^	754-91-6	mg/kg	0.010	ND

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory
检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Unit(s)	MDL	A2
Perfluorooctane sulfonamidoacetic Acid (FOSAA), its salts^	2806-24-8	mg/kg	0.010	ND
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA), its salts^	2355-31-9	mg/kg	0.010	ND
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA), its salts^	2991-50-6	mg/kg	0.010	ND
Sum of PFOS-related compounds	-	mg/kg	-	ND

Notes:

1. ^=Substances refer to its salts/derivative listed in below table.

Substances Name	**CAS No.**
PFOS, its salts & derivatives	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH_4)	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-$NH_2(C_2H_4OH)_2$)	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-$N(C_{10}H_{21})_2(CH_3)_2$)	251099-16-8
TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
Perfluorooctane Sulfonyl fluoride (PFOS-F)	307-35-7
Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)	91036-71-4
Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
Perfluorooctanesulfonate	45298-90-6
Triethylammonium perfluorooctane sulfonate (PFOS-$NH(C_2H_5)_3$)	54439-46-2
Tetramethylammonium perfluorooctane sulfonate (PFOS-$N(CH_3)_4$)	56773-44-5
N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-$N(C_3H_7)_3(C_5H_{11})$)	56773-56-9
N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-$N(C_4H_9)_3(CH_3)$)	124472-68-0
Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)	213740-80-8
Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate	258341-99-0
1-Hexadecylpyridinium perfluoro-1-octanesulfonate	334529-63-4
N,N,N-Triethyldecan-1-aminium heptadecafluorooctane-1-sulfonate	773895-92-4
Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P ($C_4H_9)_4$))	2185049-59-4
Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium heptadecafluorooctane-1-sulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
Perfluorooctane sulfonic anhydride (PFOSAN)	423-92-7
Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
FOSAA, its salts	
Perfluorooctane sulfonamidoacetic Acid (FOSAA)	2806-24-8
N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
N-MeFOSAA, its salts	
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA)	2355-31-9
2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
N-EtFOSAA, its salts	
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA)	2991-50-6
Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt (N-Et-FOSAA-K)	2991-51-7
2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH_4)	2991-52-8
Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
PFOSA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH_4)	76752-72-2
Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1) (PFOSA-$C_6H_{15}N$)	76752-82-4
PFOA, its salts & derivatives	
Perfluorooctanoic acid (PFOA)	335-67-1
Sodium perfluorooctanoate (PFOA-Na)	335-95-5
Potassium perfluorooctanoate (PFOA-K)	2395-00-8
Silver perfluorooctanote (PFOA-Ag)	335-93-3
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+))	68141-02-6
Pentadecafluorooctanoic acid--piperazine (2/1) (PFOA-NH($C_4H_{10}N$))	423-52-9
Pentadecafluorooctanoate (anion)	45285-51-6
Perfluorooctanoic Anhydride	33496-48-9
N,N,N-Triethylethanaminium perfluorooctanoate	98241-25-9
Perfluorooctanoate N,N,N-Trimethylmethanaminium	32609-65-7
Tetrapropylammonium perfluorooctanoate	277749-00-5
Potassium pentadecafluorooctanoate--water (1/1/2) (PFOA-K(H_2O)$_2$)	98065-31-7
Perfluorooctanoic acid compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
Pentadecafluorooctanoic acid--pyridine (1/1) (PFOA-C_5H_5N)	95658-47-2
pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate (PFOA-$C_{11}H_{26}N$)	927835-01-6
Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Testing Services Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

PBB(s)/PBDE(s) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

PAHs Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

Elements Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

PFASs/ PFOS/PFOA Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Sample Photo:



CAN25-0325844-0001.C002

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Testing Center
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TO: 福盈 采購
FM: 瑞兴 品牌

ROHS Compliance Declaration

(REI HSING (DONG GUAN) ELECTRIC WIRE AND CABLE CO., LTD) warrant that all the product supplied to **FUW YNG ELECTRONICS CO.,LTD** comply with the Directive 2015/863/EU of the European Parliament and of the Council of 4 June 2015 on the restriction of the use of certain hazardous substance in electrical and electronic equipment (undersigned RoHS) requirements.

RoHS Directive 2015/863/EU

1. Lead (Pb) <1000ppm
2. Mercury (Hg) <1000ppm
3. Hexavalent Chromium (Cr6+) <1000ppm
4. Cadmium (Cd) <100ppm
5. Polybrominated biphenyls (PBB) <1000ppm
6. Polybrominated diphenyl ethers (PBDE) <1000ppm
7. Bis (2-ethylhexyl) phthalate (DEHP) <1000ppm
8. Butyl benzyl phthalate (BBP) <1000ppm
9. Dibutyl phthalate (DBP) <1000ppm
10. Diisobutyl phthalate (DIBP) <1000ppm

Supplier's company name:
REI HSING (DONG GUAN) ELECTRIC WIRE AND CABLE CO., LTD

Representative:
陈清学

Title:
部 長

Date:
2024-06-17

REACH SVHC Compliance Declaration

REI HSING (DONG GUAN) ELECTRIC WIRE AND CABLE CO., LTD warrant that all the product supplied to **FUW YNG ELECTRONICS CO.,LTD.** directly or from the third party which supplied and sold to customer shall comply do not contain above the 0.1% weight (w/w) threshold of any Substance of Very High Concern (SVHC) in (EC) 1907/2006 (REACH -- Registration, Evaluation, Authorization, and Restriction of Chemicals) regulated by the European Union.

Content of Compliance

240 substances listed in SVHC <0.1 % by weight (1000 ppm)

Supplier's company name:
REI HSING (DONG GUAN) ELECTRIC WIRE AND CABLE CO., LTD

Representative:

Title:

Date:
2024-06-17

To: 福盈 平期
From: 瑞光 品保

福盈電子有限公司

REACH高度關注物質(SVHC)使用聲明

1. 確認商品中是否含有高度關注物質，且其濃度是否超過0.1%。
2. 若商品含有高度關注物質，須在客戶提出要求45天內回覆關於此高度關注物質之相關資訊。
3. 確保產品符合環保及安全之基本要求

These substances are classified as Substances of Very High Concern (SVHC) by the European Chemical Agency (ECHA) due to their hazardous nature. Their properties are characterized as one or more of the followings: Carcinogenic, Mutagenic, toxic for Reproduction (CMR), persistent-bioaccumulative and toxic (PBT) and very persistent and very bioaccumulative (vPvB)

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
1	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	No	Curing agent for epoxy resin in PCB, preparation of PU, azo dyes in garments
2	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	No	Cosmetics and soap perfumes
3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	No	Leather coating, plasticizer in PVC and chlorinated rubber, flame retardant in plastic & textiles
4	Anthracene	120-12-7	No	Source of dyestuff
5	Benzyl butyl phthalate (BBP)	85-68-7	No	Plasticizer for resin, PVC, acrylics
6	Bis (2-ethylhexyl)phthalate(DEHP)	117-81-7	No	Plasticizer for resin, PVC, blister
7	Bis(tributyltin)oxide (TBTO)	56-35-9	No	Pesticide, fungicide in paint
8	Cobalt dichloride	7646-79-9	No	Moisture indicator in silica gel, absorbent
9	Diarsenic pentaoxide	1303-28-2	No	Insecticides, weed killer, wood preservatives, coloured glass, dyeing and printing
10	Diarsenic trioxide	1327-53-3	No	Weed killers, timber preservatives, manufacture of special glass
11	Dibutyl phthalate (DBP)	84-74-2	No	Plasticizer, in adhesives and paper coatings; insect repellent for textiles
12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha, Beta, & Gamma	25637-99-4 and 3194-55-7 (134237-51-7, 134237-50-6, 134237-52-8)	No	Flame retardant used in HIPS and textiles
13	Lead hydrogen arsenate	7784-40-9	No	Insectides
14	Sodium dichromate	7789-12-0 and 10588-01-9	No	Chrome-tanning of leather, corrosion inhibitor in paints, mordant in textile dyeing process
15	Triethyl arsenate	15606-95-8	No	Chrome-tanning of leather, corrosion inhibitor in paints, mordant in textile dyeing process
16	Anthracene oil	90640-80-5	No	Paint, preservative oil, insecticide
	Anthracene oil, anthracene paste	90640-81-6	No	Paint, preservative oil, insecticide
	* CE Marking requirement is included in the RoHS2 recast	91995-15-2	No	Paint, preservative oil, insecticide
17	Anthracene oil, anthracene paste,distn. lights	91995-17-4	No	Paint, preservative oil, insecticide
18	Anthracene oil, anthracene-low	90640-82-7	No	Paint, preservative oil, insecticide

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
19	Diisobutyl phthalate (DIBP)	84-69-5	No	Plasticizer
20	2,4-Dinitrotoluene	121-14-2	No	Manufature of explosives, polyurethane plastics, organic synthesis, dyes
21	Lead chromate	7758-97-6	No	Used as colorant in painting, printing inks, rubber and plastic
22	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8	No	Used as additives for painting and coatings, printing inks and in plastics
23	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	No	Paint, printing ink, plastic
24	Coal tar pitch, high temperature	65996-93-2	No	Paint, moisture seal
25	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	No	Flame retardant, plasticizer
26	Aluminosilicate Refractory Ceramic Fibres	-	No	Used in metallurgy, electricity, petroleum, chemical, chinaware production
27	Zirconia Aluminosilicate,Refractory Ceramic Fibres	-	No	Used in metallurgy, incineration, petroleum, chinaware production
28	Acrylamide	79-06-1	No	used for synthesis of polyacrylamides and grouting agent in civil engineering
29	Trichloroethylene	79-01-6	No	manufacturing of chlorinated and fluorinated organic compounds; cleaning/degreasing of metal parts; adhesive solvent
30	Boric Acid	10043-35-3 11113-50-1	No	component of detergents, cleaners, adhesives, toys, industrial fluids, brake fluids, glass, ceramics, flame retardants, paints, disinfectants, cosmetics, food additives, fertilizers, and insecticides
31	Disodium tetraborate, anhydrous	1303-96-4 1330-43-4 12179-04-3	No	in detergents and cleaners, in glass and glass fibres, ceramics, industrial fluids, metallurgy, adhesives, flame retardants, personal care products, biocides, fertilizers
32	Tetraboron disodium heptaoxide, hydrate	12267-73-1	No	in detergents and cleaners, in glass and glass fibres, ceramics, industrial fluids, metallurgy, adhesives, flame retardants, personal care products, biocides, fertilizers
33	Sodium chromate	7775-11-3	No	intermediate in the manufacture of chromium compounds; a laboratory analytical agent
34	Potassium chromate	7789-00-6	No	a corrosive inhibitor for metals; manufacture of reagents, chemicals and textiles; a colouring agent in ceramics; manufacture of pigments/inks; laboratory analytical agent
35	Ammonium dichromate	7789-09-5	No	Main use is oxidizing agent. Other uses: manufacture of photosensitive screens; mordant for textile manufacturing; metal treatment; laboratory analytical agent
36	Potassium dichromate	7778-50-9	No	Chrome metal manufacturing; metal corrision inhibitor; textile mordant; laboratory analytical agent; manufacture of reagents; oxidizing agent in photolithography
37	Cobalt (II) sulphate	10124-43-3	No	in pigments for porcelain and glass, storage batteries and additives to soil and animal feed
38	Cobalt (II) dinitrate	10141-05-6	No	in metal-organic structures to store gases

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
39	Cobalt (II) carbonate	513-79-1	No	in pottery glazes
40	Cobalt (II) diacetate	71-48-7	No	as a drying agent in paint and varnish
41	2-Methoxyethanol	109-86-4	No	as a solvent cleaning agent
42	2-Ethoxyethanol	110-80-5	No	in solvents such as paint removers and degreasing solutions
43	Chromium trioxide	1333-82-0	No	organic additive used in chrome plating
44	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid	7738-94-5 13530-68-2	No	as cleaning agents used for chrome plating; in cleaning solutions for glass/ceramic product
45	2-Ethoxyethyl acetate	111-15-9	No	solvent used in paint, wood stains, and varnish. Also used in mfg of super glue adhesive
46	Strontium chromate	7789-06-2	No	corrosion inhibitor of coil steel and aluminum, and vehicle coatings.
47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	No	plasticizer for PVC, foam, adhesives and coatings
48	Hydrazine	302-01-2 / 7803-57-8	No	reduction and refining of chemicals; also used as rocket fuel.
49	1-Methyl-2-pyrrolidone	872-50-4	No	solvent used in coatings and cleaning products, and paint stripper
50	1,2,3-Trichloropropane	96-18-4	No	solvent used in paint and varnish remover, a degreasing agent, and used in pesticides.
51	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	No	plasticizer for PVC, sealants, coatings and in printing ink.
52	Lead styphnate	15245-44-0	No	Mainly used as a primer for small calibre and rifle ammunition. Other common uses are in ammunition pyrotechnics, powder actuated devices and detonators for civilian use.
53	Lead diazide, Lead azide	13424-46-9	No	Mainly used as initiator or booster in detonators for both civilian and military uses and as initiator in pyrotechnic devices.
54	Lead dipicrate	6477-64-1	No	The substance is an explosive like lead diazide and lead styphnate.
55	Phenolphthalein	77-09-8	No	Mainly used as laboratory agent (pH indicator solutions). Minor uses are in pharmaceutical preparations and in some special applications.
56	2,2'-Dichloro-4,4'-methylenedianiline	101-14-4	No	Mainly used as curing agent in resins and in the production of polymer articles and also for manufacture of other substances.
57	N,N-dimethylacetamide	127-19-5	No	Used as solvent, mainly in the manufacture of various substances and in the production of fibres for clothing . Also used as reagent, and in products such as industrial coatings, insulation paper, polyimide films, paint strippers and ink removers.
58	Trilead diarsenate	3687-31-8	No	Present in complex raw materials for manufacture of copper, lead and a range of precious metals.
59	Calcium arsenate	7778-44-1	No	Present in complex raw materials that are used mainly for copper and lead refining. Also used to precipitate nickel from the molten metal and to manufacture diarsenic trioxide.

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
60	Arsenic acid	7778-39-4	No	Mainly used to remove gas bubbles from ceramic glass melt (fining agent) and in production of laminated printed circuit boards. Also used in the manufacture of semiconductors and as laboratory agent.
61	Bis(2-methoxyethyl) ether	111-96-6	No	Used primarily as a reaction solvent or process chemical in a wide variety of applications. Also used as solvent for battery electrolytes, and possibly in sealants, adhesives, fuels and automotive care products.
62	1,2-Dichloroethane	107-06-2	No	Manufacture of other substances. Minor uses as solvent in chemical and pharmaceutical industries.
63	4-(1,1,3,3-Tetramethylbutyl)phenol; 4-tert-octyl phenol	140-66-9	No	Manufacture of polymer preparations and of ethoxylate surfactants. Also used as a component in adhesives, coatings, inks and rubber articles.
64	2-Methoxyaniline; o-Anisidine	90-04-0	No	Manufacture of dyes for tattooing and coloration of paper, polymers and aluminium foil.
65	Bis(2-methoxyethyl) phthalate	117-82-8	No	Plasticiser in polymeric materials and paints, lacquers and varnishes, including printing inks.
66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	No	Manufacture of other substances. Minor uses are as ion exchange resins in nuclear power plants, as hardener for epoxy resins.
67	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)	-	No	High-temperature insulation, almost exclusively in industrial applications and in fire protection.
68	Aluminosilicate Refractory Ceramic Fibres (RCF)	-	No	High-temperature insulation, almost exclusively in industrial applications and in fire protection.
69	Pentazinc chromate octahydroxide	49663-84-5	No	Vehicle coating and aeronautic / aerospace coating.
70	Potassium hydroxyoctaoxodizincatedichromate	11103-86-9	No	Aeronautic/ aerospace coating, steel and aluminium coil coating, and vehicle coating.
71	Dichromium tris(chromate)	24613-89-6	No	In mixtures for metal surface treatment in the aeronautic/aerospace, steel, and aluminium coating industries.
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	No	Mainly used as a solvent or as a processing aid in the manufacture and formulation of industrial chemicals. Minor uses in brake fluids and repair of motor vehicles.
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	No	Mainly used as a solvent or as a processing aid in the manufacture and formulation of industrial chemicals, including use as an electrolyte solvent in lithium batteries.
74	Diboron trioxide	1303-86-2	No	Used in a multitude of applications, e.g. in glass and glass fibres, frits, ceramics, flame retardants, catalysts, industrial fluids, metallurgy, nuclear, electrical equipment, adhesives, inks/paints, film developing solutions, detergents and cleaners, reagent chemicals, biocides and insecticides.

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
75	Formamide	75-12-7	No	Mainly used as an intermediate in the manufacture of agrochemicals, pharmaceuticals and industrial chemicals. Minor uses as a solvent, as a laboratory reagent for quality control purposes in forensic laboratories, hospitals, pharmaceutical companies, food and drinks manufacturers and research laboratories. The substance seems to also be used as a plasticiser.
76	Lead(II) bis(methanesulfonate)	17570-76-2	No	Mainly used in plating processes (both electrolytic and electroless) for electronic components (such as printed circuit boards). The substance seems to also be used for batteries in special applications.
77	1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione (TGIC)	2451-62-9	No	Mainly used as a hardener in resins and coatings. Also used in inks for the printed circuit board industry, electrical insulation material, resin moulding systems, laminated sheeting, silk screen printing coatings, tools, adhesives, lining materials and stabilisers for plastics.
78	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	No	Mainly used as a solder mask ink in the EU. Also used in electrical insulation material, resin moulding systems, laminated sheeting, silk screen printing, coatings, tools, adhesives, lining materials and stabilisers for plastics.
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	No	Used as an intermediate in the manufacture of triphenylmethane dyes and other substances. Further potential uses include use as an additive (photosensitiser) in dyes and pigments, in dry film products and as a process chemical in the production of electronic circuit boards.
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	No	Used as an intermediate in the manufacture of dyes and other substances.
81	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]*	2580-56-5	No	Used in the formulation of inks, cleaners, and coatings, as well as for dyeing paper, packaging, textiles, plastic products, and other types of articles. It is also used in diagnostic and analytical applications.
82	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]*	548-62-9	No	Used mainly for paper colouring and inks supplied in printer cartridges and ball pens. Further uses include staining of dried plants, use as a marker for increasing the visibility of liquids, staining in microbial and clinical laboratories.
83	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]*	561-41-1	No	Used in the formulation of writing inks and potentially other inks, as well as for dyeing a variety of materials.

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
84	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]*	6786-83-0	No	Mainly used in the formulation of printing and writing inks, for dyeing paper and in mixtures such as windscreen washing agents.
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	No	Flame retardants vPvB - very Persistent and very Bioaccumulative
86	Pentacosafluorotridecanoic acid	72629-94-8	No	Paint, paper, textile, leather, etc.
87	Tricosafluorododecanoic acid	307-55-1	No	Paint, paper, textile, leather, etc.
88	Henicosafluoroundecanoic acid	2058-94-8	No	Paint, paper, textile, leather, etc.
89	Heptacosafluorotetradecanoic acid	376-06-7	No	Paint, paper, textile, leather, etc.
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	No	Polymer, glue, ink
91	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	85-42-7, 13149-00-3, 14166-21-3	No	Paint, ink, paper, glue, rubber products
92	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	No	Paint, ink, paper, glue, rubber products
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	No	Paint, ink, paper, glue, rubber products
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	No	Paint, ink, paper, glue, rubber products
95	Methoxyacetic acid	625-45-6	No	Intermediates
96	N,N-dimethylformamide	68-12-2	No	Leather, printed circuit board
97	Dibutyltin dichloride (DBTC)	683-18-1	No	Textiles and plastics, rubber products

[illegible]電线電纜(東莞)有限公司

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
98	Lead monoxide (Lead oxide)	1317-36-8	No	Glassware, ceramics, paint, rubber
99	Orange lead (Lead tetroxide)	1314-41-6	No	Glassware, ceramics, paint, rubber
100	Lead bis(tetrafluoroborate)	13814-96-5	No	Electroplating, welding, analytical reagent
101	Trilead bis(carbonate)dihydroxide	1319-46-6	No	Paints, coatings, inks, plastic products
102	Lead titanium trioxide	12060-00-3	No	Semiconductors, coatings, electronic ceramic filter
103	Lead titanium zirconium oxide	12626-81-2	No	Optical products, electronic products, electronic ceramic parts
104	Silicic acid, lead salt	11120-22-2	No	Glass enamelware
105	Silicic acid ($H_2Si_2O_5$), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	No	Glass ceramics
106	1-bromopropane (n-propyl bromide)	106-94-5	No	Drugs, dyes, perfumes, intermediates
107	Methyloxirane (Propylene oxide)	75-56-9	No	Intermediates
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	No	Plasticizer
109	Diisopentylphthalate (DIPP)	605-50-5	No	Plasticizer
110	N-pentyl-isopentylphthalate	776297-69-9	No	Plasticizer
111	1,2-diethoxyethane	629-14-1	No	Paints, inks, intermediates
112	Acetic acid, lead salt, basic	51404-69-4	No	Paints, coatings, paint strippers, thinners
113	Lead oxide sulfate	12036-76-9	No	Plastic
114	[Phthalato(2-)]dioxotrilead	69011-06-9	No	Plastic
115	Dioxobis(stearato)trilead	12578-12-0	No	Plastic
116	Fatty acids, C16-18, lead salts	91031-62-8	No	Plastic
117	Lead cynamidate	20837-86-9	No	Antirust
118	Lead dinitrate	10099-74-8	No	Dye, leather, pigments
119	Pentalead tetraoxide sulphate	12065-90-6	No	Plastic, battery
120	Pyrochlore, antimony lead yellow	8012-00-8	No	Paints, coatings, glass ceramics
121	Sulfurous acid, lead salt, dibasic	62229-08-7	No	Glass ceramics
122	Tetraethyllead	78-00-2	No	Fuel Additive
123	Tetralead trioxide sulphate	12202-17-4	No	Pigments, plastic, battery

瑞興電綫電纜(東莞)有限公司

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
124	Trilead dioxide phosphonate	12141-20-7	No	Plastics stabilizers
125	Furan	110-00-9	No	Solvents, organic synthesis
126	Diethyl sulphate	64-67-5	No	Dyes, polymers
127	Dimethyl sulphate	77-78-1	No	Dyes, polymers
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	No	Rubber products
129	Dinoseb (6-*sec* -butyl-2,4-dinitrophenol)	88-85-7	No	Plastic
130	4,4'-methylenedi-*o* -toluidine	838-88-0	No	Insulating material, polyurethane adhesives, epoxy curing agent
131	4,4'-oxydianiline and its salts	101-80-4	No	Dye intermediates, synthetic resin
132	4-aminoazobenzene	60-09-3	No	Dye intermediates
133	4-methyl-*m* -phenylenediamine (toluene-2,4-diamine)	95-80-7	No	Dyes, pharmaceutical intermediates and other organic synthesis
134	6-methoxy-*m* -toluidine (p-cresidine)	120-71-8	No	Intermediates, dyes synthesis
135	Biphenyl-4-ylamine	92-67-1	No	Dye and pesticide intermediates
136	*o* -aminoazotoluene [(4-*o* -tolylazo-*o* -toluidine])	97-56-3	No	
137	*o* -toluidine	95-53-4	No	Dye intermediates
138	*N* -methylacetamide	79-16-3	No	Intermediates
139	Cadmium	7440-43-9	No	Applied Nickel - cadmium batteries, metal and electronic parts of the plating materials, various alloys improved materials, coatings
140	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	No	Ammonium salt of PFOA, for the production of dispersion-type PTFE resin / fluorine rubber, a dispersing agent, a surfactant and efficient
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	No	Paper / leather / textile surface treatment agent, fire fighting foam, wire insulation, engine protection agents, do not paint adhesion
142	Dipentyl phthalate (DPP)	131-18-0	No	PVC plasticizers
143	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	No	Coating formulations, industrial coatings, emulsion polymerization additives, detergents
144	Cadmium oxide	1306-19-0	No	Applied Nickel - cadmium batteries, metal and electronic parts of the plating materials, various alloys improved materials, coatings, plastics coatings, glass / ceramic materials, plastics polymerization heat stabilizer

長盛電線電纜(東莞)有限公司

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
145	Cadmium sulphide	1306-23-6	No	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	No	Carcinogenic (Article 57a);
147	Dihexyl phthalate	84-75-3	No	Toxic for reproduction (Article 57 c);
148	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	No	Toxic for reproduction (Article 57 c);
149	Trixylyl phosphate	25155-23-1	No	Toxic for reproduction (Article 57 c);
150	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	No	Carcinogenic (Article 57a);
151	Lead di (acetate)	301-04-2	No	Toxic for reproduction (Article 57 c);
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear 鄰苯二甲酸二己酯（支鏈和直鏈）	68515-50-4	No	Toxic for reproduction (Article 57 c)
153	Cadmium chloride 氯化鎘	10108-64-2	No	Toxic for reproduction (Article 57 c)
154	Sodium perborate; perboric acid, sodium salt 過硼酸鈉	-	No	Toxic for reproduction (Article 57 c)
155	Sodium peroxometaborate 過氧偏硼酸鈉	7632-04-4	No	Carcinogenic (Article 57a); Mutagenic (Article 57b); Toxic for reproduction (Article 57c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
156	Cadmium fluoride 氟化鎘	7790-79-6	No	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
157	Cadmium sulphate 硫化鎘	10124-36-4; 31119-53-6	No	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) 2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑	3846-71-7	No	PBT (Article 57 d); vPvB (Article 57 e)
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) 二正辛基-雙（2-乙基己基巯基乙酸酯）錫	25973-55-1	No	PBT (Article 57 d); vPvB (Article 57 e)
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) 二正辛基-雙（2-乙基己基巯基乙酸酯）錫	15571-58-1	No	Toxic for reproduction (Article 57 c)

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) 二正辛基-雙（2-乙基己基巯基乙酸酯）錫和單辛基-三(2-乙基己基巯基乙酸酯)錫的反應物	-	No	Toxic for reproduction (Article 57 c)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate 鄰苯二甲酸二（C6-C6）烷基酯：(癸基，己基，辛基)酯與1，2-鄰苯二甲酸的複合物且鄰苯二甲酸二己酯含量≥ 0.3%	68515-51-5 68648-93-1	No	Toxic for reproduction (Article 57 c) The registered uses are for example in adhesives, lubricants, coatings, building material, cable ompounding, polymer foils, PVC compounds and artist supply.
163	5-sec-butyl-2-(2,4- dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] [1]為卡拉花醛，[2]為卡拉花醛的一種同分異構化合物	-	No	vPvB (Article 57e)
164	Nitrobenzene 硝苯	98-95-3	No	Toxic for reproduction (Article 57 c)
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) 2,4-貳三級丁基-6-(5-氯苯三唑-2-基)苯酚 (UV-327)	3864-99-1	No	vPvB (Article 57 e)
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) 2-(2H-苯并三唑-2-基)-4-三級丁基-6-二級丁基苯酚(UV-350)	36437-37-3	No	vPvB (Article 57 e)
167	1,3-propanesultone 1,3-丙磺內酯	1120-71-4	No	Carcinogenic (Article 57 a)
168	Perfluorononan-1-oic-acid and its sodium and ammonium salt 十七全氟壬酸及其鈉與銨鹽	375-95-1 21049-39-8 4149-60-4	No	Toxic for reproduction (Article 57 c) PBT (Article 57 d
169	Benzo[def]chrysene (Benzo[a]pyrene) 苯并[a]芘	50-32-8	No	Carcinogenic (Article 57a) Mutagenic (Article 57b) Toxic for reproduction (Article 57c) PBT (Article 57d) vPvB (Article 57e)
170	4,4'-isopropylidenediphenol 雙酚 A	80-05-7	No	Toxic for reproduction (Article 57c)

[illegible]電線(東莞)有限公司

No	Substance	CAS No.	Over limit (Yes / No) If yes, please describe:	Possible Applications
171	4-Heptylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a ombination thereof 4-庚基苯酚, 支鍊及直鍊包括含有 7 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 7 個碳烷基鏈的 UVCB物質	-	No	Equivalent level of concern having probable serious effects to environment (Article 57f)
172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts Ammonium nonadecafluorodecanoate Decanoic acid, nonadecafluoro-, sodium salt 十九氟癸酸及其鈉與銨鹽 全氟癸酸銨 全氟癸酸鈉	335-76-2 3108-42-7 3830-45-3	No	Toxic for reproduction (Article 57c) PBT (Article 57d)
173	p-(1,1-dimethylpropyl)phenol 對-(1,1-二甲基丙基)苯酚	80-46-6	No	Equivalent level of concern having probable serious effects to environment (Article 57f)

聲明：

本公司保證上述資料真實性且正確，此外，如有任何變更，本公司將事先通知福盈電子有限公司，並取得書面同意後，使得變更內容。

供應商（法人或授權人）簽字、蓋章、簽署時間：

簽署： 陳清學

蓋章：

瑞興電綫電纜(東莞)有限公司

日期： 2017-2-16

备注：Reach指令，各SVHC单項含量小于0.1%。

瑞兴品保

2017-2-16

福盈電子有限公司

Declaration of REACH

特此聲明提供給福盈電子有限公司（以下簡稱福盈）之全部產品均符合最新歐盟 REACH 法規（EC） No. 1907/2006 與未來相關法規更新之要求，日後若因法規（含高度關注物質候選清單）更新，或交貨品項增加以致無法符合，本公司應立即主動以書面通知福盈。

Hereby declare on all products supplied to FUW YNG ELECTRONICS CO.,LTD. （" FY"）comply in accordance with the up-to-date EU regulation (EC) No. 1907/2006 concerning the Registration Evaluation Authorization and Restriction of Chemicals and its future updates. If the compliance cannot be maintained in the future due to the renewed EU regulation including the updates on the candidate List of Substances of Very High Concern (SVHC) or the added products supplied, the company shall inform FY in written notice immediately.

Content of Compliance

SVHC 0.1 % by weight (1000 ppm)

瑞興電線電纜(東莞)有限公司

Company Name： 瑞興电线电缆(东莞)有限公司

Address： 广东省东莞市安贝镇增国樱园路1号

Name： 陈清学

Signature： 陈清学

Date： 2017-2-16

RICH BAY
富灣股份有限公司
RICH BAY COMPANY LTD.
新北市樹林區東興街 57 號
No. 57, Dongxing St., Shulin Dist., New Taipei City 23850, Taiwan,R.O.C.
TEL:886-2-8686-7781 FAX: 886-2-8686-7780
http://www.richbay.com.tw E-mail:exporting@richbay.com.tw

產品承認書

SPECIFICATION FOR APPROVAL

客戶名稱 **(MESSER)** ：浩誠電子實業有限公司

送樣日期： **(DATE)** ：

機種名稱： **(MATERIAL NAME)** ：

產品品名： **(PART NAME)** ：**IEC C14 Inlet**

產品型號： **(PART NO.)** ：**R-301SN(B00)-Z**

客戶料號： **(CUSTOMER PART NO.)** ：

承認印 APPROVED BY				
採購部 PURCHASING	品保部 QC.	研發工程部 R&D		
APPRPVED NO.				

核准：	戴 銘 璋	審核：	鄭 榮 裕	制表：	謝 亞 芬	日期：	2026/7/23





THICKNESS	C
0.8t−1.0t	19.8
1.0t−1.2t	19.9
1.2t−1.5t	19.9
2t	20.0
3.5t	20.1

SPECIFICATION:

1. INSULATION RESISTANCE: OVER 100MΩ 500V DC.
2. DIELECTRIC STRENGTH: 2000V AC ONE MINUTE.
3. Body Material: Black Glass−Fiber Thermoplastic . UL 94V−2~0

Rating:AC 15A 250V	
Mark	Safety Regulation
	UL
	CUL
Rating:AC 10A 250V	
Mark	Safety Regulation
	VDE
	CCC
	ENEC

富灣股份有限公司 圖面管制章 2019.05.20 研發章B RICH BAY COMPANY LTD.

富灣(佛岡)五金電器有限公司 RICH BAY INT'L LTD. 廣東省清遠市佛岡縣城南工業區 South Town Industrial Area of Fogong County Qing Yuan City Guangdong Province,China TEL:0763−4289946 FAX:0763−4288096	UNIT mm	UNIT Q'TY 1	SCALE 1:1	TOLERANCE	X.XX±0.1 XX.XX±0.2 XXX.XX±0.3	PRODUCT NO.	R−301SN(B00)−Z	REV
	DRAWN BY 李 2019.05.20 小英	APPROVED BY 宋 2019.05.20 显德		ID NO	19052004Q	INTERIM NO.		A
				DESCRIPTION		NEW NO.		

CERTIFICATE OF COMPLIANCE

Certificate Number	E184638
Report Reference	E184638-20060125
Date	2021-June-07

Issued to:

RICH BAY CO LTD
57 Dongxing St
Shulin District
New Taipei23850 TW

This is to certify that representative samples of

ATTACHMENT PLUGS, FUSELESS - COMPONENT

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

UL 60320-1 - Appliance Couplers For Household And Similar General Purposes – Part 1: General Requirements

CSA C22.2 No. 60320-1-11 - Appliance Couplers For Household And Similar General Purposes – Part 1: General Requirements

Additional Information:

See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

DLL512

CERTIFICATE OF COMPLIANCE

Certificate Number	E184638
Report Reference	E184638-20060125
Date	2021-June-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Component – Appliance Inlets, Models R-301, R-301SN:

R-301SN-21, R-30190, R-30190-B206, R-201A, R-201A90, R-201B, R-201B90, R-201SN and R-201SN90.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

DLL512

VDE Prüf- und Zertifizierungsinstitut

ZEICHENGENEHMIGUNG
MARKS APPROVAL

Rich Bay Co., Ltd.
No. 57, Dongxing Street
Shulin District
23850 New Taipei City
Taiwan

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätestecker
Appliance inlet

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.

und/oder - *and/or*

Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN IEC 60320-1 (VDE 0625-1):2023-06; EN IEC 60320-1:2021

Das Produkt erfüllt auch die Anforderungen nach /
The product also fulfills the requirements of

IEC 60320-1:2021

Aktenzeichen: 1608400-1550-0006 / 313914
File ref.:

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / *Certification*

Ausweis-Nr. 40030228 Blatt 1
Certificate No. *Page*

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-06-07
(letzte Änderung / updated 2024-02-27)

M. Tasotti

VDE Zertifikate sind nur gültig bei Veröffentlichung unter: http://www.vde.com/zertifikat
VDE certificates are valid only when published on: *http://www.vde.com/certificate*

VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
Rich Bay Co., Ltd., No. 57, Dongxing Street, Shulin District, 23850 NEW TAIPEI CITY, TAIWAN

Aktenzeichen / *File ref.*	letzte Änderung / *updated*	Datum / *Date*
1608400-1550-0006 / 313914 / TL3 / E	2024-02-27	2010-06-07

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40030228.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40030228.

Gerätestecker
Appliance inlet

Typ(en) / *Type(s)*

R-301SN

Bemessungsspannung *Rated voltage*	AC 250 V
Bemessungsstrom *Rated current*	10 A
Polzahl *Number of poles*	2-polig mit Schutzkontakt *2-pole with earthing contact*
Bauart *Kind of construction*	Normblatt C14 *standard sheet C14*
Stifttemperatur *Temperature of the pins*	max. 70°C
Anschlussart *Connection method*	Lötanschluß *solder terminals*
Art der Montage *Method of mounting*	Einbau für Geräte der Schutzklasse I *built into class I appliances* Snap-In-Befestigung *snap-in mounting*

Fortsetzung siehe Blatt 3 /
continued on page 3

Merianstrasse 28, D-63069 Offenbach
Phone +49 (0) 69 83 06-0
Telefax +49 (0) 69 83 06-555
DLL512

中国国家强制性产品认证证书

证书编号：2003010204100738

认证委托人名称及地址

富湾(佛冈)五金电器有限公司
广东省清远市佛冈县汤塘镇聚宝工业园聚福路 1 号 17 栋 101、201

生产者名称及地址

富湾(佛冈)五金电器有限公司
广东省清远市佛冈县汤塘镇聚宝工业园聚福路 1 号 17 栋 101、201

生产企业名称及地址

富湾(佛冈)五金电器有限公司
广东省清远市佛冈县汤塘镇聚宝工业园聚福路 1 号 17 栋 101、201

产品名称和系列、型号、规格

带开关用于冷条件下 I 类设备的 10A 250V 器具输入插座；带熔断器座用于冷条件下 I 类设备的 10A 250V 器具输入插座；用于冷条件下 I 类设备的 10A 250V 器具输入插座

R-301SN B07、R-301SN 77、R-301SN 79、R-301SN B09 10A 250V～； R-3015、R-3016、R-3013、R-3014、R-3013S、R-3014S 10A 250V～； R-301SN 00、R-301SN、R-30190、R-30190 B11、R-301SN B11、R-301SN B60、R-301 10A 250V～

产品标准和技术要求

GB/T 17465.1-2022;GB/T 17465.6-2022

上述产品符合《强制性产品认证实施规则 电路开关及保护或连接用电器装置（电器附件）》（CNCA-C02-01:2014）的要求，特发此证。

发证日期：2024 年 10 月 17 日 **有效期至：**2029 年 10 月 16 日

本证书为变更证书，证书首次颁发日期：2003 年 12 月 17 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P

签发：谢肇煦

中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司

SCE537

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2003010204100738

NAME AND ADDRESS OF THE APPLICANT

RICH BAY (FO GANG) HARDWARE ELECTRONIC CO., LTD.
101、201 ,Building 17, NO.1 Jufu Road, Jubao Industrial Park, Tangtang town, Fogang County, Qingyuan City, Guangdong Province, China

NAME AND ADDRESS OF THE MANUFACTURER

RICH BAY (FO GANG) HARDWARE ELECTRONIC CO., LTD.
101、201 ,Building 17, NO.1 Jufu Road, Jubao Industrial Park, Tangtang town, Fogang County, Qingyuan City, Guangdong Province, China

NAME AND LOCATION OF THE FACTORY

RICH BAY (FO GANG) HARDWARE ELECTRONIC CO., LTD.
101、201 ,Building 17, NO.1 Jufu Road, Jubao Industrial Park, Tangtang town, Fogang County, Qingyuan City, Guangdong Province, China

PRODUCT NAME,MODEL AND SPECIFICATION

10A 250V Appliance Inlet for Class I Equipment for Cold Conditions With Switch；10A 250V Appliance Inlet for Class I Equipment for Cold Conditions With Fuse-Holders；10A 250V Appliance Inlet for Class I Equipment for Cold Conditions

R-301SN B07、R-301SN 77、R-301SN 79、R-301SN B09 10A 250V～； R-3015、R-3016、R-3013、R-3014、R-3013S、R-3014S 10A 250V～； R-301SN 00、R-301SN、R-30190、R-30190 B11、R-301SN B11、R-301SN B60、R-301 10A 250V～

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 17465.1-2022;GB/T 17465.6-2022

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C02-01:2014).

Valid from: Oct.17,2024 **Valid until:** Oct.16,2029

Date of original issued: Dec.17,2003

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

SIGNATURE: 谢肇煦

中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司 1101061026946

SCE537

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

Test Report

No.: CANEC25025900401 **Date:** Oct 28, 2025

Client Name: DONGGUAN JUN JING HARDWARE PRODUCTS CO.,LTD

Client Address: FOURTH INDUSTRIAL ZONE,HUMEN TOWN,DONGGUAN CITY,WENMING ROAD, LANE 15,NO.5

Sample Name: Tin

The above sample(s) and information were provided by the client.

SGS Job No.: SZP25-052741

Sample Receiving Date: Oct 21, 2025

Testing Period: Oct 21, 2025 ~ Oct 28, 2025

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium	Pass
Element(s)	See Results
PFOS, its salts and related compounds,PFOA, its salts	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Dongyu Xie
Approved Signatory

Scan to see the report

740EFA24

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	CAN25-0259004-0001.C001	Silvery metal

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013 and IEC 62321-7-1:2015, analysis was performed by ICP-OES/AAS and UV-Vis.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead(Pb)	1000	mg/kg	2	39
Mercury(Hg)	1000	mg/kg	2	ND
Cadmium(Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI)) ▼	-	μg/cm²	0.10	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
(2) IEC 62321 series is equivalent to EN 62321 series.
(3) ▼ =
a. The sample is positive for Cr(VI) if the Cr(VI)concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating.
c. The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive-unavoidable coating variations may influence the determination.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

Element(s)

Test Method: With reference to US EPA 3050B:1996, analysis was performed by ICP-OES/AAS.

Test Item(s)	Unit(s)	MDL	A1
Beryllium(Be)	mg/kg	5	ND

PFOS, its salts and related compounds,PFOA, its salts

Test Method: Modified EN 17681-1:2025, analysis was performed by LC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A1
PFOS, its salts				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Item(s)	CAS No.	Unit(s)	MDL	A1
Perfluorooctane sulfonic acid (PFOS), its salts^	1763-23-1	mg/kg	0.010	ND
PFOS-related compounds				
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND
N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)	31506-32-8	mg/kg	0.010	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)	1691-99-2	mg/kg	0.010	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	24448-09-7	mg/kg	0.010	ND
Perfluorooctane Sulfonamide (PFOSA), its salts^	754-91-6	mg/kg	0.010	ND
Perfluorooctane sulfonamidoacetic Acid (FOSAA), its salts^	2806-24-8	mg/kg	0.010	ND
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA), its salts^	2355-31-9	mg/kg	0.010	ND
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA), its salts^	2991-50-6	mg/kg	0.010	ND
Sum of PFOS-related compounds	-	mg/kg	-	ND
PFOA, its salts				
Perfluorooctanoic acid (PFOA), its salts^	335-67-1	mg/kg	0.010	ND

Notes:

(1) ^=Substances refer to its salts/derivative listed in below table.

Substances Name	**CAS No.**
PFOS, its salts & derivatives	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH_4)	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-$NH_2(C_2H_4OH)_2$)	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-$N(C_{10}H_{21})_2(CH_3)_2$)	251099-16-8
TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
Perfluorooctane Sulfonyl fluoride (PFOS-F)	307-35-7
Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)	91036-71-4
Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
Perfluorooctanesulfonate	45298-90-6
Triethylammonium perfluorooctane sulfonate (PFOS-$N(C_2H_5)_3$)	54439-46-2
Tetramethylammonium perfluorooctane sulfonate (PFOS-$N(CH_3)_4$)	56773-44-5
N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-$N(C_3H_7)_3(C_5H_{11})$)	56773-56-9

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-N(C_4H_9)$_3$(CH_3))	124472-68-0
Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)	213740-80-8
Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate	258341-99-0
1-Hexadecylpyridinium perfluoro-1-octanesulfonate	334529-63-4
N,N,N-Triethyldecan-1-aminium heptadecafluorooctane-1-sulfonate	773895-92-4
Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P (C_4H_9)$_4$))	2185049-59-4
Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium heptadecafluorooctane-1-sulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
Perfluorooctane sulfonic anhydride (PFOSAN)	423-92-7
Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
FOSAA, its salts	
Perfluorooctane sulfonamidoacetic Acid (FOSAA)	2806-24-8
N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
N-MeFOSAA, its salts	
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA)	2355-31-9
2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
N-EtFOSAA, its salts	
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA)	2991-50-6
Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt (N-Et-FOSAA-K)	2991-51-7
2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH_4)	2991-52-8
Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
PFOSA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH_4)	76752-72-2
Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1) (PFOSA-$C_6H_{15}N$)	76752-82-4
PFOA, its salts & derivatives	
Perfluorooctanoic acid (PFOA)	335-67-1
Sodium perfluorooctanoate (PFOA-Na)	335-95-5
Potassium perfluorooctanoate (PFOA-K)	2395-00-8
Silver perfluorooctanote (PFOA-Ag)	335-93-3
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory
检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+))	68141-02-6
Pentadecafluorooctanoic acid--piperazine (2/1) (PFOA-NH($C_4H_{10}N$))	423-52-9
Pentadecafluorooctanoate (anion)	45285-51-6
Perfluorooctanoic Anhydride	33496-48-9
N,N,N-Triethylethanaminium perfluorooctanoate	98241-25-9
Perfluorooctanoate N,N,N-Trimethylmethanaminium	32609-65-7
Tetrapropylammonium perfluorooctanoate	277749-00-5
Potassium pentadecafluorooctanoate--water (1/1/2) (PFOA-K($H_2O)_2$)	98065-31-7
Perfluorooctanoic acid compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
Pentadecafluorooctanoic acid--pyridine (1/1) (PFOA-C_5H_5N)	95658-47-2
pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate (PFOA-$C_{11}H_{26}N$)	927835-01-6
Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663
t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Elements Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

PFASs/ PFOS/PFOA Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample Photo:



CAN25-0259004-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Testing Center
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

測試報告
Test Report

號碼(No.): ETR25604237　　日期(Date): 26-Jun-2025　　

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	協祐股份有限公司 (WGJ COMPANY LTD.)
樣品名稱(Sample Name)	:	CELANESE ZYTEL N-66
樣品型號(Style/Item No.)	:	FR50BK

==========

收件日(Sample Receiving Date)	:	20-Jun-2025
測試期間(Testing Period)	:	20-Jun-2025 to 26-Jun-2025

測試需求(Test Requested) :
(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　論(Conclusion) :
(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

PIN CODE: BF5EFBA4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

測試部位敘述 (Test Part Description)

No.1 : 黑色塑膠粒 (BLACK PLASTIC PELLETS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	12.9	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

號碼(No.): ETR25604237 日期(Date): 26-Jun-2025

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α- HBCDD, β- HBCDD, γ- HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008，以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)		mg/kg	50	944	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)		mg/kg	50	143000	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	修改EN 17681-1: 2022 & EN 17681-2: 2022，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2022 & EN 17681-2: 2022, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	修改EN 17681-1: 2022 & EN 17681-2: 2022，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2022 & EN 17681-2: 2022, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出)；小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. 除非另有說明，參照ILAC-G8:09/2019決定規則，採用簡單允收規則之二分法(w=0)進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

PFAS Remark：

現有PFAS定量技術是分析PFAS物質的特定結構，但同碳數族群之PFAS酸及鹽類物質，其可被辨識的特定結構相同，因此無法區別所分析的特定結構是來自酸或者鹽類，故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中，相關資訊請參見下表：(下表列舉PFAS物質僅為範例，並不包含所有同碳數族群之PFAS鹽類。)
(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH_4) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH_4)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(C2H4OH)2) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C2H4OH)2)	70225-14-8
	全氟辛基磺酸四乙基銨 (PFOS-$N(C_2H_5)_4$) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺酸四丁基銨 (PFOS-$N(C_4H_9)_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5)$_3$) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5)$_3$)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH_3)$_4$) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH_3)$_4$)	56773-44-5
	1-五胺，N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11})) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11}))	56773-56-9
	1-丁銨，N,N-二丁基-N-甲基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C_4H_9)$_3$(CH_3)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_4H_9)$_3$(CH_3))	124472-68-0
	碘鎓，雙[4-(1,1-二甲基乙基)苯基]-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8 -十七氟-1-辛烷磺酸鹽 (1:1) Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鋶(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8 ,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓，1-十六烷基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	1-癸胺，N,N,N-三乙基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9)$_4$)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9)$_4$))	2185049-59-4
	全氟辛烷磺酸二乙胺鹽 (PFOS-$C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
	庚基二甲基{2-[(2-甲基丙-2-烯酰基)氧基]乙基}全氟辛烷磺酸氮鎓鹽 (PFOS-$C_{15}H_{30}NO_2$) Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1' -酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸鉻 (PFOA-Cr(3^+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3^+))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨，N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨，N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽，水合物 (1:1:2) (PFOA-K(H_2O)$_2$) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O)$_2$)	98065-31-7
	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-，化合物。與乙胺 (1:1) (PFOA-C_2H_7N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA-C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C_5H_5N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA-$C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺，N,N,N-三甲基-，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) (PFOA- $C_{11}H_{26}N$) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$)	927835-01-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）

These samples were dissolved totally by pre-conditioning method according to below flow chart.
（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

協祐股份有限公司 (WGJ COMPANY LTD.)
桃園市龜山區頂湖五街5號 (NO.5, DINGHU 5TH ST., GUISHAN DIST., TAOYUAN CITY 33378, TAIWAN (R.O.C.))

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR25604237



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

號碼(No.): ETR25705435　　日期(Date): 06-Aug-2025　　頁數(Page): 1 of 17

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	怡程股份有限公司 (LIGHTWAY INTERNATIONAL CO., LTD.)
樣品名稱(Sample Name)	:	黃銅
樣品型號(Style/Item No.)	:	C2680

==========

收件日(Sample Receiving Date)	:	30-Jul-2025
測試期間(Testing Period)	:	30-Jul-2025 to 06-Aug-2025

測試需求(Test Requested) :
(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　　論(Conclusion) :
(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

CHECK REPORT
PIN CODE: 07EA8440

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

測試部位敘述 (Test Part Description)

No.1 : 黃銅色金屬 (BRASS METAL)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	8.13	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 (Hexavalent Chromium) Cr(VI) (#2)	參考IEC 62321-7-1: 2015，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.)	μg/cm²	0.1	n.d.	-
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3050B: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2)	參考US EPA 3050B: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3050B: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	修改EN 17681-1: 2022 & EN 17681-2: 2022，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2022 & EN 17681-2: 2022, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)		mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出)；小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. (#2) =
   a. 當六價鉻結果大於0.13 μg/cm²，表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).)
   b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²)，表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating)
   c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時，無法確定塗層是否含有六價鉻。(The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.)
6. 除非另有說明，參照ILAC-G8:09/2019決定規則，採用簡單允收規則之二分法(w=0)進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

PFAS Remark：

現有PFAS定量技術是分析PFAS物質的特定結構，但同碳數族群之PFAS酸及鹽類物質，其可被辨識的特定結構相同，因此無法區別所分析的特定結構是來自酸或者鹽類，故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中，相關資訊請參見下表：(下表列舉PFAS物質僅為範例，並不包含所有同碳數族群之PFAS鹽類。)
(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH_4) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH_4)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(C2H4OH)2) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C2H4OH)2)	70225-14-8
	全氟辛基磺酸四乙基銨 (PFOS-$N(C_2H_5)_4$) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺酸四丁基銨 (PFOS-$N(C_4H_9)_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5)$_3$) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5)$_3$)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH_3)$_4$) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH_3)$_4$)	56773-44-5
	1-五胺，N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11})) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11}))	56773-56-9
	1-丁銨，N,N-二丁基-N-甲基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C_4H_9)$_3$(CH_3)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_4H_9)$_3$(CH_3))	124472-68-0
	碘鎓，雙[4-(1,1-二甲基乙基)苯基]-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8 -十七氟-1-辛烷磺酸鹽 (1:1) Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鋶(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8 ,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓，1-十六烷基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	1-癸胺，N,N,N-三乙基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9)$_4$)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9)$_4$))	2185049-59-4
	全氟辛烷磺酸二乙胺鹽 (PFOS-$C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
	庚基二甲基{2-[(2-甲基丙-2-烯酰基)氧基]乙基}全氟辛烷磺酸氮鎓鹽 (PFOS-$C_{15}H_{30}NO_2$) Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1' -酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛基磺醯氯(PFOS-Cl) Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3^+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3^+))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨，N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨，N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽，水合物 (1:1:2) (PFOA-K(H_2O)$_2$) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O)$_2$)	98065-31-7

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-，化合物。與乙胺 (1:1) (PFOA-C_2H_7N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA-C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C_5H_5N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA-$C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺，N,N,N-三甲基-，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) (PFOA- $C_{11}H_{26}N$) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$)	927835-01-6
	全氟辛醯氯 (PFOA-Cl) Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）
These samples were dissolved totally by pre-conditioning method according to below flow chart.
（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

元素以 ICP-OES 分析的消化流程圖

(Flow chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件，樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO_3, HCl, HF, H_2O_2
玻璃 / Glass	硝酸,氫氟酸 / HNO_3,HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO_3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H_2SO_4, H_2O_2, HNO_3, HCl
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

怡程金屬(深圳)有限公司 (YI CHENG (SHENZHEN) CO., LED)
深圳市龍崗區坪山鎮深圳出口加工區蘭金四路1號 (LIJING RD, SHENZHEN EXPORT PROCESSING ZONE, PINGSHAN REGION, SHENZHEN CHINA)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR25705435



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: CANEC25025900401 **Date:** Oct 28, 2025

Client Name: DONGGUAN JUN JING HARDWARE PRODUCTS CO.,LTD

Client Address: FOURTH INDUSTRIAL ZONE,HUMEN TOWN,DONGGUAN CITY,WENMING ROAD, LANE 15,NO.5

Sample Name: Tin

The above sample(s) and information were provided by the client.

SGS Job No.: SZP25-052741

Sample Receiving Date: Oct 21, 2025

Testing Period: Oct 21, 2025 ~ Oct 28, 2025

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium	Pass
Element(s)	See Results
PFOS, its salts and related compounds,PFOA, its salts	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Dongyu Xie
Approved Signatory

Scan to see the report

740EFA24

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	CAN25-0259004-0001.C001	Silvery metal

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013 and IEC 62321-7-1:2015, analysis was performed by ICP-OES/AAS and UV-Vis.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead(Pb)	1000	mg/kg	2	39
Mercury(Hg)	1000	mg/kg	2	ND
Cadmium(Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI)) ▼	-	μg/cm²	0.10	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
(2) IEC 62321 series is equivalent to EN 62321 series.
(3) ▼ =
a. The sample is positive for Cr(VI) if the Cr(VI)concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating.
c. The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive-unavoidable coating variations may influence the determination.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

Element(s)

Test Method: With reference to US EPA 3050B:1996, analysis was performed by ICP-OES/AAS.

Test Item(s)	Unit(s)	MDL	A1
Beryllium(Be)	mg/kg	5	ND

PFOS, its salts and related compounds,PFOA, its salts

Test Method: Modified EN 17681-1:2025, analysis was performed by LC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A1
PFOS, its salts				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Item(s)	CAS No.	Unit(s)	MDL	A1
Perfluorooctane sulfonic acid (PFOS), its salts^	1763-23-1	mg/kg	0.010	ND
PFOS-related compounds				
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND
N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)	31506-32-8	mg/kg	0.010	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)	1691-99-2	mg/kg	0.010	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	24448-09-7	mg/kg	0.010	ND
Perfluorooctane Sulfonamide (PFOSA), its salts^	754-91-6	mg/kg	0.010	ND
Perfluorooctane sulfonamidoacetic Acid (FOSAA), its salts^	2806-24-8	mg/kg	0.010	ND
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA), its salts^	2355-31-9	mg/kg	0.010	ND
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA), its salts^	2991-50-6	mg/kg	0.010	ND
Sum of PFOS-related compounds	-	mg/kg	-	ND
PFOA, its salts				
Perfluorooctanoic acid (PFOA), its salts^	335-67-1	mg/kg	0.010	ND

Notes:

(1) ^=Substances refer to its salts/derivative listed in below table.

Substances Name	**CAS No.**
PFOS, its salts & derivatives	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH_4)	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-$NH_2(C_2H_4OH)_2$)	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-$N(C_{10}H_{21})_2(CH_3)_2$)	251099-16-8
TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
Perfluorooctane Sulfonyl fluoride (PFOS-F)	307-35-7
Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)	91036-71-4
Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
Perfluorooctanesulfonate	45298-90-6
Triethylammonium perfluorooctane sulfonate (PFOS-$N(C_2H_5)_3$)	54439-46-2
Tetramethylammonium perfluorooctane sulfonate (PFOS-$N(CH_3)_4$)	56773-44-5
N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-$N(C_3H_7)_3(C_5H_{11})$)	56773-56-9

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-N(C_4H_9)$_3$(CH_3))	124472-68-0
Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)	213740-80-8
Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate	258341-99-0
1-Hexadecylpyridinium perfluoro-1-octanesulfonate	334529-63-4
N,N,N-Triethyldecan-1-aminium heptadecafluorooctane-1-sulfonate	773895-92-4
Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P (C_4H_9)$_4$))	2185049-59-4
Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium heptadecafluorooctane-1-sulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
Perfluorooctane sulfonic anhydride (PFOSAN)	423-92-7
Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
FOSAA, its salts	
Perfluorooctane sulfonamidoacetic Acid (FOSAA)	2806-24-8
N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
N-MeFOSAA, its salts	
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA)	2355-31-9
2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
N-EtFOSAA, its salts	
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA)	2991-50-6
Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt (N-Et-FOSAA-K)	2991-51-7
2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH_4)	2991-52-8
Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
PFOSA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH_4)	76752-72-2
Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1) (PFOSA-$C_6H_{15}N$)	76752-82-4
PFOA, its salts & derivatives	
Perfluorooctanoic acid (PFOA)	335-67-1
Sodium perfluorooctanoate (PFOA-Na)	335-95-5
Potassium perfluorooctanoate (PFOA-K)	2395-00-8
Silver perfluorooctanote (PFOA-Ag)	335-93-3
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory
检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+))	68141-02-6
Pentadecafluorooctanoic acid--piperazine (2/1) (PFOA-NH($C_4H_{10}N$))	423-52-9
Pentadecafluorooctanoate (anion)	45285-51-6
Perfluorooctanoic Anhydride	33496-48-9
N,N,N-Triethylethanaminium perfluorooctanoate	98241-25-9
Perfluorooctanoate N,N,N-Trimethylmethanaminium	32609-65-7
Tetrapropylammonium perfluorooctanoate	277749-00-5
Potassium pentadecafluorooctanoate--water (1/1/2) (PFOA-K($H_2O)_2$)	98065-31-7
Perfluorooctanoic acid compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
Pentadecafluorooctanoic acid--pyridine (1/1) (PFOA-C_5H_5N)	95658-47-2
pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate (PFOA-$C_{11}H_{26}N$)	927835-01-6
Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663
t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Elements Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

PFASs/ PFOS/PFOA Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample Photo:



CAN25-0259004-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Testing Center
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

產品成品圖

Terminal(Ring Tongue Shape)

品 名	T	IS	WS	H9	H8	UL	CSA
B40405BS	0.5	4.5	3.1 △7	4.4	3.3	V	V
B40405BS-2							
B40405BS-A	0.8	4.8	4.1	4.6	3.5		
B40405BS-2A							







B-B Section





A-A Section

鍍錫編號[Part No.(Tin-plated after press/forming)]:
B40405BS-2,B40405BS-2A

表面處理(Surface treatment):
鍍錫膜厚40 μ"以上
(Tin-plated thickness more than 40 μ")

適用電線(Applicable wire):
AWG# 18~22

線皮外徑(Insulation O.D):
2.9~2.45 mm

包裝數量(Standard packing):
7500 PCS

此產品須符合RoHS指令要求
(The product must conform to the RoHS directive)

威力盛精工股份有限公司
WST WELI SHENG INDUSTRIAL CO., LTD.

UL NO:	CSA NO:	TUV NO:
E 152476	076169_0_000 6223-02	

名稱(Name): 產品規格(Product specifications)

編號(Part No.): B40405BS系列

材質(Material): 黃銅[Brass]

核發單位 (Issued by)	制定單位 (Instituted by)
部品部 2007.10.22 核發	開發課 2007.10.16 制定

核 准 (Approved by)	審 查 (Confirmed by)	制 定 (Drawn by)
韓曜安	蔡幸蕙	陳敏伶

單位(Unit):mm

比例(Scale):Free

第三角法 (Projection):

一般公差 (General tolerance): ±0.3

記號 (Sign)	變更內容 (Change description)	版次 (Edition)	制修訂日期 (Drawn date)
△7	修改WS規格	8	16-Oct-07
△6	圖面格式變更,公差修正	7	4-Jul-07
△5		6	23-Sep-92
		1	20-Oct-98

检测报告
Test Report

报告编号 A2260098774101001E
Report No. A2260098774101001E

报告抬头公司名称 威力盛電子有限公司
Company Name shown on Report WELI SHENG ELECTRONIC CO.,LTD.
地 址 東莞市虎門鎮懷德管理區雅瑤村
Address YA YAO VILLAGE,HUAI DE INDUSTRIAL AREA,HU MENTOWN,DONG GUAN CITY

以下测试之样品及样品信息由申请者提供并确认
The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

样品名称	黄銅端子
Sample Name	Brass Terminal
原材料批號	251010-A金-01
Material LOT NO	251010-A金-01
生產批號	260101
Product LOT	260101
材料名称	C2680
Material	C2680
样品接收日期	2026.02.03
Sample Received Date	Feb. 3, 2026
样品检测日期	2026.02.03-2026.02.09
Testing Period	Feb. 3, 2026 to Feb. 9, 2026

检测要求 根据客户要求，对所提交样品中的铅(Pb)，镉(Cd)，汞(Hg)，六价铬(Cr(VI))，多溴联苯(PBBs)，多溴二苯醚(PBDEs)，邻苯二甲酸酯(DBP，BBP，DEHP，DIBP)，铍(Be)进行测试。

Test Requested As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP), Beryllium(Be) in the submitted sample(s).

检测依据/检测结果 请参见下页。
Test Method/Test Result(s) Please refer to the following page(s).

批 准
Approved by 郑晴涛
技术经理 Technical Manager

日 期
Date 2026.02.09

No. R262622590

华测检测认证集团股份有限公司
Centre Testing International Group Co.,Ltd.
CTI Building, Xing Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China
广东省深圳市宝安区新安街道兴东社区华测检测大楼

检测报告
Test Report

****

结论 Conclusion

测试样品 Tested Sample	依据标准/指令 According to standard/directive	结果 Result
提交样品 Submitted Sample	欧盟RoHS指令2011/65/EU及其修订指令(EU) 2015/863 RoHS Directive 2011/65/EU with amendment (EU) 2015/863	符合 PASS

****

符合表示检测结果满足欧盟RoHS指令2011/65/EU及其修订指令(EU) 2015/863要求的限值。
PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

检测报告
Test Report

检测依据 Test Method

测试项目 Test Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)
铅 Lead (Pb)	IEC 62321-5:2013	ICP-OES
镉 Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
汞 Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
六价铬 Hexavalent Chromium (Cr(VI))	IEC 62321-7-1:2015	UV-Vis
多溴联苯 Polybrominated Biphenyls (PBBs) #	IEC 62321-6:2015	GC-MS
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs) #	IEC 62321-6:2015	GC-MS
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP) #	IEC 62321-12:2023	GC-MS
铍 Beryllium(Be)	参考US EPA 3050B:1996 & US EPA 6010D:2018 Refer to US EPA 3050B:1996 & US EPA 6010D:2018	ICP-OES

检测报告
Test Report

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
	001		
铅 Lead (Pb)	N.D.	2 mg/kg	1000 mg/kg
镉 Cadmium (Cd)	N.D.	2 mg/kg	100 mg/kg
汞 Mercury (Hg)	N.D.	2 mg/kg	1000 mg/kg
六价铬 Hexavalent Chromium (Cr(VI))	N.D. ▼	0.10 μg/cm² (LOQ)	1000 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
	001		
多溴联苯 Polybrominated Biphenyls (PBBs) #			
一溴联苯 Monobromobiphenyl	N.D.	5 mg/kg	1000 mg/kg
二溴联苯 Dibromobiphenyl	N.D.	5 mg/kg	
三溴联苯 Tribromobiphenyl	N.D.	5 mg/kg	
四溴联苯 Tetrabromobiphenyl	N.D.	5 mg/kg	
五溴联苯 Pentabromobiphenyl	N.D.	5 mg/kg	
六溴联苯 Hexabromobiphenyl	N.D.	5 mg/kg	
七溴联苯 Heptabromobiphenyl	N.D.	5 mg/kg	
八溴联苯 Octabromobiphenyl	N.D.	5 mg/kg	
九溴联苯 Nonabromobiphenyl	N.D.	5 mg/kg	
十溴联苯 Decabromobiphenyl	N.D.	5 mg/kg	

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
	001		
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs) #			
一溴二苯醚 Monobromodiphenyl ether	N.D.	5 mg/kg	1000 mg/kg
二溴二苯醚 Dibromodiphenyl ether	N.D.	5 mg/kg	
三溴二苯醚 Tribromodiphenyl ether	N.D.	5 mg/kg	
四溴二苯醚 Tetrabromodiphenyl ether	N.D.	5 mg/kg	
五溴二苯醚 Pentabromodiphenyl ether	N.D.	5 mg/kg	
六溴二苯醚 Hexabromodiphenyl ether	N.D.	5 mg/kg	
七溴二苯醚 Heptabromodiphenyl ether	N.D.	5 mg/kg	
八溴二苯醚 Octabromodiphenyl ether	N.D.	5 mg/kg	
九溴二苯醚 Nonabromodiphenyl ether	N.D.	5 mg/kg	
十溴二苯醚 Decabromodiphenyl ether	N.D.	5 mg/kg	

检测报告
Test Report

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
	001		
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP) #			
邻苯二甲酸二丁酯 Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	50 mg/kg	1000 mg/kg
邻苯二甲酸丁基苄基酯 Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	50 mg/kg	1000 mg/kg
邻苯二甲酸二(2-乙基)己酯 Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	50 mg/kg	1000 mg/kg
邻苯二甲酸二异丁酯 Diisobutyl phthalate (DIBP) CAS#:84-69-5	N.D.	50 mg/kg	1000 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
铍 Beryllium (Be)	N.D.	2 mg/kg

检测报告
Test Report

样品/部位描述 Sample/Part Description

序号 No.	CTI样品ID CTI Sample ID	描述 Description
1	001	金色金属 Golden metal

备注: **对于检测铅，镉，汞，铍之样品已消解完全。**

-N.D. = 未检出（小于方法检出限或定量限）

-mg/kg = ppm = 百万分之一

-1000 mg/kg = 0.1%

-LOQ = 定量限, 六价铬的定量限为0.10 μg/cm²

-▼六价铬浓度小于0.10 μg/cm²，样品未检出六价铬。由于未获知样品的存储条件和生产日期，样品的六价铬测试结果仅能代表测试时样品含六价铬的状态。

Remark: **The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury, Beryllium.**

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL or LOQ)

-mg/kg = ppm = parts per million

-1000 mg/kg = 0.1%

-LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²

-▼ The sample is negative for Cr(VI) − The Cr(VI) concentration is below 0.10 μg/cm². The coating is considered a non-Cr(VI) based coating. Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

注释: **-“#”表示该项目/方法不在CNAS认可范围内。**

-本报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的用。

Note: **-“#”indicates the item(s)/method(s) is (are) not in CNAS accreditation scope.**

-The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

检测报告
Test Report

检测流程 Test Process

1. 铅(Pb)， 镉(Cd)

Lead (Pb), Cadmium (Cd)



2. 汞(Hg)

Mercury (Hg)



3. 六价铬(Cr(VI))

Hexavalent Chromium (Cr(VI))



4. 多溴联苯(PBBs)， 多溴二苯醚(PBDEs)

Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)



5. 邻苯二甲酸酯(DBP， BBP， DEHP， DIBP)

Phthalates (DBP, BBP, DEHP, DIBP)



6. 铍(Be)

Beryllium(Be)



检测报告
Test Report

样品图片
Photo(s) of the sample(s)



声明Statement：

1. 本报告无批准人签字、“专用章”及报告骑缝章无效；
   This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. 报告抬头公司名称及地址、样品及样品信息由申请者提供，申请者应对其真实性负责，CTI未核实其真实性；
   The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn’t verified;
3. 本报告检测结果仅对受测样品负责；
   The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 除非另有说明，报告参照ILAC-G8:09/2019 / CNAS-GL015:2022使用简单接受(w=0)二元判定规则进行符合性判定;
   Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. 未经CTI书面同意，不得部分复制本报告；
   Without written approval of CTI, this report can’t be reproduced except in full;
6. 如报告中的英文内容与中文内容有差异，以中文为准。
   In case of any discrepancy between the English version and Chinese version of the reports (if generated), the Chinese version shall prevail.

报告结束

*** End of report ***

測試報告
Test Report

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By) ： 名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
樣品名稱(Sample Name) ： BRASS(黃銅)

==========

收件日(Sample Receiving Date) ： 15-Jul-2024
測試期間(Testing Period) ： 15-Jul-2024 to 30-Jul-2024 and 08-Nov-2024 to 13-Feb-2025 and 26-Jun-2025 to 21-Jul-2025

測試需求(Test Requested) ： 依據客戶指定，參考REACH之Regulation (EC) No 1907/2006的公告進行以下測試 (As specified by client, the sample(s) was/were tested with reference to Regulation (EC) No 1907/2006 concerning the REACH.)
250項高關注物質候選清單，於2025年06月25日公告 (250 Substances of Very High Concern (SVHC). Candidate list is published on June 25, 2025)

測試結果(Test Results) ： 請參閱下一頁 (Please refer to following pages).

總　　結(Summary) ： 根據歐洲法院對於REACH規範下成品定義的裁決以及指定範圍和分析技術，送測樣品中所選擇的零部件成品的高關注物質(SVHC) 測試結果濃度均 ≤ 0.1%(w/w) (According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope as well as analytical technique, the test results of the selected component article are ≤ 0.1% (w/w) in the submitted sample(s).)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

CHECK REPORT
PIN CODE: FD625E49

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

測試部位敘述 (Test Part Description)

No.1 : 黃銅色金屬片 (BRASS METAL SHEET)

測試方法(Test Method)

參考RSTS-EE-SVHC-007，以感應耦合電漿發射光譜儀、紫外光-可見光分光光度計、氣相層析儀/質譜儀、液相層析儀/質譜儀、氣相層析儀/火焰光度偵測器、液相層析儀/二極體陣列偵測器、液相層析串聯質譜儀分析。(With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/DAD, LC/MS/MS.)

測試結果 (Test Results) **單位 (Unit): %**

高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/06/25)

物質名稱 (Substance Name)	RL	濃度 (Concentration)	限值 (Limit)
		No.1	
所有高關注物質(SVHC)候選清單測試 (All tested SVHC in candidate list)	-	n.d.	0.1

Remark：

1. 高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/06/25)
   https://echa.europa.eu/web/guest/candidate-list-table
2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定，如果物質合乎第57條款之標準以及可依據第59(1)條之規定鑑別，且同時符合下列兩項狀況，任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報：

   (a) 成品中所含物質每年超過1公噸。
   (b) 依重量百分比計算，物質濃度超過0.1%。

   In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,

   if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商，其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%，應提供成品接受者充份可取得資訊，以確保成品的安全使用(至少包括物質的名稱)。

   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

4. 如果樣品中高關注物質的濃度超過0.1% (w/w)和/或歐盟(EC)No.1272/2008 CLP法規及其修訂中設定的特殊濃度限值，建議客戶根據歐盟REACH法規No.1907/2006對有關高關注物質準備安全資料表(SDS)以符合供應鏈通信的義務，如：
(I) 根據(EC)No.1272/2008 CLP法規被列為有害物質。
(II) 根據(EC)No.1272/2008 CLP法規被列為有害混合物，而當中物質的濃度大於或等於(EC)No.1272/2008 CLP法規列出的濃度限值;或
(III) 根據(EC)No.1272/2008 CLP法規並未列為有害混合物，但包含：
(a) 對人類健康或環境有害的物質，而在固體或液體混合物(即非氣體混合物)中其濃度≥1%(w/w)或在氣體混合物中占體積≥0.2%，或
(b) PBT或vPvB物質，在固體或液體混合物(即非氣體混合物)中個別濃度≥0.1%(w/w)，或
(c) 授權審議的高關注物質候選清單上的物質(除上述以外的原因)在個別非氣體混合物中的濃度≥0.1%(w/w)，或
(d) 設有歐洲範圍內工作場所接觸限值的物質。

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:
(I) a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
(II) mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
(III) a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
(a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
(b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
(c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
(d) a substance for which there are Europe-wide workplace exposure limits

5. 倘若SVHC超出報告極限值，建議客戶確認含有該SVHC的零件，並要求實驗室進一步的定量分析而取得SVHC的確切濃度。
If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. RL = Reporting Limit (報告極限值)
3. n.d. = Not Detected (未檢出)；小於RL (Less than RL)
4. "-" = Not Regulated (無規格值)
5. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1375
   (conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1375)
6. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來。(The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

7. ***: 該物質是由單辛基錫、二辛基錫、三丁基錫、二丁基錫、全氟辛酸或各別元素 (例如：砷、鉛、六價鉻、硼、鈷、鋇、鎘、硫)之測試結果計算得知。(The substance was calculated by the test results of Monooctyl Tin, Dioctyl Tin, Tributyl Tin, Dibutyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium, Sulfur respectively).)

表格 (Table) 1：測試結果如下(The test result is given as): **單位(Unit): %**

物質名稱 / 特定元素 (Substance Name / Specific Element(s))	RL	濃度 (Concentration)
		No.1
三丁基錫 (Tributyl Tin) (TBT)	0.0487	n.d.
砷 (Arsenic) (As) (※ E)	0.005	n.d.
六價鉻 (Hexavalent chromium) (Cr(VI))	0.005	n.d.
硼 (Boron) (B) (※ E)	0.005	n.d.
鈷 (Cobalt) (Co)	0.005	n.d.
二丁基錫 (Dibutyl Tin) (DBT)	0.027	n.d.
鋇 (Barium) (Ba)	0.005	n.d.
二辛基錫 (Dioctyl Tin) (DOT)	0.023	n.d.
單辛基錫 (Monooctyl Tin) (MOT)	0.0138	n.d.
鉛 (Lead) (Pb)	0.005	n.d.
鎘 (Cadmium) (Cd)	0.005	n.d.
硫 (Sulfur) (S) (※ E)	0.005	n.d.

8. F參數換算表&分類 (F Parameter Conversion Table & Classification): https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others
9. (※ P): 此化合物之濃度是取六價鉻及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。(Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
10. (※ C): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成，而導致沒有固定分子量，因此以單體鉻酸或重鉻酸較為重要並應被考慮。(Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.)
11. (※ H): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519)。(Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

12. (※ S): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
13. (※ T): 由於TGIC本身含有β-TGIC，依照ECHA 技術文件 β-TGIC與 TGIC 約為 1:10 比例，因此β-TGIC將以1/10 的TGIC計算濃度。(TGIC is a mixture and also contains β-TGIC. According to the ECHA's technical dossier the ratio of β-TGIC to TGIC is around 1 to 10. Therefore β-TGIC is issued based on the above-mentioned ratio.)
14. (※ B): 只有在矽與鉛定性結果為陽性時，再以鋇之濃度換算之。(Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.)
15. (※ R): RP-HP無法直接測得且無法自特定元素計算含量，RP-HP之所以被定義於SVHC是因為4-HPbl，因此分析4-HPbl取代RP-HP。(RP-HP can't be identified directly and test result can't be calculated based on specific element(s) or compound. RP-HP is identified as SVHC because of 4-HPbl, therefore 4-HPbl is analysed instead of RP-HP.)
16. (●) : 因為鉛有一很廣泛應用，不太可能判定是否檢驗出的鉛是來自鉛離子，鉛元素或鉛化合物，因此用檢驗出的總鉛來代表鉛。(Since lead has a wide application, it is unlikely to determine if the detected lead comes from the lead ion, lead element or/ and lead compounds. Therefore the detected total lead is used on behalf of lead.)
17. (※ U): 硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉鹽; 硼酸鈉; 硼酸鈉鹽 (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0)，依據其中最大分子量的硼酸鈉鹽 (CAS No.: 13840-56-7)進行計算，其F參數為11.8215。(Boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Orthoboric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0). The calculation is based on the largest molecular weight of Orthoboric acid, sodium salt (CAS No.: 13840-56-7). The F Parameter is 11.8215.)
18. (※ D): 此化合物之濃度是取硼及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and lead, lead and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
19. (※ G): 此化合物先定性初篩，當該化合物有訊號，再利用特定元素硫及磷計算化合物濃度。
(The compound is qualitatively screened first. When there is a signal of the compound, specific elements Sulfur and Phosphorus are used to calculate the concentration of compound.)
20. (※ I): 先對特定指標化合物進行初篩，再經評估後，如有特定訊號時，實驗室需加測總氟來計算化合物濃度。
(A specific index compound is qualitatively screened first. After the evaluation, and the specific signal is positive, the total Fluorine is used to calculate the concentration of SVHC compound.)
21. (※ A): 此化合物之濃度是取硼及鋇兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and Barium, Barium and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and Barium. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

22. (※ E): 被萃取出的溶出硼/砷/硫是以感應耦合電漿發射光譜儀檢測得之。(The extracted soluble Boron / Arsenic / Sulfur are detected by ICP-OES.)
23. (※ J): 活性棕 51為利用水萃取法進行初篩，若符合特定條件，再以溶出硫濃度進行換算。
    (Reactive brown 51 is qualitatively screened first by water extraction. After the evaluation, and there is a signal of the compound, the extracted soluble sulfur is used to calculate the concentration of SVHC compound.)
24. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
25. 本測試報告為加測ETR24703333及合併ETR24703333A01之報告。(This report is added testing by ETR24703333 and combined with ETR24703333A01.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

【附錄 (Appendix) 1】
高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/06/25) : **單位 (Unit): %**

No.	物質名稱 (Substance Name)	RL
1.	4,4' - 二氨基二苯甲烷 (4,4'- Diaminodiphenylmethane) (MDA) (CAS No.: 101-77-9)	0.05
2.	二甲苯麝香 (5-tert-butyl-2,4,6-trinitro-m-xylene) (Musk Xylene) (CAS No.: 81-15-2)	0.05
3.	短鏈氯化石蠟 (Alkanes, C10-13, chloro) (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	0.05
4.	蒽 (Anthracene) (CAS No.: 120-12-7)	0.05
5.	鄰苯二甲酸丁苯甲酯 (Benzyl butyl phthalate) (BBP) (CAS No.: 85-68-7)	0.05
6.	氧化雙三丁基錫 (Bis(tributyltin) oxide) (TBTO)*** (CAS No.: 56-35-9)	-
7.	五氧化二砷 (Diarsenic pentaoxide)*** (CAS No.: 1303-28-2)	-
8.	三氧化二砷 (Diarsenic trioxide)*** (CAS No.: 1327-53-3)	-
9.	鄰苯二甲酸二丁酯 (Dibutyl phthalate) (DBP) (CAS No.: 84-74-2)	0.05
10.	六溴環十二烷及所有主要被辨別出的異構物 (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	0.05
11.	砷酸氫鉛 (Lead hydrogen arsenate)*** (CAS No.: 7784-40-9) (※ S)	-
12.	重鉻酸鈉 (Sodium dichromate)*** (CAS No.: 10588-01-9, 7789-12-0) (*)	-
13.	三乙基砷酸酯 (Triethyl arsenate)*** (CAS No.: 15606-95-8)	-
14.	鄰苯二甲酸二 (2-乙基己基)酯 (Bis (2-ethylhexyl)phthalate) (DEHP) (CAS No.: 117-81-7)	0.05
15.	2,4-二硝基甲苯 (2,4-Dinitrotoluene) (CAS No.: 121-14-2)	0.05
16.	蒽油 (Anthracene oil) (CAS No.: 90640-80-5) (**)	0.05
17.	蒽油, 蒽糊 (Anthracene oil, anthracene paste) (CAS No.: 90640-81-6) (**)	0.05
18.	蒽油, 蒽糊, 蒽餾分 (Anthracene oil, anthracene paste, anthracene fraction) (CAS No.: 91995-15-2) (**)	0.05
19.	蒽油, 蒽糊, 輕油 (Anthracene oil, anthracene paste, distn. Lights) (CAS No.: 91995-17-4) (**)	0.05
20.	蒽油, 含蒽量少 (Anthracene oil, anthracene-low) (CAS No.: 90640-82-7) (**)	0.05
21.	鄰苯二甲酸二異丁酯 (Diisobutyl phthalate) (DIBP) (CAS No.: 84-69-5)	0.05
22.	鉻酸鉛 (Lead chromate)*** (CAS No.: 7758-97-6) (※ P)	-
23.	鉬鉻紅；顏色索引: 顏料紅104 (Lead chromate molybdate sulphate red (C.I. Pigment Red 104))*** (CAS No.: 12656-85-8) (※ P)	-
24.	鉻酸鉛；顏色索引: 顏料黃34 (Lead sulfochromate yellow (C.I. Pigment Yellow 34))*** (CAS No.: 1344-37-2) (※ P)	-
25.	煤瀝青, 高溫 (Pitch, coal tar, high-temp.) (CAS No.: 65996-93-2) (**)	0.05
26.	磷酸三(2-氯乙基)酯 (Tris(2-chloroethyl) phosphate) (TCEP) (CAS No.: 115-96-8)	0.05
27.	丙烯醯胺 (Acrylamide) (CAS No.: 79-06-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
28.	重鉻酸銨 (Ammonium dichromate)*** (CAS No.: 7789-09-5)	-
29.	硼酸 (Boric acid)*** (CAS No.: 10043-35-3, 11113-50-1)	-
30.	無水四硼酸二鈉 (Disodium tetraborate, anhydrous)*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	-
31.	鉻酸鉀 (Potassium chromate)*** (CAS No.: 7789-00-6)	-
32.	重鉻酸鉀 (Potassium dichromate)*** (CAS No.: 7778-50-9)	-
33.	鉻酸鈉 (Sodium chromate)*** (CAS No.: 7775-11-3)	-
34.	水合硼酸鈉 (Tetraboron disodium heptaoxide, hydrate) (CAS No.: 12267-73-1) (※ H)	-
35.	三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)	0.05
36.	乙二醇乙醚 (2-Ethoxyethanol) (CAS No.: 110-80-5)	0.05
37.	乙二醇甲醚 (2-Methoxyethanol) (CAS No.: 109-86-4)	0.05
38.	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 (Acids generated from chromium trioxide and their oligomers: Chromic acid)*** (CAS No.: 7738-94-5)	-
	從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 (Acids generated from chromium trioxide and their oligomers: Dichromic acid)*** (CAS No.: 13530-68-2)	-
	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 (Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid) (※ C)	-
39.	三氧化鉻 (Chromium trioxide)***(CAS No.: 1333-82-0)	-
40.	碳酸鈷(二價) (Cobalt(II) carbonate)*** (CAS No.: 513-79-1)	-
41.	醋酸鈷(二價) (Cobalt(II) diacetate)*** (CAS No.: 71-48-7)	-
42.	硝酸鈷(二價) (Cobalt(II) dinitrate)*** (CAS No.: 10141-05-6)	-
43.	硫酸鈷(二價) (Cobalt(II) sulphate)*** (CAS No.: 10124-43-3)	-
44.	1,2,3-三氯丙烷 (1,2,3-trichloropropane) (CAS No.: 96-18-4)	0.05
45.	鄰苯二甲酸二 (C6-8支鏈)烷基酯，富C7 (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (DIHP) (CAS No.: 71888-89-6)	0.05
46.	鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (DHNUP) (CAS No.: 68515-42-4)	0.05
47.	N-甲基吡咯烷酮 (1-Methyl-2-pyrrolidone) (NMP) (CAS No.: 872-50-4)	0.05
48.	乙二醇乙醚乙酸酯 (2-Ethoxyethyl acetate) (CAS No.: 111-15-9)	0.05
49.	聯氨 (Hydrazine) (CAS No.: 7803-57-8, 302-01-2)	0.05
50.	鉻酸鍶 (Strontium chromate)*** (CAS No.: 7789-06-2)	-
51.	二氯化鈷 (Cobalt dichloride) (CAS No.: 7646-79-9)	0.005
52.	1,2-二氯乙烷 (1,2-Dichloroethane) (CAS No.: 107-06-2)	0.05
53.	4,4'-亞甲雙 (2-氯苯胺) (2,2'-dichloro-4,4'-methylenedianiline) (CAS No.: 101-14-4)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
54.	鄰甲氧基苯胺 (2-Methoxyaniline, o-Anisidine) (CAS No.: 90-04-0)	0.05
55.	對特辛基苯酚 / 辛基酚 (4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 140-66-9)	0.05
56.	矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】)	0.05
57.	砷酸 (Arsenic acid)*** (CAS No.: 7778-39-4)	-
58.	双(2-甲氧基乙基)醚 (Bis(2-methoxyethyl) ether) (CAS No.: 111-96-6)	0.05
59.	鄰苯二甲酸二甲氧基乙酯 (Bis(2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	0.05
60.	砷酸鈣 (Calcium arsenate)*** (CAS No.: 7778-44-1)	-
61.	鉻酸鉻 (Dichromium tris(chromate))*** (CAS No.: 24613-89-6)	-
62.	甲醛與苯胺的寡聚體 (Formaldehyde, oligomeric reaction products with aniline (technical MDA)) (CAS No.: 25214-70-4)	0.05
63.	疊氮化鉛 (Lead diazide, Lead azide)*** (CAS No.: 13424-46-9)	-
64.	苦味酸鉛 (Lead dipicrate)*** (CAS No.: 6477-64-1)	-
65.	中性斯蒂酚酸鉛 (Lead styphnate)*** (CAS No.: 15245-44-0)	-
66.	N,N-二甲基乙醯胺 (N,N-dimethylacetamide) (DMAC) (CAS No.: 127-19-5)	0.05
67.	八氫氧化五鉻酸鋅 (Pentazinc chromate octahydroxide)*** (CAS No.: 49663-84-5)	-
68.	酚酞 (Phenolphthalein) (CAS No.: 77-09-8)	0.05
69.	氫氧化鉻酸鋅鉀 (Potassium hydroxyoctaoxodizincatedichromate)*** (CAS No.: 11103-86-9)	-
70.	砷酸鉛 (Trilead diarsenate)*** (CAS No.: 3687-31-8) (※ S)	-
71.	鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Zirconia Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】)	0.05
72.	鹼性藍 26 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 2580-56-5)	0.05
73.	鹼性紫 3 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 548-62-9)	0.05
74.	三甘醇二甲醚 (1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)) (CAS No.: 112-49-2)	0.05
75.	乙二醇二甲醚 (1, 2-dimethoxyethane; ethylene glycol dimethyl ether) (EGDME) (CAS No.: 110-71-4)	0.05
76.	異氰尿酸三縮水甘油酯 (1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione) (TGIC) (CAS No.: 2451-62-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
77.	異氰尿酸β-三縮水甘油酯 (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) (β-TGIC) (CAS No.: 59653-74-6) (※ T)	0.05
78.	α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [内含≥ 0.1% 的米氏酮或米氏鹼] (4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol) [with ≥ 0.1% of Michler's ketone or Michler's base] (CAS No.: 561-41-1)	0.05
79.	4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) (4,4'-bis(dimethylamino)benzophenone (Michler’ s ketone)) (CAS No.: 90-94-8)	0.05
80.	三氧化二硼 (Diboron trioxide)*** (CAS No.: 1303-86-2)	-
81.	甲醯胺 (Formamide) (CAS No.: 75-12-7)	0.05
82.	甲基磺酸鉛 (Lead(II) bis(methanesulfonate))*** (CAS No.: 17570-76-2)	-
83.	4,4'-(对二甲氨基)二苯基甲烷 (米氏鹼) (N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)) (CAS No.: 101-61-1)	0.05
84.	溶劑藍 4 [内含≥ 0.1% 的米氏酮或米氏鹼] (α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 6786-83-0)	0.05
85.	[1,2-苯二羧酸根合]二氧化三鉛 ([Phthalato(2-)]dioxotrilead)*** (CAS No.: 69011-06-9)	-
86.	支鏈和直鏈1,2-苯二羧二戊酯 (1,2-Benzenedicarboxylic acid, dipentylester, branched and linear) (CAS No.: 84777-06-0)	0.05
87.	乙二醇二乙醚 (1,2-Diethoxyethane) (CAS No.: 629-14-1)	0.05
88.	正丙基溴 (1-bromopropane (n-propyl bromide)) (CAS No.: 106-94-5)	0.05
89.	3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 (3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine) (CAS No.: 143860-04-2)	0.05
90.	4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基 [以及所有的被定義的物質，未知成分或可變成分的物質，聚合物和同系物] (4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues])	0.05
91.	4,4'-二氨基-3,3'-二甲基聯苯基甲烷 (4,4'-Methylenedi-o-toluidine) (CAS No.: 838-88-0)	0.05
92.	4,4'-二氨基二苯醚 (4,4'-Oxydianiline and its salts) (CAS No.: 101-80-4)	0.05
93.	4-苯基偶氮基苯胺 (4-Aminoazobenzene) (CAS No.: 60-09-3)	0.05
94.	2,4-二氨基甲苯 (2,4-Diaminotoluene) (CAS No.: 95-80-7)	0.05
95.	分支或線性的壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
96.	3-甲基-6-甲氧基苯胺 (6-methoxy-m-toluidine (p-cresidine)) (CAS No.: 120-71-8)	0.05
97.	堿式醋酸鉛 (Acetic acid, lead salt, basic)*** (CAS No.: 51404-69-4)	-
98.	4-氨基聯苯 (Biphenyl-4-ylamine) (CAS No.: 92-67-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
99.	十溴聯苯醚 (Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)) (CAS No.: 1163-19-5)	0.05
100.	六氫苯二甲酸酐 (Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	0.05
101.	偶氮[二]甲醯胺 (Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (CAS No.: 123-77-3)	0.05
102.	二氯二丁基錫 (Dibutyltin dichloride) (DBTC)*** (CAS No.: 683-18-1)	-
103.	硫酸二乙酯 (Diethyl sulphate) (CAS No.: 64-67-5)	0.05
104.	鄰苯二甲酸二異戊酯 (Diisopentyl phthalate) (CAS No.: 605-50-5)	0.05
105.	硫酸二甲酯 (Dimethyl sulphate) (CAS No.: 77-78-1)	0.05
106.	2-(1-甲基丙基)-4,6-二硝基苯酚 (Dinoseb (6-sec-butyl-2,4-dinitrophenol)) (CAS No.: 88-85-7)	0.05
107.	雙(十八酸基)二氧代三鉛 (Dioxobis(stearato)trilead)*** (CAS No.: 12578-12-0)	-
108.	C16-18-脂肪酸鉛鹽 (Fatty acids, C16-18, lead salts)*** (CAS No.: 91031-62-8)	-
109.	呋喃 (Furan) (CAS No.: 110-00-9)	0.05
110.	全氟十一酸 (Henicosafluoroundecanoic acid) (CAS No.: 2058-94-8)	0.05
111.	全氟十四酸 (Heptacosafluorotetradecanoic acid) (CAS No.: 376-06-7)	0.05
112.	甲基六氫苯酐 (Hexahydromethylphthalic anhydride) (CAS No.: 25550-51-0) 4-甲基六氫苯酐 (Hexahydro-4-methylphthalic anhydride) (CAS No.: 19438-60-9) 3-甲基六氫苯酐 (Hexahydro-3-methylphthalic anhydride) (CAS No.: 57110-29-9) 1-甲基六氫苯酐 (Hexahydro-1-methylphthalic anhydride) (CAS No.: 48122-14-1)	0.05
113.	四氟硼酸鉛 (II) (Lead bis(tetrafluoroborate))*** (CAS No.: 13814-96-5) (※ D)	-
114.	氨基氰鉛鹽 (Lead cyanamidate)*** (CAS No.: 20837-86-9)	-
115.	硝酸鉛 (Lead dinitrate)*** (CAS No.: 10099-74-8)	-
116.	氧化鉛 (Lead monoxide) (lead oxide)*** (CAS No.: 1317-36-8)	-
117.	堿式硫酸鉛 (Lead oxide sulfate)*** (CAS No.: 12036-76-9)	-
118.	鈦酸鉛 (Lead titanium trioxide)*** (CAS No.: 12060-00-3)	-
119.	鈦酸鉛鋯 (Lead Titanium Zirconium Oxide)*** (CAS No.: 12626-81-2)	-
120.	甲氧基乙酸 (Methoxyacetic acid) (CAS No.: 625-45-6)	0.05
121.	環氧丙烷 (Methyloxirane (Propylene oxide)) (CAS No.: 75-56-9)	0.05
122.	N,N-二甲基甲醯胺 (N,N-dimethylformamide; dimethyl formamide) (CAS No.: 68-12-2)	0.05
123.	N-甲基乙醯胺 (N-methylacetamide) (CAS No.: 79-16-3)	0.05
124.	鄰苯二甲酸正戊異戊酯 (n-pentyl-isopentylphthalate) (CAS No.: 776297-69-9)	0.05
125.	鄰氨基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
126.	四氧化鉛 (Orange lead (lead tetroxide))*** (CAS No.: 1314-41-6)	-
127.	鄰甲苯胺 (o-Toluidine) (CAS No.: 95-53-4)	0.05
128.	全氟十三酸 (Pentacosafluorotridecanoic acid) (CAS No.: 72629-94-8)	0.05
129.	氧化鉛與硫酸鉛的複合物 (Pentalead tetraoxide sulphate)*** (CAS No.: 12065-90-6)	-
130.	C.I.顏料黃41 (Pyrochlore, antimony lead yellow)*** (CAS No.: 8012-00-8)	-
131.	含鉛的矽酸鋇 (Silicic acid (H2Si2O5), barium salt (1:1), lead-doped) (※ B) (CAS No.: 68784-75-8)	0.05
132.	矽酸鉛 (Silicic acid, lead salt)*** (CAS No.: 11120-22-2)	-
133.	亞硫酸鉛(II) (Sulfurous acid, lead salt, dibasic)*** (CAS No.: 62229-08-7)	-
134.	四乙基鉛 (Tetraethyllead)*** (CAS No.: 78-00-2)	-
135.	三鹼式硫酸鉛/ C.I. 顏料白 (Tetralead trioxide sulphate)*** (CAS No.: 12202-17-4)	-
136.	全氟十二酸 (Tricosafluorododecanoic acid) (CAS No.: 307-55-1)	0.05
137.	堿式碳酸鉛 (Trilead bis(carbonate) dihydroxide (basic lead carbonate))*** (CAS No.: 1319-46-6)	-
138.	磷酸氧化鉛 (Trilead dioxide phosphonate)*** (CAS No.: 12141-20-7)	-
139.	分支或線性的乙氧化壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof])	0.05
140.	全氟辛酸銨 (Ammonium pentadecafluorooctanoate) (APFO)*** (CAS No.: 3825-26-1)	-
141.	鎘 (Cadmium) (Cd) (CAS No.: 7440-43-9)	0.005
142.	氧化鎘 (Cadmium oxide)*** (CAS No.: 1306-19-0)	-
143.	鄰苯二甲酸二戊酯 (Dipentyl phthalate) (DPP) (CAS No.: 131-18-0)	0.05
144.	全氟辛酸 (Pentadecafluorooctanoic acid) (PFOA) (CAS No.: 335-67-1)	0.05
145.	硫化鎘 (Cadmium sulphide)*** (CAS No.: 1306-23-6)	-
146.	鄰苯二甲酸二正己酯 (Di-n-hexyl phthalate) (DNHP) (CAS No.: 84-75-3)	0.05
147.	直接紅28 (Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)) (CAS No.: 573-58-0)	0.05
148.	直接黑38 (Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)) (CAS No.: 1937-37-7)	0.05
149.	亞乙基硫脲 (Imidazolidine-2-thione (2-imidazoline-2-thiol)) (CAS No.: 96-45-7)	0.05
150.	醋酸鉛 (Lead di(acetate))*** (CAS No.: 301-04-2)	-
151.	磷酸三(二甲苯)酯 (Trixylyl phosphate) (CAS No.: 25155-23-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
152.	鄰苯二甲酸二己酯(支鏈和直鏈) (1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear) (CAS No.: 68515-50-4)	0.05
153.	氯化鎘 (Cadmium chloride)*** (CAS No.: 10108-64-2)	-
154.	過硼酸鈉 (Sodium perborate; perboric acid, sodium salt)***	-
155.	過氧偏硼酸鈉 (Sodium peroxometaborate)*** (CAS No.: 7632-04-4)	-
156.	2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) (2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol) (UV-328) (CAS No.: 25973-55-1)	0.05
157.	2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) (2-benzotriazol-2-yl-4,6-di-tert-butylphenol) (UV-320) (CAS No.: 3846-71-7)	0.05
158.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫 (2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE))*** (CAS No.: 15571-58-1)	-
159.	氟化鎘 (Cadmium fluoride)*** (CAS No.: 7790-79-6)	-
160.	硫酸鎘 (Cadmium sulphate)*** (CAS No.: 10124-36-4, 31119-53-6)	-
161.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫和單辛基-三(2-乙基己基巰基乙酸酯)錫的反應物 (Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE))***	-
162.	鄰苯二甲酸二(C6-10)烷基酯; 鄰苯二甲酸二己、二辛、二癸酯混合物;鄰苯二甲酸二己酯 ≧ 0.3% (1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≧ 0.3% of dihexyl phthalate) (CAS No.: 68515-51-5, 68648-93-1)	0.05
163.	5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[1],5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[2],[任何[1]和[2]或者其任意組合的單獨異構物或其任何組合] (5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof])	0.05
164.	1,3-丙烷磺內酯 (1,3-propanesultone) (CAS No.: 1120-71-4)	0.05
165.	2,4-二-叔丁基-6-(5-氯-2H-苯并三唑-2-基)苯酚(紫外線吸收劑327) (2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol) (UV-327) (CAS No.: 3864-99-1)	0.05
166.	2-(3-仲-丁基-5-叔丁基-2-羟苯基)苯并三唑(紫外線吸收劑 UV-350) (2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol) (UV-350) (CAS No.: 36437-37-3)	0.05
167.	硝基苯 (Nitrobenzene) (CAS No.: 98-95-3)	0.05
168.	全氟壬酸 (Perfluorononan-1-oic-acid and its sodium and ammonium salts) (CAS No.: 375-95-1, 21049-39-8, 4149-60-4)	0.05
169.	苯并(a)芘 (Benzo[def]chrysene (Benzo[a]pyrene)) (CAS No.: 50-32-8)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
170.	雙酚A (4,4'-isopropylidenediphenol) (Bisphenol A) (CAS No.: 80-05-7)	0.05
171.	4-庚基苯酚，支鍊及直鍊 (4-HPbl)，包括含有7個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支7個碳烷基鏈的UVCB物質 (4-Heptylphenol, branched and linear (4-HPbl) [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
172.	十九氟癸酸及其鈉和銨鹽 (Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts) (CAS No.: 3108-42-7, 335-76-2, 3830-45-3)	0.05
173.	對(1,1-二甲基丙基)苯酚 (p-(1,1-dimethylpropyl)phenol) (CAS No.: 80-46-6)	0.05
174.	全氟己基磺酸及其鹽類 (Perfluorohexane-1-sulphonic acid and its salts) (PFHxS) (CAS No.: 355-46-4)	0.05
175.	德克隆(涵蓋各個反式及順式同分易構物或者相關組合) (1,6,7,8,9,14,15,16,17, 17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof])	0.05
176.	苯並[a]蒽 (Benz[a]anthracene) (CAS No.: 56-55-3)	0.05
177.	硝酸鎘 (Cadmium nitrate)*** (CAS No.: 10325-94-7)	-
178.	碳酸鎘 (Cadmium carbonate)*** (CAS No.: 513-78-0)	-
179.	氫氧化鎘 (Cadmium hydroxide)*** (CAS No.: 21041-95-2)	-
180.	苯並[a]菲 (Chrysene) (CAS No.: 218-01-9)	0.05
181.	1,3,4-噻唑烷-2,5-二硫酮，甲醛及4-庚基苯酚支鏈及直鏈反應物, (RP-HP) [含≥0.1% w/w 支鏈及直鏈4-庚基苯酚] (Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]) (※ R)	-
182.	鄰苯二甲酸二環己酯 (Dicyclohexyl phthalate) (DCHP) (CAS No.: 84-61-7)	0.05
183.	1,2,4-苯三甲酸酐 (Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride; TMA)) (CAS No.: 552-30-7)	0.05
184.	苯並(G,H,I)苝 (Benzo[ghi]perylene) (CAS No.: 191-24-2)	0.05
185.	八甲基環四矽氧烷 (Octamethylcyclotetrasiloxane) (D4) (CAS No.: 556-67-2)	0.05
186.	十甲基環五矽氧烷 (Decamethylcyclopentasiloxane) (D5) (CAS No.: 541-02-6)	0.05
187.	十二甲基環六矽氧烷 (Dodecamethylcyclohexasiloxane) (D6) (CAS No.: 540-97-6)	0.05
188.	氧化硼鈉 (Disodium octaborate)*** (CAS No.: 12008-41-2)	-
189.	乙二胺 (Ethylenediamine) (CAS No.: 107-15-3)	0.05
190.	鉛 (Lead) (Pb) (CAS No.: 7439-92-1) (●)	0.005
191.	氫化三聯苯 (Terphenyl, hydrogenated) (CAS No.: 61788-32-7)	0.05
192.	2,2-雙(4-羥基苯基)-4-甲基戊烷 (2,2-bis(4'-hydroxyphenyl)-4-methylpentane) (CAS No.: 6807-17-6)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
193.	苯駢(k)螢蒽 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	0.05
194.	苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)	0.05
195.	菲 (Phenanthrene) (CAS No.: 85-01-8)	0.05
196.	芘 (Pyrene) (CAS No.: 129-00-0)	0.05
197.	1,7,7-三甲基-3-(苯亞甲基)雙環[2,2,1]庚-2-酮 (1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)) (CAS No.: 15087-24-8)	0.05
198.	2,3,3,3-四氟-2-(七氟丙氧基)丙酸，鹽類，及其醯鹵(涵蓋他們其個別和組合之同分異構物) (2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof))	0.05
199.	2-甲烷氧基乙基乙酯 (2-methoxyethyl acetate) (CAS No.: 110-49-6)	0.05
200.	4-叔丁基苯酚 (4-tert-butylphenol) (CAS No.: 98-54-4)	0.05
201.	三(4-壬苯基,支鏈及直鏈)亞磷酸酯 (Tris(4-nonylphenyl, branched and linear) phosphite (TNPP))	0.05
202.	二異己基鄰苯二甲酸酯 (Diisohexyl phthalate) (CAS No.: 71850-09-4)	0.05
203.	2-苄基-2-二甲基氨基-1-(4-嗎啉苯基)丁酮 (2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone) (CAS No.: 119313-12-1)	0.05
204.	2-甲基-1-(4-甲硫基苯基)-2-嗎啡基-1-丙酮 (2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one) (CAS No.: 71868-10-5)	0.05
205.	全氟丁磺酸及其相關鹽類 (Perfluorobutane sulfonic acid (PFBS) and its salts)	0.05
206.	1-乙烯基咪唑 (1-vinylimidazole) (CAS No.: 1072-63-5)	0.05
207.	2-甲基咪唑 (2-methylimidazole) (CAS No.: 693-98-1)	0.05
208.	4-羥基苯甲酸丁酯 (Butyl 4-hydroxybenzoate) (CAS No.: 94-26-8)	0.05
209.	二正丁基雙(乙醯丙酮基)錫 (Dibutylbis(pentane-2,4-dionato-O,O')tin)*** (CAS No.: 22673-19-4)	-
210.	雙(2-(2-甲氧基乙氧基)乙基)醚 (Bis(2-(2-methoxyethoxy)ethyl) ether) (CAS No.: 143-24-8)	0.05
211.	二月桂酸二辛基錫，錫烷，二辛基-，雙(椰油醯氧基)衍生物，以及任何其他錫烷，二辛基-，雙(脂肪醯氧基)衍生物。其中C12為脂肪醯氧基部分的主要碳原子數 (Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety)***	-
212.	1,4-二氧陸圜 (1,4-dioxane) (CAS No.: 123-91-1)	0.05
213.	2,2-雙(溴甲基)-1,3-丙二醇 (2,2-bis(bromomethyl)propane1,3-diol) (BMP) (CAS No.: 3296-90-0)	0.05
	3-溴-2,2-雙(溴甲基)-1-丙醇 (2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol) (TBNPA) (CAS No.: 36483-57-5, 1522-92-5)	0.05
	2,3-二溴-1-丙醇 (2,3-dibromo-1-propanol) (2,3-DBPA) (CAS No.: 96-13-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
214.	2-(4-叔丁基苄基)丙醛及其個別立體異構物 ((2R)-3-(4-叔丁基苯基)-2-甲基丙醛; 2-(4-叔丁基苄基)丙醛; (2S)-3-(4-叔丁基苯基)-2-甲基丙醛) (2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers ((2R)-3-(4-tert-butylphenyl)-2-methylpropanal; 2-(4-tert-butylbenzyl)propionaldehyde; (2S)-3-(4-tert-butylphenyl)-2-methylpropanal)) (CAS No.: 75166-31-3; 80-54-6; 75166-30-2)	0.05
215.	雙酚B (4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)) (CAS No.: 77-40-7)	0.05
216.	戊二醛 (Glutaral) (CAS No.: 111-30-8)	0.05
217.	中鏈氯化石蠟 (C14-16); 中鏈氯化石蠟 (C14-17); 二、三及四氯十四烷; 十四烷氯衍生物 (Alkanes, C14-16, chloro; Alkanes, C14-17, chloro; di-, tri- and tetrachlorotetradecane; Tetradecane, chloro derivs.) (CAS No.: 1372804-76-6; 85535-85-9; 198840-65-2)	0.05
218.	硼酸鈉鹽 (Orthoboric acid, sodium salt)*** (CAS No.: 13840-56-7)，硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉; 硼酸鈉鹽 (1:1) (boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1)) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 14890-53-0) (※ U)	-
219.	經由低聚合反應烷基化的苯酚產物(主要在對位位置)帶有12個碳的支鏈或直鏈，並涵蓋各種同分異構物及/或其各種組合 (支鏈 4-十二烷基苯酚; 4-異十二烷基苯酚; 4-異十二烷基苯酚; 支鏈十二烷基苯酚; 四丙烯基苯酚衍生物; 四丙烯苯酚) (Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (Phenol, 4-dodecyl, branched; 4-isododecylphenol; Phenol, 4-isododecyl-; Phenol, dodecyl-, branched; Phenol, (tetrapropenyl) derivatives; Phenol, tetrapropylene-)) (CAS No.: 210555-94-5; 27459-10-5; 27147-75-7; 121158-58-5; 74499-35-7; 57427-55-1)	0.05
220.	(±)-1,7,7-三甲基-3-[(4-甲基苯基)亞甲基]二環[2.2.1]庚烷-2-酮，包括各個異構體和/或其組合 ((±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof) (4-MBC)	0.05
221.	6,6'雙二叔丁基-2,2'-亞甲基雙對甲酚 (6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol) (DBMC) (CAS No.: 119-47-1)	0.05
222.	硫-(三環[5.2.1.0'2,6]癸-3-烯-8(或9)-基) 氧-(異丙基或異丁基或2-乙基己基) 氧-(異丙基或異丁基或2-乙基己基)二硫代磷酸酯 (S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate) (CAS No.: 255881-94-8) (※ G)	0.05
223.	三(2-甲氧基乙氧基)乙烯基矽烷 (Tris(2-methoxyethoxy)vinylsilane) (CAS No.: 1067-53-4)	0.05
224.	N-羥甲基丙烯醯胺 (N-(hydroxymethyl)acrylamide) (CAS No.: 924-42-5)	0.05
225.	1,2-雙(2,4,6-三溴苯氧基)乙烷 (1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]) (CAS No.: 37853-59-1)	0.05
226.	四溴雙酚A (2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol) (CAS No.: 79-94-7)	0.05
227.	雙酚S (4,4'-sulphonyldiphenol) (CAS No.: 80-09-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

No.	物質名稱 (Substance Name)	RL
228.	偏硼酸鋇 (Barium diboron tetraoxide)*** (CAS No.: 13701-59-2) (※ A)	-
229.	雙(2-乙基己基)四溴鄰苯二甲酸酯，覆蓋任何單個異構體和/或其組合 (Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof)	0.05
230.	4-羥基苯甲酸 2-甲基丙酯 (Isobutyl 4-hydroxybenzoate) (CAS No.: 4247-02-3)	0.05
231.	三聚氰胺 (Melamine) (CAS No.: 108-78-1)	0.05
232.	全氟庚酸及其鹽類 (Perfluoroheptanoic acid and its salts)	0.05
233.	2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)嗎啉和2,2,3,3,5,5,5,6,6-八氟烷-4-(七氟丙基)嗎啉的反應物料 (reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine) (※ I)	0.05
234.	4,4'-二氯二苯基碸 (Bis(4-chlorophenyl) sulphone) (CAS No.: 80-07-9)	0.05
235.	(2,4,6-三甲基苯甲醯基)二苯基氧化磷 (Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) (CAS No.: 75980-60-8)	0.05
236.	2,4,6-三叔丁基苯酚 (2,4,6-tri-tert-butylphenol) (CAS No.: 732-26-3)	0.05
237.	2-(2H-苯並三唑-2-基)-4-(1,1,3,3-四甲基丁基)苯酚 (紫外線吸收劑329) (2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 3147-75-9)	0.05
238.	2-二甲氨基-2-(4-甲基)苄基-1-[4-(4-嗎啉基)苯基]-1-丁酮 (2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one) (CAS No.: 119344-86-4)	0.05
239.	2-(5-氯-2-苯三唑基)-6-叔丁基-4-甲基苯酚 (紫外線吸收劑326) (Bumetrizole) (CAS No.: 3896-11-5)	0.05
240.	2-苯基丙烯與苯酚的低聚合烷基化反應物 (Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol)	0.05
241.	過氧化二異丙苯 (Bis(α,α-dimethylbenzyl) peroxide) (CAS No.: 80-43-3)	0.05
242.	磷酸三苯酯 (Triphenyl phosphate) (CAS No.: 115-86-6)	0.05
243.	6-[(C10-C13)-烷基-(支鏈，不飽和)-2,5-二氧代吡咯烷-1-基]己酸 (6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid) (CAS No.: 2156592-54-8)	0.05
244.	硫代磷酸(O,O,O-三苯基)酯 (O,O,O-triphenyl phosphorothioate) (CAS No.: 597-82-0)	0.05
245.	八甲基三矽氧烷 (Octamethyltrisiloxane) (CAS No.: 107-51-7)	0.05
246.	全氟三丙胺 (Perfluamine) (CAS No.: 338-83-0)	0.05
247.	三苯基硫代磷酸與叔丁基苯衍生物的反應物 (Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives) (CAS No.: 192268-65-8)	0.05
248.	甲基三(三甲基矽烷氧基)矽烷 (1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane) (CAS No.: 17928-28-8)	0.05
249.	十甲基四矽氧烷 (Decamethyltetrasiloxane) (CAS No.: 141-62-8)	0.05
250.	活性棕51 (Reactive Brown 51)*** (※ J)	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

SVHC 分析流程圖 (Analytical flow chart of SVHC)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

名佳利金屬工業股份有限公司 (MINCHALI METAL INDUSTRY CO., LTD.)
桃園市中壢區北園路11號 (NO.11, BEIYUAN RD., CHUNG-LI DIST., TAOYUAN CITY, TAIWAN, R.O.C.)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24703333



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

深圳长园电子材料有限公司

Shenzhen Changyuan Electronic Material Co., Ltd.

承 认 书

CERTIFICATION

客户名称： **Customer Name:**			
产品名称：无卤环保热收缩套管 **Products Name: Halogen Free Heat Shrinkable Tube**			
产品规格： Φ0.7-Φ60.0 **Products Size: Φ0.7-Φ60.0**			
产品型号： 无卤环保型(125℃ UL CUL) **Products Type: CB-HFT Type (125℃ UL CUL)**			
客 户 签 名 **CUSTOMER**		长 园 电 子 签 名 **CHANGYUAN**	
核 准 **Approved by**	接 收 **Received by**	核 准 **Approved by**	主 办 **Charged by**
日 期 **Date**	日 期 **Date**	日 期 **Date**	日 期 **Date**

地址：广东省深圳市南山区科技工业园科技路30-4栋

Add: Bld # 30-4, Shenzhen Science & Technology Industry Park, Nanshan, Shenzhen, China.

电话：(0755)26553696 传真：(0755)26630674，26632551

Tel: (0755)26553696 Fax: (0755)26630674，26632551

一．特性参数 Specifications

项　　目 Item		无卤环保型(HFT) Non-flammability
收缩温度（℃） Shrink Temperature		90
连续使用温度（℃） Temperature Range		-55-125
径向收缩率（%） Radial Shrinking Ratio		≥50
轴向收缩率（%） Longitudinal Shrinking Ratio		≤±5
抗张强度（MPa） Tensile Strength		≥10.4
断裂伸长率（%） Elongation Ratio		≥200
空气烘箱老化 Aging in circulating-air oven		（158±1.0）℃，7 天 （158±1.0）℃,7days
老化后 After aging	抗张强度（MPa） Tensile Strength	≥7.3
	断裂伸长率（%） Elongation Ratio	≥100
耐电压等级（V） Dielectric Voltage Withstand		600
体积电阻率（Ω·cm） Volume　Resistivity		10^{14}
击穿强度（kV/mm） Dielectric　Strength		≥15
裸铜腐蚀性 Corrosion of Bare Copper		无腐蚀 No corrosion
热冲击 Heat　Shock		无裂纹 No cracking
冷弯曲 Cold　Bend		无裂纹 No cracking
燃烧性 Flammability		VW—1
同心率（%） Concentricity		≥65

二.无卤环保型热缩管成品尺寸规格(HFT Heat-shrinkable Tube Standard Sizes)。

规 格 Size	收缩前尺寸(mm) As Supplied		完全收缩后尺寸(mm) After Recovery		包装长度（米/盘）Packing Length (Meter/Roll)
	内 径(D) Inside diameter	壁厚(T) Wall-thickness	内 径(d) Inside diameter	壁厚(t) Wall-thickness	
Φ0.6	0.8±0.2	0.10±0.05	≤0.4	0.25±0.05	200
Φ0.8	1.3±0.2	0.15±0.05	≤0.45	0.28±0.05	200
Φ1.0	1.5±0.2	0.18±0.05	≤0.6	0.30±0.05	200
Φ1.5	2.0±0.2	0.18±0.05	≤0.8	0.32±0.05	200
Φ2.0	2.5±0.2	0.18±0.05	≤1.00	0.35±0.05	200
Φ2.5	3.0±0.2	0.20±0.05	≤1.25	0.38±0.05	200
Φ3.0	3.5±0.3	0.20±0.05	≤1.5	0.38±0.05	200
Φ3.5	4.0±0.3	0.20±0.05	≤1.75	0.38±0.05	200
Φ4.0	4.5±0.3	0.23±0.05	≤2.0	0.45±0.05	200
Φ4.5	5.0±0.3	0.23±0.05	≤2.25	0.45±0.05	100
Φ5.0	5.5±0.3	0.23±0.05	≤2.5	0.45±0.05	100
Φ6.0	6.5±0.4	0.25±0.05	≤3.0	0.50±0.05	100
Φ6.5	7.0±0.4	0.25±0.05	≤3.0	0.52±0.05	100
Φ7.0	7.5±0.4	0.30±0.08	≤3.5	0.60±0.08	100
Φ8.0	8.5±0.5	0.30±0.08	≤4.0	0.60±0.08	100
Φ9.0	9.5±0.5	0.30±0.08	≤4.5	0.60±0.08	100
Φ10	10.5±0.5	0.30±0.08	≤5.0	0.60±0.08	100
Φ11	11.5±0.5	0.30±0.08	≤5.5	0.60±0.08	100
Φ12	12.5±0.5	0.30±0.08	≤6.0	0.60±0.08	100
Φ13	13.5±0.5	0.36±0.12	≤6.5	0.65±0.12	100
Φ14	14.5±0.5	0.36±0.12	≤7.0	0.65±0.12	100
Φ15	15.5±0.5	0.36±0.12	≤7.5	0.65±0.12	100
Φ16	16.5±0.5	0.36±0.12	≤8.0	0.70±0.12	100
Φ17	17.5±0.5	0.36±0.12	≤8.5	0.70±0.12	100
Φ18	18.7±0.5	0.40±0.15	≤9.0	0.75±0.12	100
Φ20	20.6±0.8	0.40±0.15	≤10.0	0.80±0.15	100
Φ22	22.7±0.8	0.40±0.15	≤11.0	0.80±0.15	50
Φ25	25.5±0.8	0.45±0.15	≤12.5	0.90±0.15	50
Φ28	29.2±0.8	0.45±0.15	≤14.0	0.90±0.15	50
Φ30	31.0±0.8	0.45±0.15	≤15.0	0.90±0.15	50
Φ35	≥35	0.50±0.15	≤19.0	1.00±0.30	50
Φ40	≥40	0.50±0.15	≤21.0	1.00±0.30	50
Φ50	≥50	0.50±0.15	≤27.0	1.00±0.30	50
Φ55	≥55	0.50±0.15	≤28.0	1.00±0.30	50
Φ60	≥60	0.50±0.15	≤31.0	1.00±0.30	50

备注：1. “$\Phi 3.5^{T}$”产品为特殊加工产品(“$\Phi 3.5^{T}$”-Products with special dimensions)；
2.可接受特殊规格产品订单（Other sizes are available upon special order）。

三. 无卤环保型热缩套管工程图(Engineering Picture of CHANGBAO HFT Heat-shrinkable Tube)



备注(Remark)：

1. 无卤环保型产品印字内容(Printing Contents of HFT type tube)：
   E180908 & C 125℃ VW-1 CB-HFT TUBE (Φsize)

单位(Unit)： 毫米(mm)	日期(Date)： 5/12/2005	名称(Name)： CB-HFT 型热收缩套管	图号(No.)： CY/CB-HFT
深圳长园电子材料有限公司 Shenzhen Changyuan Electronic Material Co., Ltd.	绘制(Drawed by):	审核(checked by):	批准(Approved by):

材 质 证 明

我司长葆无卤环保型 **CB-HFT** 套管是一种阻燃型的热收缩套管，组成材料为聚烯烃材料附加适量助剂，具体组成如下，产品铅、镉、汞、六价铬、**PBB**、**PBDE** 等环境管理物质含量符合 **SONY** 及欧盟 **ROHS** 法令环保要求。

原料名称			使用目的	含量	供应商	CAS No.
中文	ENGLISH	分子式				
乙烯醋酸乙烯酯	EVA	（CH_2-CH_2） m-(CH_2-CH-$COOCH_3$)n	主剂	50%	台塑	24937-78-7
氢氧化镁	ATH	$Mg(OH)_2$	阻燃剂	40%	益阳华日	1309-42-8
磷系阻燃剂	MP	$P_mN_nH_xO_y$	阻燃剂	5%	宏泰基	7723-14-0
四季戊四醇酯	Anti-oxide	$C_{73}H_{108}O_{12}$	抗氧剂	1%	商琪	
色母	pigment	色粉+EVA+填充剂	着色剂	4%	富润/毅兴	

深圳长园电子材料有限公司

2005 年 **12** 月 **5** 日

YDPU8.E180908
Tubing, Extruded Insulating Certified for Canada - Component

Tubing, Extruded Insulating Certified for Canada - Component

SHENZHEN CHANGYUAN ELECTRONIC MATERIAL CO LTD

BLDG 30-4

SHENZHEN SCIENCE & INDUSTRY PARK

SHENZHEN, NAN SHAN

GUANGDONG 518057, CHINA

E180908

Cat. No.+	Max V	Max Oper Temp	Shrinkdown Class	Col Recognized	Max Temp Rated Oil Resistance	VW-1 Rated #
Polyolefin heat shrinkable tubing.						
Changbao 102	600	125	II	All	—	Yes
Flexible polyolefin heat shrinkable tubing.						
CB-HFT	600	125	I	Black	—	Yes

Cat. No.	Max V	Max Temp C	Col Recognized	Max Temp Rated Oil Resistance *,°C	VW-1 Rated #
Teflon (PTFE) non-heat-shrinkable tubing.					
CB-TT	600	200	Natural	—	Yes

Cat. No.	Max V	Max Oper Temp	Col Recognized	Max Temp Rated Oil Resistance * C	VW-1 Rated #
Polyvinyl chloride (PVC) not-heat-shrinkable tubing.					
CB-300	300	105	Black, only	—	Yes

CB-600	600	105	Black, only	—	Yes

*Tubing is considered to comply with the optional oil resistant requirements only if it is so marked.

#Tubing is considered to comply with the optional VW-1 flammability requirements only if it is so marked.

Marking: Company name, catalog number and temperature rating in degrees C appears on tubing, tags attached to both ends of the tubing or on the shipping spool label or smallest unit container and the Recognized Component Mark for Canada  .

Page Top Notice of Disclaimer Questions?

UL Listed and Classified Products UL Recognized Components Products Certified for Canada

This page and all contents are Copyright © 2004 by Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained on UL's Website subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2004 Underwriters Laboratories Inc.®"

Test Report

No.: CANEC26011431501 **Date:** May 12, 2026

Client Name: CHANGYUAN ELECTRONICS GROUP CO.,LTD/CHANGYUAN ELECTRONICS（DONGGUAN）CO., LTD/SHANGHAI CHANGYUAN ELECTRONIC MATERIAL CO.,LTD

Client Address: BID#30-4 SCIENCE& TECHNOLOGY INDUSTRY PARK, NANSHAN DISTRICT, SHENZHEN CITY, GUANGDONG PROVINCE CHINA/BAOPI INDUSTRIAL DISTRICT, FUMIN INDUSTRIAL PARK 2#, DALANG TOWN , DONGGUAN,CHINA/1690 JAHAO ROAD,NANXIANG TOWN,JIADING DISTRICT,SHANGHAI,CHINA

Sample Name: HEAT SHRINKABLE TUBE(BLACK)

Model No.: CB-HFT

The above sample(s) and information were provided by the client.

SGS Job No.: SZP26-022486

Sample Receiving Date: May 08, 2026

Testing Period: May 08, 2026 ~ May 12, 2026

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Kelly Qu
Approved Signatory

Scan to see the report

6F345B3B

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663
t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	CAN26-0114315-0001.C001	Black plastic tube

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Test Item(s)	Limit	Unit(s)	MDL	A1
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

检验检测专用章 Inspection & Testing Services

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86–20) 82155555 www.sgsgroup.com.cn

中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Elements Testing Flow Chart

These samples of Pb/Cd/Hg were dissolved totally by pre-conditioning method according to below flow chart.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Services Co., Ltd. Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

ATTACHMENTS

PBB(s)/PBDE(s) Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Technical Service Chemical Laboratory.
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Sample Photo:



CAN26-0114315-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch Testing Center
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com