RD-ECR (Engineering Change Request)

申請人: 機構課/李美嬿 Killy_Lee　　表單號: 107　申請日期: 2026-09-09

Proposed Change	☑ Design modification 設計修改 ☑ Second source change 替代料變更 ☐ Material change 材料變更 ☐ Manufacturer change 製造商變更 ☐ Process sequency change 工序變更 ☐ Factory change 工廠變更 ☐ Equipment/Tooling change 設備/模具變更 ☑ Process/Method/Condition change 加工流程/方法 /條件變更 ☐ Others 其他			EC No	EC26090701
-	N/A			Initiator	李美嬿 Killy_Lee(D0707)
Reason for Change	外箱貼紙合併(EC和溫控貼紙)			Issue Date	2026-09-09
Model / Part No	1A2A17118104203_23626 ,1A2A17118104200_CAI #19864			Requester Dept	DV11S001-行銷業務部
Implementation Type	◉ 1. Immediately Change 立即切換 ○ 2. Running Change 自然切換 ○ 3. Other 其他			-	N/A
PM	葉文琴 Sharon_Yeh(D0716)	Sales	劉証瑋 Dennis_Liu(D0683)	File attached 附件上傳	23626 Carton label_3MDL... CAI #19864 Carton label_3... RE_ 19864_23626 外箱貼紙... 設計變更審查會議記錄-G版...
Customer Approval	○ Needed ◉ Not needed	Customer Name	N/A	Customer Sign-off Area 客戶簽核	
Invalid	◉ No ○ Yes	-	N/A		

Material Change Description 物料變更說明

No	Subassembly	T	PartNo	Description	Qty	Location	Stock	Remark
1	1A2A17118104200	B	8MD277LB02D	CARTON LABEL (CAI #19864)	1.000			Change
1	1A2A17118104200	A	8MD277LB02E	CARTON LABEL (CAI #19864)	1.000			Change
2	1A2A17118104200	B	8MDL4XLB790	TEMPERATURE LABEL (3MDL4XLB460)	1.000			
2	1A2A17118104200	A	DEL					
3	1A2A17118104200	B	8MDL4XLB850	EC REP (DIVA LABORATORIES GMBH.)LABEL	1.000			
3	1A2A17118104200	A	DEL					
4	1A2A17118104200	B	3MDL4XLB460	CARTON LABEL (BLANK,88*22mm)	2.000			
4	1A2A17118104200	A	DEL					
5	1A2A17118104203	B	8MD603LB12C	CARTON LABEL (23626,CONTEC)	1.000			Change
5	1A2A17118104203	A	8MD603LB12D	CARTON LABEL (23626,CONTEC)	1.000			Change
6	1A2A17118104203	B	8MDL4XLB790	TEMPERATURE LABEL (3MDL4XLB460)	1.000			
6	1A2A17118104203	A	DEL					
7	1A2A17118104203	B	8MDL4XLB850	EC REP (DIVA LABORATORIES GMBH.)LABEL	1.000			
7	1A2A17118104203	A	DEL					
8	1A2A17118104203	B	3MDL4XLB460	CARTON LABEL (BLANK,88*22mm)	2.000			
8	1A2A17118104203	A	DEL					
9	2AAL2770010	B						
9	2AAL2770010	A	3MDL4XLB810	MODEL LABEL (100*50mm*R3,BLANK, WG-7818-MS)	1.000			1st:3MDL4XLB450 2nd:3MDL4XLB810
10	1A2A17118104203	B						
10	1A2A17118104203	A	3MDL4XLB810	MODEL LABEL (100*50mm*R3,BLANK, WG-7818-MS)	1.000			1st:3MDL4XLB450 2nd:3MDL4XLB810

Engineering Change Assessment Item List 工程變更評估項目清單

1. Application for Revision of Specification or Drawing(s) for delivery 是否有修改交貨的規格或圖面	1.Confirm	◉ Yes ○ No need	1.Remark	無影響
2. Standards or Regulatories impact 是否有評估適用之標準或主管機關之相關法規的申請	2.Confirm	○ Yes ◉ No need	2.Remark	無影響
3. Change point of PCB mounting PCBA插件位置是否變更	3.Confirm	○ Yes ◉ No need	3.Remark	無影響
4. PCBA Process Changes PCBA製程是否變更	4.Confirm	○ Yes (Continue checking below) ◉ No	4.Remark	無影響
_ 4-1) Change of Reflow temperature 迴焊溫度是否變更	4-1 Confirm	○ Yes ◉ No need	4-1.Remark	無影響

_ 4-2) Change of bonding temperature 膠合溫度是否變更	4-2 Confirm	○ Yes ● No need	4-2.Remark	無影響
_ 4-3) Change of Manual Soldering temperature 人工手焊工具之溫度是否變更	4-3 Confirm	○ Yes ● No need	4-3.Remark	無影響
_ 4-4) Change of storage condition after protection humidity package 防潮包裝完成後的儲存條件是否變更	4-4 Confirm	○ Yes ● No need	4-4.Remark	無影響
5. Reliability test report(Test result and data) 是否有可靠性測試報告(測試結果及數據)	5.Confirm	○ Yes ● No need	5.Remark	無影響
6. Process FMEA(Medical only) 是否有進行製程失效模式與效應分析	6.Confirm	○ Yes ● No need	6.Remark	無影響
7. Design FMEA(Medical only) 是否有進行設計失效模式與交應分析	7.Confirm	○ Yes ● No need	7.Remark	無影響
8. Risk Management(Medical only) 是否有進行風險管理評估	8.Confirm	○ Yes ● No need	8.Remark	無影響
9. Change points due to the modification 是否此修改會延伸導致其他變更點	9.Confirm	○ Yes ● No need	9.Remark	無影響
10. Initial Supply Control implements plan or result 是否有實施供料控制評估	10.Confirm	● Yes ○ No need	10.Remark	新增物料
_ 10-1) Confirm the work order or order number or date for the implementation start of the engineering change 確認工程變更開始實施之工單或訂單號碼或日期	10-1 Confirm	● Yes ○ No need	10-1.Remark	工單1007720，日期2026.10.23開始導入
_ 10-2) Coordinate the handling methods for related products and materials 協調相關產品及材料處理方法	10-2 Confirm	○ Yes ● No need	10-2.Remark	僅新增物料
_ 10-3) Arrange th production schedule 處理生產日程之安排	10-3 Confirm	● Yes ○ No need	10-3.Remark	工單1007720，日期2026.10.23開始導入
_ 10-4) Control the changed materials 變更材料之管制	10-4 Confrim	○ Yes ● No need	10-4.Remark	僅新增物料
_ 10-5) Establish relevant execution control records for EC materials, register traceability data for each material 建立有關工程變更物料之相關執行管控記錄、登錄各項物料追溯性資料	10-5 Confirm	● Yes ○ No need	10-5.Remark	工單1007720，日期2026.10.23開始導入
11. Training Requirement 若此一變更影響製程或檢驗，是否需要再做人員訓練	11.Confrim	○ Yes ● No need	11.Remark	無影響
12-1. Modification contents(For example, the following documents) 是否有評估此變更之各項相關文件(如下)	12-1 Confirm	☐ QC control plan ☐ Service Manual ☐ Others ☑ Not needed	12-1.Remark	NA
12-2. Modification contents(For example, the following documents) 是否有評估此變更之各項相關文件(如下)	12-2 Confirm	☐ SIP ☑ SOP ☐ Others ☐ No need	12-2.Remark	SOP須變更.
12-3. Modification contents(For example, the following documents) 是否有評估此變更之各項相關文件(如下)	12-3 Confirm	☑ MDF ☑ DMR ☐ Approval Sheet ☐ Engineering Spec ☐ Others ☑ Not needed	12-3.Remark	無影響

簽核列表　● 表格　○ 圖形

序號	簽核人	簽核結果	簽核意見
1	**陳志偉 Lasliechen** 二階主管(課/部級)	**同意** 2026-09-14 13:59	
2	**林雪清 Joe_Lin** ECR-DQE人員	**同意** 2026-09-14 14:14	LABEL變更，無影響

序號	簽核人	簽核結果	簽核意見
2	**張鈞凱 Ericchang** ECR-DQE人員	**同意** 2026-09-14 14:16	無影響EMI
2	**林金封 Jim_Lin** ECR-DQE人員	**同意** 2026-09-14 17:46	N/A
2	**呂旻峰 Jack** ECR-DQE人員	**同意** 2026-09-16 10:34	N/A
3	**廖榮棋 Rongchi_Liao** DQE主管	**同意** 2026-09-16 14:30	
4	**葉文琴 Sharon_Yeh** PM	**同意** 2026-09-16 14:42	
4	**劉証瑋 Dennis_Liu** Sales	**同意** 2026-09-16 14:46	
5	**楊建勛 Michael_Young** R&D Director [通知]	**同意** 2026-09-16 14:46	[通知]
6	**蕭玉桃 Momohsiao** ECR-PIC人員	**同意** 2026-09-16 15:46	
7	**王世炫 Hsuan_Wang** ECR-PE人員	**同意** 2026-09-16 17:05	
8	**林益銓 Nick_Lin** PE	**同意** 2026-09-16 18:31	
9	**黃振哲 Terry_Huang** ECR-PMC人員	**同意** 2026-09-17 17:11	
10	**邱羽萱 Lily_Chiu** PMC	**同意** 2026-09-17 17:33	
11	**李慧珊 Sandra** ECR-SCM人員	**同意** 2026-09-17 17:49	
11	**黃瓊玉 Joannehuang** ECR-PD人員	**同意** 2026-09-17 20:07	
11	**郭修榮 Omega_Kuo** PD	**同意** 2026-09-18 10:36	
12	**呂姿蓁 Chris_Lu** [李慧珊 Sandra 加簽]	**同意** 2026-09-18 13:34	
13	**李金龍 Kevin_Lee** ECR-QA人員	**同意** 2026-09-18 13:41	
14	**陳泰盛 Tyson_Chen** QA	**同意** 2026-09-18 16:19	
15	**楊建勛 Michael_Young** R&D Director	**同意** 2026-09-21 08:48	
16	**蕭玉桃 Momohsiao** ECR-PIC人員	**同意** 2026-09-21 10:00	
17	**李美嬿 Killy_Lee** SAP核發	**同意** 2026-09-21 10:24	

設計變更審查會議記錄

時間	2026/09/11	地點	**800 會議室**	主席	**Sharon**
參與人員： **Terry、Sharon、Dennis、Lyn、Killy、NicK、John**					

討論與決議事項：

機種名稱:

Diva PN	MODEL	LABEL	料號敘述
1A2A17118104200	CAI #19864	8MD277LB02E	CARTON LABEL (CAI #19864)
1A2A17118104203	23626	8MD603LB12D	CARTON LABEL (23626,CONTEC)

設計變更原因 ：溫控貼紙及 EU REP 標籤　整合在同一張 CARTON LABEL 上

設計變更描述: Consolidate outer carton label content (Temperature / EU REP Label)

REV No change

導入時程 ：Immediately Change

客戶審查 ：Not needed

一. 研發發展部評估:

單位	審查內容	附加文件
HW:	評估變更 Labels 與硬體設計無關,不會造成硬體安全性影響	無
FW:	評估變更 Labels 與硬體設計無關,不會造成硬體安全性影響	無
ME:	評估變更 Labels 與硬體設計無關,不會造成硬體安全性影響	無
SW:	評估變更 Labels 與硬體設計無關,不會造成硬體安全性影響	無
DQE:	評估變更 Labels 與硬體設計無關,不會造成硬體安全性影響	無


設計變更審查會議記錄

二 結論:

1. LABELS UPDATE.
2. 開發單位各課評估後,此設計變更不會對產品預期用途造成影響

功能	設計變更內容無關功能影響.
性能	設計變更內容,無關產品性能影響.
可用性	無影響,沒有使用上的風險.
安全性	組裝方式沒有改變, 沒有安全性風險.
法規	經審查,沒有影響法規內容.


REV.	DATE	DESCRIPTION	BY	APVD
A	20220207	Change REV:AA to REV:03	Albert	
B	20240118	Change REV:03 to REV:AA	Alicia	
C	20240611	Change REV:AA to REV:AB	Killy	
D	20260903	Merge sticker content(Temperature/EU REP Label) **REV:AB** No change	Killy	



Note:
1.Use 3MDL4XLB440 Blank label.
2.Use Ricoh #B110A ribbon.
3. Product serial number shall be formatted as MTRMMYYFXXXXX.
MTR is the product ID; MMYY refers to the manufacturing date;
F is the location code (F= Melbourne, Florida)
and XXXXX is the 5 digit serial number.

SALES	PM	THIRDANGLE PROJECTION	UNITS: mm	SCALE: 1/1	SHEET: 1/1	MODEL NO.: 23626
0910 1810	0910 1715		MATERIAL: SEE NOTES		TREATMENT: SEE NOTES	
PE	PCD	DSGD by: Killy	2025/09/03	PART NAME: CARTON LABEL		
John 0911 0835	Joanne 0914 1050	APVD by:		PART NO.: 8MD603LB12D		VER.D
		APVD NO.:	FILE NAME: 23626.cdr	DIVA Laboratories,Ltd.		

REV.	DATE	DESCRIPTION	BY	APVD
A	2017/11/24	客戶要求REV:01設變為REV:AB，料號進階	TINA	
B	2018/11/14	客戶要求更名，料號進階	TINA	
C	2021/06/24	增加CCC &10年回收logo，REV:AB改為AE	Albert	
C	2021/11/23	REV:AE改為AF	Albert	
D	2024/06/11	REV:AF改為AG	Killy	
E	2026/09/03	Merge sticker content(Temperature/EU REP Label) REV:AF No change	Killy	



Note:

1.Use 3MDL4XLB440 Blank label.

2.Use Ricoh #B110A ribbon.

3.Product serial number shall be formatted as MTRmmyyFxxxxx.
MTR is the product ID; mmyy refers to the manufacturing date;
F is the location code (F= Melbourne, Florida) and xxxxx is the 5 digit serial number.

SALES	PM
0910 1810	0910 1515
PE	**PCD**
John 0911 0835	Joanne 0914 1050

THIRDANGLE PROJECTION		UNITS:mm	SCALE : 1 / 1	SHEET: 1 / 1	MODEL NO.: CAI #19864
		MATERIAL: See notes		TREATMENT: See notes	
DSGD by	Killy	2026/09/03	PART NAME: CARTON LABEL		
APVD by			PART NO.: 8MD277LB02E		VER. E
APVD No.:		FILE NAME: CAI #19864.cdr	DIVA Laboratories,Ltd.		

寄件者： Dennis
收件者： "Sharon_Yeh(DIVA PM)"; "Killy_Lee"; "rongchi_liao"; "JoanneHuang 黃瓊玉"; john_tsai@diva.com.tw
副本： "Nick_Lin 林益銓"; "Hsuan_Wang 王世炫"
主旨： RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)
日期： 2026年9月9日 上午 11:12:21
附件： image002.png
image006.png
image009.png
image011.png
image012.png
image013.png
image014.png
image015.png
image016.png
image017.png
S23626H.docx
S19864L.docx
重要性： 高

Dear All,

Contec來信從現有待出的訂單開始作新的外箱標籤切換, 如附件的purchasing spec, 再請幫忙跑內部的EC流程, 感謝



Thanks & Best Regards
Dennis Liu

DIVA Laboratories, Ltd. | Sales & Marketing Dep.
T:+886-2-2226-8631#245 | E: dennis_liu@diva.com.tw
F:+886-2-2226-2423 | W: www.diva.com.tw
M: +886-937-314-799 | Skype ID: willowdenis
A: 9F., No.351, Sec. 2, Zhongshan Road, Zhonghe District , New Taipei City 235602, Taiwan R.O.C.

From: Sharon_Yeh(DIVA PM) <sharon_yeh@diva.com.tw>
Sent: Monday, September 7, 2026 9:21 AM
To: 'Killy_Lee' <killy_lee@diva.com.tw>; 'Dennis' <Dennis_liu@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>; 'JoanneHuang 黃瓊玉' <joannehuang@diva.com.tw>; john_tsai@diva.com.tw
Cc: 'Nick_Lin 林益銓' <nick_lin@diva.com.tw>; 'Hsuan_Wang 王世炫' <hsuan_wang@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)

Hi Killy & All,

如上週四討論的，本次label變化，僅先申請新料號，待收到purchasing spec.後，再重新啟動會簽與EC
此封附件，現在不用看也不用跑流程，核對過最新的purchasing spec.內容，再夾檔重送，謝謝

Best Regards,
Sharon Yeh #242
Product Management Dep.

From: Killy_Lee <killy_lee@diva.com.tw>
Sent: Thursday, September 3, 2026 9:35 AM
To: 'Dennis' <Dennis_liu@diva.com.tw>; 'Sharon_Yeh(DIVA PM)' <sharon_yeh@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>; JoanneHuang 黃瓊玉 <joannehuang@diva.com.tw>; john_tsai@diva.com.tw
Cc: Nick_Lin 林益銓 <nick_lin@diva.com.tw>; Hsuan_Wang 王世炫 <hsuan_wang@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)

Dear Sharon, Rongchi
請你們先看一下，還有沒有需要修正，因為時間已經過了很久，謝謝
若你們這邊沒問題，請協助會簽19864/23626 Carton label，外箱貼紙合併(EC和溫控)
Sharon→Rongchi →Dennis→John(Nick)→ Joanne

謝謝您
Killy lee (美嬿)
分機511

From: Dennis [mailto:Dennis_liu@diva.com.tw]
Sent: Wednesday, September 2, 2026 5:29 PM
To: 'Sharon_Yeh(DIVA PM)' <sharon_yeh@diva.com.tw>
Cc: 'lyn_chiang' <lyn_chiang@diva.com.tw>; 'killy_lee 李美嬿' <killy_lee@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)+23145

Dear All,

Contec回覆版號不用變更, 可維持, 再請先幫忙申請新料號, 另外23145客戶告知不用變更外箱貼紙, 目前只需變更19864/23626這兩機種

我司工程師確認客戶的版本不變更.

Thanks

Vincent Wu
Senior Procurement
CONTEC

Thanks & Best Regards
Dennis Liu


DIVA Laboratories, Ltd. | Sales & Marketing Dep.
T:+886-2-2226-8631#245 | E: dennis_liu@diva.com.tw
F:+886-2-2226-2423 | W: www.diva.com.tw
M: +886-937-314-799 | Skype ID: willowdenis
A: 9F, No.351, Sec. 2, Zhongshan Road, Zhonghe District , New Taipei City 235602, Taiwan R.O.C.
DIVA Labs.

From: Sharon_Yeh(DIVA PM) <sharon_yeh@diva.com.tw>
Sent: Tuesday, September 1, 2026 11:49 AM
To: 'Dennis' <Dennis_liu@diva.com.tw>
Cc: 'lyn_chiang' <lyn_chiang@diva.com.tw>; killy_lee 李美嬿 <killy_lee@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)+23145


Hi Dennis,

請問近期客戶承認合併的是以下數位樣張嗎？


1. 型號19864，版號要跳嗎？（紅框處）未申請新料號



2. 型號23626，版號要跳嗎？（紅框處）未申請新料號



3. 23145要一起改嗎？這張carton label沒有版號



Best Regards,
Sharon Yeh #242
Product Management Dep.

From: lyn_chiang <lyn_chiang@diva.com.tw>
Sent: Friday, January 23, 2026 4:04 PM
To: 'Dennis' <Dennis_liu@diva.com.tw>; 'Killy_Lee' <killy_lee@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)+23145

Dear Dennis,
以下三機種，已將 溫控貼紙及EU REP標籤 整合在一張CARTON LABEL上(如附件) ，
如需修改再請告訴我，謝謝。
(1) 紅色料號需進階-待申請新料號。
(2) 若需要執行EC再請通知，謝謝。

Diva PN	MODEL	LABEL	料號敘述	溫控+EU REP合併日期
1A2A17118104200	CAI #19864	8MD277LB02E	CARTON LABEL (CAI #19864)	20251212
1A2A17118104203	23626	8MD603LB12D	CARTON LABEL (23626,CONTEC)	20251212
1A1A17118104202	23145	8MD603LB02A	CARTON LABEL (23145,CONTEC)	20260123

Best regards,
Lyn Chiang 江芷螢 (#509)
DIVA Laboratories, Ltd.
T :+886-2-2226-8631 | E : lyn_chiang@diva.com.tw
F :+886-2-2226-2423 | W : www.diva.com.tw
A: 9F., No.351, Sec. 2, Zhongshan Road, Zhonghe District , New Taipei City 235602, Taiwan R.O.C.

From: Dennis [mailto:Dennis_liu@diva.com.tw]
Sent: Friday, January 23, 2026 2:05 PM
To: 'Killy_Lee' <killy_lee@diva.com.tw>; 'rongchi_liao' <rongchi_liao@diva.com.tw>; lyn_chiang@diva.com.tw
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>

Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)+23145
Importance: High

Dear Killy,

同之前的19864/23626 carton label, 請幫忙將外面的溫控貼紙及EC REP標籤或與Carton label整合成同一張,
下週三客戶來訪我會跟他再提案19864/23626/23145的外箱貼紙變更, 感謝

8MDL4XLB790	TEMPERATURE LABEL (3MDL4XLB460)
8MD603LB020	CARTON LABEL (23145,CONTEC)
8MDL4XLB850	EC REP (DIVA LABORATORIES GMBH.)LABEL



Thanks & Best Regards
Dennis Liu

DIVA Laboratories, Ltd. | Sales & Marketing Dep.
T:+886-2-2226-8631#245 | E: dennis_liu@diva.com.tw
F:+886-2-2226-2423 | W: www.diva.com.tw
M: +886-937-314-799 | Skype ID: willowdenis
A: 9F., No.351, Sec. 2, Zhongshan Road, Zhonghe District., New Taipei City 235602, Taiwan R.O.C.

From: Killy_Lee <killy_lee@diva.com.tw>
Sent: Friday, December 12, 2025 12:05 PM
To: 'rongchi_liao' <rongchi_liao@diva.com.tw>; 'Dennis' <Dennis_liu@diva.com.tw>; lyn_chiang@diva.com.tw
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)

Dear Rongchi
更正為EU修正如附件，謝謝

1A2A17118104200	CAI #19864
1A2A17118104203	23626

謝謝您
Killy lee (美嬌)
分機511

From: rongchi_liao [mailto:rongchi_liao@diva.com.tw]
Sent: Friday, December 12, 2025 11:11 AM
To: 'Killy_Lee' <killy_lee@diva.com.tw>; 'Dennis' <Dennis_liu@diva.com.tw>; lyn_chiang@diva.com.tw
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)

Dear Killy:
請您改為EU.

Dear Dennis:
請您在確認EU-REP是否要移除.

Best regards,
Rongchi_liao

From: Killy_Lee [mailto:killy_lee@diva.com.tw]
Sent: Friday, December 12, 2025 9:25 AM
To: 'rongchi_liao' <rongchi_liao@diva.com.tw>; 'Dennis' <Dennis_liu@diva.com.tw>; lyn_chiang@diva.com.tw
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>
Subject: RE: 19864_23626 price reduction propose (label change)_外箱貼紙合併(EC和溫控)

Dear Rongchi

修正如附件，另外請問EC要改成EU嗎，謝謝

1A2A17118104200	CAI #19864
1A2A17118104203	23626

謝謝您
Killy lee (美嫣)
分機511

From: rongchi_liao [mailto:rongchi_liao@diva.com.tw]
Sent: Thursday, December 11, 2025 3:35 PM
To: 'Dennis' <Dennis_liu@diva.com.tw>; 'Killy_Lee李美嫣-機構課(RD)' <killy_lee@diva.com.tw>
Cc: 'sharon_yeh 葉文琴' <sharon_yeh@diva.com.tw>
Subject: RE: 1986_23626 price reduction propose (label change)

Dear Killy:
請您協助提供以下label 圖檔,客戶需求要整合放入同一張.

Dear Dennis:
溫控貼跟ec rep為標準要求, 但這部分若客戶不要,可以討論,因為沒聽到有哪個單位會查這個.
只有申請醫療時會要求.

Best regards,
Rongchi_liao

From: Dennis [mailto:Dennis_liu@diva.com.tw]
Sent: Thursday, December 11, 2025 3:27 PM
To: 'rongchi_liao' <rongchi_liao@diva.com.tw>
Cc: sharon_yeh 葉文琴 <sharon_yeh@diva.com.tw>
Subject: 1986_23626 price reduction propose (label change)

Dear Rongchi,

請問目前在出的I9864/23626, 是否可以將外面的溫控貼紙及EC REP標籤移除? 或與Carton label整合成同一張? 另外是否會影響安規?

1A2A17118104200	CAI #19864
1A2A17118104203	23626

8MDL4XLB790	TEMPERATURE LABEL (3MDL4XLB460)
8MD277LB02D	CARTON LABEL (CAI #19864)
8MDL4XLB850	EC REP (DIVA LABORATORIES GMBH.)LABEL



Thanks & Best Regards

Dennis Liu

DIVA Laboratories, Ltd. | Sales & Marketing Dep.
T:+886-2-2226-8631#245 | E: dennis_liu@diva.com.tw
F:+886-2-2226-2423 | W: www.diva.com.tw
M: +886-937-314-799 | Skype ID: willowdenis
A: 9F., No.351, Sec. 2, Zhongshan Road, Zhonghe District , New Taipei City 235602, Taiwan R.O.C.