承　　認　　書

SPECIFICATION　FOR　APPROVAL

客戶:鈺緯科技開發股份有限公司

品名:3M 5915P 一面白格
另一面 30 克離型膜

規格:0.4t*118.8mm*75mm

料號:3MD497TH040(M3509)

設計驗證
工程課
2025 -04- 22
發行
鈺緯科技開發股份有限公司


主　管	審　查	製　作
游鈺衡	游鈺崧	王瀞融


俐　元　企　業　股　份　有　限　公　司
俐　誠　企　業　股　份　有　限　公　司
LI YUN　ENTERPRISE CO., LTD.
LI CHENG ENTERPRISE CO., LTD.
地　址　：　新　北　市　樹　林　區　三　龍　街　２　０　－　１　號
電話:(02)8688-8680　　傳真:(02)8688-8678

中　華　民　國 114 年 04 月 21 日

俐元企業股份有限公司

REV.	DATE	DESCRIPTION	BY	APVD
0	2024-12-04	INITIAL RELEASE	Laslie	
1	2025-01-06	MODIFY DIMENSION	Laslie	
A	2025-03-18	MODIFY DIMENSION FOR PEEL-OFF. RELEASE FOR PRODUCTION.	Laslie	





設計驗證
工程課
2025 -04- 22
發行
[illegible]科技開發股份有限公司

NOTE:
1.Material: 3M VHB 5915 BLACK, t=0.4.
2.RoHS Compliant.
3.DIVA QC Inspection Document NO.: QWI-024 (Spacer/Other)

RANGE OF DIMENSION	TOLERANCE CLASS DESIGNATION			
				V
	fine	medium	coarse	Rubber/Sponge/Mylar/Gasket
0.5 UP TO 3	±0.05	±0.1	±0.2	±0.2
OVER 3~6	±0.05	±0.1	±0.3	±0.2
OVER 6~30	±0.1	±0.2	±0.5	±0.25
OVER 30~120	±0.15	±0.3	±0.8	±0.3
OVER 120~400	±0.2	±0.5	±1.2	±0.5
OVER 400~1000	±0.3	±0.8	±2.0	±0.8
ANGLE ±1° (±1.75/100)				

THIRD ANGLE PROJECTION

UNITS: mm	SCALE: 1/1	SHEET: 1 OF 1	MODEL NO.: 3.7 inch		
MATERIAL: see note	TREATMENT:				
DSGD by	Laslie	2024-12-03	PART NAME:	ADHESIVE IU GLASS	
CHK by	Ferris	2024-12-04	DIVA NO:	3MD497TH040	
APVD by	Laslie	2024-12-05	GE NO.:	5951305	
APVD NO.: (M3509)		3D FILE NAME: 5951305	DIVA Laboratories ,Ltd.		

俐元企業股份有限公司
俐誠企業股份有限公司

成品出廠檢驗表

表單編號：FM-42A

客戶名稱	鈺緯科技開發股份有限公司	訂單號碼				交貨數量		
料號	3MD497TH040 (M3509)	品名規格	3M 5915P一面白格 另一面30克離型膜 0.4t*118.8mm*75mm			檢驗日期		
序號	規　格	檢　驗　值					檢驗結果	
	依客戶圖面檢驗	1	2	3	4	5	OK	NG
1	0.4 T ±0.05	0.42	0.41	0.43	0.41	0.42	✓	
2	118.8 ±0.30	118.88	118.91	118.88	118.91	118.89	✓	
3	75 ±0.30	75.10	75.11	75.10	75.09	75.11	✓	
4								
5								
6								
7								
8								
9								
10								

主管：　游鈺崧　　品管組長：劉美君　　品檢員：洪筱楓

Science.
Applied to Life.™

ASK A 3M EXPERT

April, 2019

3M™ VHB™ Tape 5915P

Product Description



3M™ VHB™ Tape 5915P is a 0.016 inch (0.4 mm) thick black double coated acrylic foam tape with PCK Paper liner. The modified acrylic adhesive on both sides bonds to a broad range of high, medium and medium/low surface energy substrates including metals, glass and a wide variety of plastics and paints, including many powder coated paints. The very conformable foam provides good contact between substrates even when they are slightly mismatched. 3M™ VHB™ Tape 5915P is part of the 5952 tape family. Each product in this family has modified acrylic adhesive and very conformable foam but varies in thickness, color and liner type.

Product Features

- Fast and easy-to-use permanent bonding method provides high strength and long-term durability
- Virtually invisible fastening keeps surfaces smooth
- Can replace mechanical fasteners (rivets, welding, screws) or liquid adhesives
- Black, 0.016 in (0.4 mm), modified acrylic adhesive and very conformable acrylic foam core bonds to a wide variety of substrates including powder coated paints and irregular surfaces
- Eliminate drilling, grinding, refinishing, screwing, welding and clean-up
- Creates a permanent seal against water, moisture and more by offering better gap filling capabilities
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
- Allows the use of thinner, lighter weight and dissimilar materials

3M™ VHB™ Tape 5915P

Technical Information Note

The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

Typical Physical Properties

Property	Values	
Color	Black	
Tape Thickness	0.4 mm	0.016 in
Thickness Tolerance	±15 %	
Adhesive Type	Modified Acrylic	
Foam Type	Very Conformable Acrylic Foam	
Density	690 kg/m³	43 lb/ft³
Liner	PCK Paper	
Liner Thickness	0.10 mm	0.004 in
Liner Color	White (printed)	

Typical Performance Characteristics

Property	Values		Method	Dwell/Cure Time	Test Condition	Substrate	Notes
90° Peel Adhesion	21 N/cm	12 lb/in	ASTM D3330	72 hr @ Room Temperature	Room Temperature	Stainless Steel	Jaw speed 12 in/min (304.8 mm/min). Average force to remove is measured.
Normal Tensile	550 kPa	80 lb/in²	ASTM D897	72 hr @ Room Temperature	Room Temperature	Aluminum	1 in² (6.45 cm²), Jaw Speed 2 in/min (50.8 mm/min). Peak force to separate is measured.
Dynamic Overlap Shear	620 kPa	90 lb/in²	ASTM D1002	72 hr @ Room Temperature	Room Temperature	Stainless Steel	1 in² (6.45 cm²), Jaw speed 0.5 in/min (12.7 mm/min). Peak force to separate is measured.
Short Term Temperature Tolerance	149 °C	300 °F					No change in room temperature dynamic shear properties following 4 hours conditioning at indicated temperature with 100 g/static load. (Represents minutes, hours in a process type temperature exposure).
Long Term Temperature Tolerance	121 °C	250 °F					Maximum temperature where tape supports at least 250 g load per 0.5 in² in static shear for 10,000 minutes. (Represents continuous exposure for days or weeks).

3M™ VHB™ Tape 5915P

Typical Performance Characteristics (continued)

Static Shear	Test Condition
1000 g	Room Temperature
500 g	66°C (150°F)
250 g	93°C (200°F)
250 g	121°C (250°F)

Property: Static Shear
Method: ASTM D3654
Substrate: Stainless Steel
notes: Tested at various temperatures and gram loadings. 0.5 in² (3.23 cm²). Will hold listed weight for 10,000 minutes (approximately 7 days).

Available Sizes

Property	Values	
Standard Length	65.8 m	72 yd
Minimum Available Width	6.4 mm	0.25 in
Maximum Available Width	1168 mm	46 in
Normal Slitting Tolerance	±0.79 mm	±1/32 in
Core Size (ID)	76.2 mm	3 in

Available Sizes:

Available Sizes

Tape Thickness inches (mm)	Standard Length yards (meters)	Minimum Width inches (mm)	Maximum Width inches (mm)	Maximum Roll Length: Width 1/4"up to 3/8" (6.4mm up to 9.5mm) yards (meters)	Maximum Roll Length: Width >3/8" up to 1/2" (>9.5mm up to 12.7mm) yards (meters)	Maximum Roll Length: Width 1/2" and wider (12.7mm and wider) yards (meters)
< 0.015 (0.4)	72 (65.8)	0.5 (13)	46 (1168)	N/A N/A	N/A N/A	See Note Below
0.015/0.016 (0.4)	72 (65.8)	0.25 (6)	48* (1219)	144 (131.7)	175 (160.0)	360 (329.2)
0.025 (0.6)	72 (65.8)	0.25 (6)	48* (1219)	72 (65.8)	108 (98.8)	175 (160.0)
0.032 (0.8)	72 (65.8)	0.25 (6)	48 (1219)	72 (65.8)	108 (98.8)	175 (160.0)
0.040 (1.0)	36 (32.9)	0.25 (6)	48 (1219)	72 (65.8)	108 (98.8)	144 (131.7)
0.045 (1.1)	36 (32.9)	0.25 (6)	48 (1219)	72 (65.8)	108 (98.8)	144 (131.7)
0.062 (1.6)	36 (32.9)	0.25 (6)	46 (1168)	72 (65.8)	72 (65.8)	108 (98.8)
0.090 (2.3)	36 (32.9)	0.25 (6)	46 (1168)	36 (32.9)	36 (32.9)	72 (65.8)

*Exception – 5915 (P) max. width 46 inches (1168 mm); 5925 (P) max. width 47 inches (1194 mm).
Note: 5952 family tapes thinner than 0.015 in (0.4 mm) have max. length 360 yd (329.2 m) for widths 1 in (25 mm) to 8 in (203 mm) and 180 yd (164.6 m) for all other widths.

Converted Parts

In addition to standard and custom roll sizes available from 3M through the distribution network, 3M™ VHB™ Tapes are also available in limitless shapes and sizes through the 3M Converter network. For additional information, contact 3M Converter Markets at 1-800-223-7427 or on the web at www.3M.com/converter.

3M™ VHB™ Tape 5915P


UL746C Listings

3M™ VHB™ Tapes
UL746C Listings - File MH 17478
Category QOQW2 Component - Polymeric Adhesive Systems, Electrical Equipment

3M™ VHB™ Tapes/ Product Families	Substrates	Temperature Rating Minimum	Maximum
4919F, 4926, 4936, 4936F, 4941, 4941F, 4947F, 4956, 4956F, 4979F	Ceramic	-35°C	110°C
	Aluminum, Galvanized Steel, Stainless Steel, Enameled Steel, Nickel Coated ABS, Glass (with or without Silane Coating) PVC, Glass/Epoxy, PBT, Polycarbonate, Acrylic/Polyurethane Paint, Polyester Paint	-35°C	90°C
	ABS	-35°C	75°C
4991	Polycarbonate, Aluminum, Acrylic/ Polyurethane Paint, Polyester Paint	-35°	90°C
5915, 5915P, 5915WF 5925, 5925P, 5925WF, 5930, 5030P, 5930WF, 5952, 5952P, 5952WF, 5962, 5962P, 5962WF	Polycarbonate, Primer 94 Coated Polycarbonate, Aluminum, Acrylic/ Polyurethane Paint, Galvanized Steel, Polyester Paint, Epoxy Paint, Silane Coated Glass, Uncoated Glass, Stainless Steel, Enameled Steel, Glass Epoxy, Polybutylene Terephthalate, Nylon, Polyphenelene Ether (PPE), Acrylic	-35°C	90°C
	Rigid PVC, ABS	-35°C	75°C
5952, 5952P, 5952WF	Cellulose Acetate Butyrate	-35°C	90°C
RP16	Aluminum, Silane Coated Glass	-35°C	90°C
	PVC, ABS	-35°C	75°C
RP16, RP25, RP32, RP45, RP62	Galvanized Steel, Enameled Steel, Nylon, Polycarbonate, Glass Epoxy, Phenolic, PPE/PS Blend, PBT, Epoxy Paint, Polyester Paint, Adhesion Promoter 111 Coated Epoxy Paint, Promoter 111 Coated Polyester Paint, Acrylic Urethane Paint, Epoxy/ Polyester Paint	-35°C	90°C
RP62	Stainless Steel, Glass, Acrylic	-35°C	90°C
	PVC, ABS	-35°C	75°C

A current list can be found at www.ul.com (select certifications, search file MH17478)

Solvent and Fuel Resistance



Test Method

- Tape between stainless steel and aluminum foil
- 72 hours dwell at room temperature
- Solvent immersion for 72 hours
- Test within 45 minutes after removing from solvent
- 90° peel angle
- 12 in/min rate of peel
- Peel adhesion compared to control

Note: Continuous submersion in chemical solutions is not recommended. The above information is presented to show that occasional chemical contact should not be detrimental to tape performance in most applications in ordinary use.

3M™ VHB™ Tape 5915P

Additional Typical Performance Characteristics

Property	Values	Method	Test Condition
Water Vapor Transmission Rate	See 3M™ VHB™ Tape 5952 g/m²/24 hr	ASTM F1249	@ 38°C/100% RH
Shear Modulus	See 3M™ VHB™ Tape 5952 Pa		
Poisson's Ratio	See 3M™ VHB™ Tape 5952		
Coefficient of Thermal Expansion	See 3M™ VHB™ Tape 5952 m/m/°C		

Electrical and Thermal Properties

Property	Values	Method	Test Condition
Dielectric Constant	See 3M™ VHB™ Tape 5952	ASTM D150	1 KHz, Room Temperature
Dielectric Constant	See 3M™ VHB™ Tape 5952	ASTM D150	1MHz, Room Temperature
Dissipation Factor	See 3M™ VHB™ Tape 5952	ASTM D150	1 KHz, Room Temperature
Dissipation Factor	See 3M™ VHB™ Tape 5952	ASTM D150	1MHz, Room Temperature
Dielectric Strength	See 3M™ VHB™ Tape 5952 V/µm	ASTM D140	
Thermal Conductivity (k value)	See 3M™ VHB™ Tape 5952 W/m/K		
Volume Resistivity	See 3M™ VHB™ Tape 5952 Ω-cm	ASTM D257	Room Temperature
Surface Resistivity	See 3M™ VHB™ Tape 5952 Ω/sq	ASTM D257	Room Temperature

3M™ VHB™ Tape 5915P

Design Considerations

Adhesion to the substrate is important in achieving bonding success. Adhesives must flow onto the substrate surfaces in order to achieve intimate contact area and allow the molecular force of attraction to develop. The degree of flow of the adhesive on the substrate is largely determined by the surface energy of the substrate. 3M™ VHB™ 5952 family tapes bond well to high (HSE), medium (MSE), and medium/low (M/LSE) surface energy materials. The image below shows typical materials in these categories.

Achieving good contact is also important. The necessary thickness of tape depends on the rigidity of substrates and their flatness irregularity. While the 3M™ VHB™ Tapes will conform to a certain amount of irregularity, they will not flow to fill gaps between the materials. For bonding rigid materials with normal flatness, consider use of tapes with thickness of 45 mils (1.1 mm) or greater. As the substrate flexibility increases thinner tapes can be considered.

Using the right amount of tape is important to handle the expected stresses. Because 3M™ VHB™ Tapes are viscoelastic by nature their strength and stiffness is a function of the rate at which they are stressed. They behave stronger with relatively faster rate of stress load (dynamic stresses) and will tend to show creep behavior with stress load acting over a long period of time (static stresses). As a general rule, for static loads, approximately four square inches of tape should be used for each pound (57 cm² of tape per kg) of weight to be supported in order to prevent excessive creep. For dynamic loads a useful design factor is 12 lb/in2 (85 kPa) for most dynamic stresses in general applications.

Allow for thermal expansion/contraction. 3M™ VHB™ Tapes can perform well in applications where two bonded surfaces may expand and contract differentially. Assuming good adhesion to the substrates, the tapes can typically tolerate differential movement in the shear plane up to 3 times their thickness.


Bond Flexibility: While an advantage for many applications where allowing differential movement is a benefit, the tape bonds are typically more flexible than alternative bonding methods. Suitable design modifications or periodic use of rigid fasteners or adhesives may be needed if additional stiffness is required.

Performance in Severe Cold Temperature can be challenging. Applications which require performance at severe cold temperatures must be thoroughly evaluated by the user if the intended use will subject the tape product to high impact stresses. A technical bulletin “3M™ VHB™ Tape Cold Temperature Performance” (70-0707-3991-0) is available for additional information.



This illustration demonstrates the effect of surface energy on adhesive interfacial contact. High surface energy materials draw the adhesive closer for high bond strength.

Relationship of Adhesion and Surface Energy for 3M™ VHB™ Tape Adhesive Families



1100-400 (High)	50-42	39-38 (Medium)	37-36	33-18 (Low)
Surface Energy (Dynes/cm)				
Aluminum	Polyimide	ABS	PVA	EVA
Stainless Steel	Phenolic	Polycarbonate	Polystyrene	Polyethylene
Copper	Nylon	PVC	Acetal	Polypropylene
Zinc	Alkyd Enamel	PPE	PVDF Paint	PVF
Tin	Polyester	Acrylic	Powder Paint	Silicone
Lead	Epoxy Paint	PU Enamel		PTFE
Anodized Aluminum	Polyurethane	Powder Paint		
Glass				

NOTES: There are a wide variety of formulations, surfaces finishes and surface treatments available on substrate materials which can affect adhesion. This chart is intended to provide only a rough estimate of the adhesion levels which can be expected on some common materials relative to a reference surface such as aluminum.


Foam type can affect and/or limit maximum adhesive strength.

3M™ VHB™ Tape 5915P

Handling/Application Information

Application Techniques

Clean: Most substrates are best prepared by cleaning with a 50:50 mixture of isopropyl alcohol (IPA*) and water prior to applying 3M™ VHB™ Tapes.
Exceptions to the general procedure that may require additional surface preparation include:
• Heavy Oils: A degreaser or solvent-based cleaner may be required to remove heavy oil or grease from a surface and should be followed by cleaning with IPA/water.
• Abrasion: Abrading a surface, followed by cleaning with IPA/water, can remove heavy dirt or oxidation and can increase surface area to improve adhesion.
• Adhesion Promoters: Priming a surface can significantly improve initial and ultimate adhesion to many materials such as plastics and paints.
• Porous surfaces: Most porous and fibered materials such as wood, particleboard, concrete, etc. need to be sealed to provide a unified surface.
• Unique Materials: Special surface preparation may be needed for glass and glass-like materials, copper and copper containing metals, and plastics or rubber that contain components that migrate (e.g. plasticizers).
Refer to 3M Technical Bulletin “Surface Preparation for 3M™ VHB™ Tape Applications” for additional details and suggestions. (70-0704-8701-5)
*Note: These cleaner solutions contain greater than 250 g/l of volatile organic compounds (VOC). Please consult your local Air Quality Regulations to be sure the cleaner is compliant. When using solvents, be sure to follow the manufacturer’s precautions and directions for use when handling such materials.
Pressure: Bond strength is dependent upon the amount of adhesive-to-surface contact developed. Firm application pressure develops better adhesive contact and helps improve bond strength. Typically, good surface contact can be attained by applying enough pressure to insure that the tape experiences approximately 15 psi (100 kPa) pressure. Either roller or platen pressure can be used. Note that rigid surfaces may require 2 or 3 times that much pressure to make the tape experience 15 psi.
Temperature: Ideal application temperature range is 70°F to 100°F (21°C to 38°C). Pressure sensitive adhesives use viscous flow to achieve substrate contact area. Minimum suggested application temperature for the 3M™ VHB™ Tape 5952 family is 50°F (10°C). Minimum application temperature does vary by 3M™ VHB™ tape family and ranges from 32°F to 60°F (0°C to 15°C)
Note: Initial tape application to surfaces at temperatures below these suggested minimums is not recommended because the adhesive becomes too firm to adhere readily. However, once properly applied, low temperature holding is generally satisfactory. To obtain good performance with all 3M™ VHB™ Tapes, it is important to ensure that the surfaces are dry and free of condensed moisture.
Time: After application, the bond strength will increase as the adhesive flows onto the surface (also referred to as “wet out”). At room temperature approximately 50% of ultimate bond strength will be achieved after 20 minutes, 90% after 24 hours and 100% after 72 hours. This flow is faster at higher temperatures and slower at lower temperatures. Ultimate bond strength can be achieved more quickly (and in some cases bond strength can be increased) by exposure of the bond to elevated temperatures (e.g. 150°F [66°C] for 1 hour). This can provide better adhesive wetout onto the substrates. Abrasion of the surfaces or the use of primers/ adhesion promoters can also have the effect of increasing bond strength and achieving ultimate bond strength more quickly.



Storage and Shelf Life

All 3M™ VHB™ Tapes have a shelf life of 24 months from date of manufacture when stored at 40°F to 100°F (4°C to 38°C) and 0-95% relative humidity. The optimum storage conditions are 72°F (22°C) and 50% relative humidity.
Performance of tapes is not projected to change even after shelf life expires; however, 3M does suggest that 3M™ VHB™ Tapes are used prior to the shelf life date whenever possible.
The manufacturing date is available on all 3M™ VHB™ Tapes as the lot number, typically marked on the core or on a label on the outer roll lap. The lot number, typically a 4 digit code, is a Julian date (Y D D D). The first digit refers to the year of manufacture, the last 3 digits refer to the days after January 1. Example: A lot number of 7266 (or 17266) would translate to a date of manufacture of Sept. 23 (266th day of year) in 2017.

Industry Specifications

UL 746C (File MH 17478)

Trademarks

3M and VHB are trademarks of 3M Company.

References

Safety Data Sheet (SDS)

https://www.3m.com/3M/en_US/company-us/SDS-search/results/?gsaAction=msdsSRA&msdsLocale=en_US&co=ptn&q=5915P

Family Group

	5906	5908	5909	5915	5915P	5915WF	5925	5925P	5925WF	5930	5907
Color	Black	Black	Black	Black	Black	White	Black	Black	White	Black	Black
Tape Thickness (mm)	0.15	0.25	0.3	0.4	0.4	0.4	0.6	0.6	0.6	0.8	0.2
Adhesive Type	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic	Modified Acrylic
Foam Type	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam	Very Conformable Acrylic Foam
Liner	PET	PET	PET	PE Film	PCK Paper	PE Film	PE Film	PCK Paper	PE Film	PE Film	PET
Liner Thickness (mm)	0.08	0.08	0.08	0.13	0.1	0.13	0.13	0.1	0.13	0.13	0.08
Liner Color	Clear	Clear	Clear	Red (printed)	White (printed)	Red (printed)	Red (printed)	White (printed)	Red (printed)	Red (printed)	Clear

ISO Statement

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001 standards.

Technical Information

The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer

3M warrants for 24 months from the date of manufacture that 3M™ VHB™ Tape will be free of defects in material and manufacture. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. This warranty does not cover damage resulting from the use or inability to use 3M™ VHB™ Tape due to misuse, workmanship in application, or application or storage not in accordance with 3M recommended procedures (except to the extent 3M approves and issues a specific application warranty, for which the customer must apply, receive 3M approval, and meet all applicable warranty and process requirements, the additional details, terms, and conditions of which are available from 3M). If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability

Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Industrial Adhesives and Tapes Division
3M Center
St. Paul, MN 55144-1000
800-362-3550
www.3M.com

Please recycle.

© 3M 2019. All Rights Reserved.

The brands listed above are trademarks of 3M

寶燕彩藝股份有限公司
產品檢查表

試驗項目:白格單離70g　　#13　　客戶：俐元

地　　址:桃園縣龜山鄉文化村頂湖一街53號　　1100823011-6

電　　話:(03)3283501-3 (03)3282896-7

傳 真 機:(03)3284133　　日期： 110年12月02日

項　目 PROPERTIES	規　格	結 果	檢驗方法	備註
基　重 BASIC WEIGHT	65+-7 g/m2	66.1	IQC-SSQ003	
厚　度 THICKNESS	55+-10 1／1000mm	54+2-2	FQC-SSQ081	
剝離力 TESA RELEASE FORCE	25↓ g／in	4	FQC-SSQ063	
殘 餘 力 REMAIN RELEASE	80↑ ％	96	FQC-SSQ082	
外　觀 APPEARANCE	良好 目視	良好	IQC-SSQ002	
寬　度 WIDTH	±2mm	1000	IQC-SSQ016	
長　度 LENGTH	±1%			
	合格判定	合格■	不合格□	

品管主管: 黃守謙　　檢驗員:邱彤姝

PET　離型膜　　產品規格書

R10038-0.1(30g)

特性:

1、以平整性佳的透明 PET 膜做為基材

2、對各種膠帶具有良好且穩定的剝離效果，尤其適用於手機背光模組中之黑白膠，按鍵部位的透明雙面膠等沖型用的離型膜。

3、塗佈均勻性優良，耐候性佳，可長期置放於大氣中。

4、低轉移率，低轉印污，可使用在觸控面板玻璃的框膠沖型時所使用之離型膜。

5、本產品為無塵室生產，潔淨度高。


規格:

厚度:100±5mic

剝離率:25~40 gf/25mm(使用 TASA7475 膠帶，予常溫下貼合 24hr 後做剝離檢驗)

塗佈面:

一般為捲狀材料的內面(如圖)，如需反面請事先提出要求。



測試方法:

剝離克數是以 TESA 7475 之膠帶作測試膠帶，寬度 25mm，用 3kg 的標準滾輪來回均壓 3 次，置放 24 小時，用剝離測試充做 180 度方向的剝離測試，所得之拉力數值。

保存條件:

最好存放在室溫 20~30 度 C 的環境中，避免於濕度太高之空間，或被太陽光直接照射。

有效期限:

出廠半年以內。

成品編號規則:

1	B	0	7	1	2	0	8
生產線	年度	生產月份		生產日期		生產序號	

Safety Data Sheet

Copyright,2019,3M Company.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This safety data sheet (SDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a SDS is not required for this product by the Regulation of Labelling and Hazard Communication of Hazardous Chemicals promulgated by Ministry of Labor on June 27, 2014 by the order of Lao-Zhi-Tzu-No.10302007861 because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

Document Group:	28-4903-2	**Version Number:**	2.00
Issue Date:	2019/04/23	**Supercedes Date:**	2018/10/04

This Safety Data Sheet has been prepared in accordance with the 'Regulation of Labelling and Hazard Communication of Hazardous Chemicals' (by Ministry of Labor on June 27, 2014)

SECTION 1: Identification

1.1. Chemicals Name
3M™ VHB™ Tapes - 5906, 5907, 5908, 5909, 5913, 5915, 5915P, 5915WF, 5925, 5925P, 5925WF, 5930, 5930P, 5930WF, 5952, 5952P, 5952WF, 5962, 5962P, 5962WF, H5520SB

1.2. Recommended use and restrictions on use

Recommended use
Tape

1.3. Details of the supplier of the safety data sheet

Name:	3M Taiwan LTD
ADDRESS:	3F., No. 198, Jingmao 2nd Rd., Nangang Dist., Taipei City 11568, Taiwan (R.O.C.)
Telephone:	(02) 2785-9338
Website:	www.3m.com.tw

1.4. Emergency telephone number
Emergency Telephone:886-3-4783600, 8:00AM - 4:30PM
Fax number:(03) 475-0924, 475-0904

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture
This product is considered to be an article and is exempt from GHS classification.

2.2. Label elements
SIGNAL WORD
Not applicable.

Symbols
Not applicable.

Pictograms
Not applicable

2.3. Other hazards
None known

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt
Foam Carrier	Trade Secret	50 - 99
Acrylic Adhesive	Trade Secret	1 - 50

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:
No need for first aid is anticipated.

Skin Contact:
No need for first aid is anticipated.

Eye Contact:
No need for first aid is anticipated.

If Swallowed:
No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed
See Section 11.1. Information on toxicological effects.

4.3. Advice to protect the rescuer and special warning to doctors
Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation and personal protective equipment.

4.4. Indication of any immediate medical attention and special treatment required
Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media
In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture
None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition

Hydrocarbons	During Combustion
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion

5.3. Special protective actions for fire-fighters
Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Special equipment for the protection of fire-fighters
No information is available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Not applicable.

6.2. Environmental precautions
Not applicable.

6.3. Methods and material for containment and cleaning up
Not applicable.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2. Conditions for safe storage including any incompatibilities
Not applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits
No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

Biological limit values
No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls
Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Respiratory protection is not required.

8.3. Hygiene Measures
See Section 7.1 Precautions for safe handling

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Specific Physical Form:	Roll of Tape
Appearance/Odor	black or white foam tape on paper or film liner.
Odor threshold	*Not Applicable*
pH	*Not Applicable*
Melting point/Freezing point	*Not Applicable*
Boiling point/Initial boiling point/Boiling range	*Not Applicable*
Flash Point	*Not Applicable*
Evaporation rate	*Not Applicable*
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	*Not Applicable*
Flammable Limits(UEL)	*Not Applicable*
Vapor Pressure	*Not Applicable*
Vapor Density	*Not Applicable*
Density	*Not Applicable*
Relative Density	*Not Applicable*
Water solubility	Nil
Solubility- non-water	*Not Applicable*
Partition coefficient: n-octanol/ water	*Not Applicable*
Autoignition temperature	*Not Applicable*
Decomposition temperature	*Not Applicable*
Viscosity	*Not Applicable*
Volatile Organic Compounds	*Not Applicable*
Percent volatile	*Not Applicable*
VOC Less H2O & Exempt Solvents	*Not Applicable*

SECTION 10: Stability and reactivity

10.1. Reactivity
This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability
Stable.

10.3. Possibility of hazardous reactions
Hazardous polymerization will not occur.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
None known.

10.6. Hazardous decomposition products

Substance	Condition
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:
No health effects are expected.

Skin Contact:
No health effects are expected.

Eye Contact:
No health effects are expected.

Ingestion:
No health effects are expected.

Chronic toxicity or long term toxicity

Additional Information:
This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Toxicological Data
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation
For the component/components, either no data are currently available or the data are not sufficient for classification.

Serious Eye Damage/Irritation
For the component/components, either no data are currently available or the data are not sufficient for classification.

Skin Sensitization
For the component/components, either no data are currently available or the data are not sufficient for classification.

Respiratory Sensitization
For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity
For the component/components, either no data are currently available or the data are not sufficient for classification.

Carcinogenicity
For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects
For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure
For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure
For the component/components, either no data are currently available or the data are not sufficient for classification.

Aspiration Hazard
For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labeling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:
Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:
Not chronically toxic to aquatic life by GHS criteria.

No product test data available

12.2. Persistence and degradability
No test data available

12.3. Bioaccumulative potential
No test data available

12.4. Mobility in soil
Please contact manufacturer for more details

12.5 Other adverse effects
No information available

SECTION 13: Disposal considerations

13.1. Disposal methods
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

SECTION 14: Transport Information

14.1. International Regulations
Not hazardous for transportation.

UN No.: Not applicable
UN Proper shipping name: Not applicable
Transportation Class (IMO): Not applicable
Transportation Class (IATA): Not applicable
Packing Group: Not applicable
Marine pollutant: Not applicable
Specific transport measures and precautionary conditions: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations:
Taiwan. Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste (EPA Order No. 0950098458C, Table 1 Process Hazardous Industrial Waste, December 14, 2006)

Occupational Safety and Health Act

15.2. Global Inventory Status:
Australian Inventory of Chemical Substances: Exempt from Inventory Listing
Canadian Domestic Substances List: Exempt from Inventory Listing
EU Directive 2002/95/EC Restriction of Hazardous Substances (RoHS): Meets
European Inventory of Existing Commercial Chemical Substances: Exempt from Inventory Listing
Inventory of Existing Chemical Substances in China (IECSC): Exempt from Inventory Listing

Japan Existing & New Chemical Substances (ENCS): Exempt from Inventory Listing
Korean Existing Chemicals Inventory: Exempt from Inventory Listing
Philippine Inventory of Chemicals and Chemical Substances: Exempt from Inventory Listing
Toxic Substances Control Act: Exempt from Inventory Listing

SECTION 16: Other information

16.1. Literature references

Organization that prepared the SDS

Name:	3M Taiwan LTD
Address:	3F., No. 198, Jingmao 2nd Rd., Nangang Dist., Taipei City 11568, Taiwan (R.O.C.)
Telephone Number:	886 3 478 3600 #388

Person who prepared the SDS

Title:	Senior Product Responsibility Liaison
Name:	Sunny Chang

Date that the SDS was prepared:
2019/04/23

Revision information:
Section 01: Address information was modified.
Section 01: Company Telephone information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M Taiwan SDSs are available at www.3m.com.tw

寶燕彩藝股份有限公司

安全資料表(SDS)

一、 物品與廠商資料

物品名稱：白格單離 70g #13
物品編號：
製造商或供應商名稱：寶燕彩藝股份有限公司
製造商或供應商地址：桃園縣龜山鄉文化村頂湖一街 53 號
緊急聯絡電話：(03)3282896-7
傳真電話：(03)3961431

二、 危害辨識資料

最重要危害效應	健康危害效應：無
	環境影響：無
	物理性及化學性危害：無
	特殊危害：無
主要症狀：無	
物品危害分類：無	

三、 成分辨識資料

中英文名稱：白格單離 70g #13
同義名稱：
化學式：
化學文摘社登記號碼(CAS No.)：
成份百分比(%)：紙 95%↑ 離型劑 SI 0.1%↑

四、 急救措施

不同暴露途徑之急救方法： •吸入：搬移到新鮮空氣處 •皮膚接觸：與熱熔融態接觸後，儘速以冷水沖洗 •眼睛接觸：儘速以冷水沖洗 •食入：請教醫師
最重要症狀及危害效應：無
對急救人員之防護：無

對醫師之指示：無

五、 滅火措施

適用滅火劑：水、二氧化碳、化學乾粉、泡沫
滅火時可能遭遇之特殊危害：刺激性的氣體或濃煙
特殊滅火程序：一般紙類滅火程序即可
消防人員之特殊防護設備：無

六、 洩漏處理辦法

個人應注意事項：無
環境應注意事項：不要沖入水溝或下水道中，避免影響環境
清理方法：以一般清掃工具整理打掃

七、 安全處置與儲存辦法

處置： a.加工時，應保持室內空氣之流通 b.預防靜電的累積
儲存： a.製品需儲存於陰涼. 通風良好處 b.遠離熱源、引火源、可燃物及不相容物 c.儲區須時常清掃並結構適宜，以避免粉塵累積

八、 暴露預防措施

工程控制：避免接觸熱熔融態之物質
控制參數：無 ・八小時日時量平均容許濃度/短時間時量平均容許濃度/最高容許濃度：無 ・生物指標：無
個人防護設備： ・呼吸防護：不需要 ・手部防護：手套（若需接觸熱熔融態物質時） ・眼睛防護：安全眼鏡 ・皮膚及身體防護：不需要
衛生措施：減少與皮膚的接觸，並在接觸後用水清洗之

九、 物理及化學性質

物質狀態：固體	形狀：
顏色：	氣味：無氣味
ＰＨ值：N/A	沸點：N/A
熔點：	蒸發速率：N/A
自燃溫度：	爆炸界限：N/A

蒸氣壓：N/A	蒸氣密度：N/A
密度：	水中溶解度：不溶

十、 安定性及反應性

安定性：安定
特殊狀況下可能之危害反應：無
應避免之狀況：禁在劇烈熱中
應避免之物質：禁在劇烈熱中
危害分解物：無

十一、 毒性資料

急毒性：無
局部效應：無
致敏感性：無
慢毒性或長期毒性：無
特殊效應：對人體不會造成危害

十二、 生態資料

生態毒性：不溶於水中，對水中魚類及微生物沒有危害
持久性及降解性：半衰期(空氣)： 半衰期(水表面)： 半衰期(地下水)： 半衰期(土壤)：
生物蓄積性：

十三、 廢棄處置辦法

廢棄處置方法： a.處理前，參考現行法規 b.可回收再利用或採安全之焚化、衛生掩埋處理

十四、 運送資料

國際運送規定：依政府及當地專業行政機構使用被認可之處理方法
聯合國編號：無
國內運送規定：無
特殊運送方法及注意事項：製品需儲存陰涼通風地區遠離易燃物或熱源與火源

十五、 法規資料

適用法規：本表所列資料，僅代表通常對 PP、PE 的認識，並不作為這些性質的保證，

相關責任原料購買者應參考現行之法令與規範為之。

十六、 其他資料

參考文獻		
製表單位	寶燕彩藝股份有限公司	
製表人	職稱：經理	姓名（簽章)：黃守謙
製表日期	2022/08/03	

清溢企業有限公司

安全資料表

Date of issue: 2023-03-31

1. 物品與廠商資料

物品名稱 ：	PET 離型膜 (透明,白色)
供應商 ：	清溢企業有限公司
地址 ：	33852 桃園市蘆竹區長興路3段61-3號
電話 ：	03-324-6060
傳真 ：	03-324-7070

2. 危害辨識資料

物品危害分類 ：	不適用
標示內容(象徵符號)：	不適用
警示語 ：	不適用
危害警告訊息 ：	不適用
危害防範措施 ：	不適用
其他危害 ：	絕緣塑膠, 製程中可能會產生靜電

3. 成分辨識資料

中英文名稱	同義名稱	CAS No.	% wt.	危害成分
Polyester (聚酯薄膜)	聚對苯二甲酸乙二酯薄膜	25038-59-9	97~99.9%	None
Silicone (矽氧樹脂)	矽利康 / 矽酮	90337-93-2	0.1~3%	None

4. 急救措施

皮膚接觸:	無需注意
眼睛接觸:	無需注意
吸　　入:	對人體不會產生任何不良影響。如暴露在過熱或燃燒之煙霧, 疏散避開即可
食　　入:	無需注意
對急救人員之防護:	無需注意
對醫師之提示:	無需注意

5. 滅火措施

適用滅火劑：	化學乾粉、二氧化碳、泡沫、乾粉、水。
滅火時可能遭遇之特殊危害：	無特殊危害
特殊滅火程序：	無特殊要求
消防人員之特殊防護設備：	如暴露在煙霧中,消防人員必須配戴空氣呼吸器、消防衣及防護手套。

6. 洩漏處理方法

個人應注意事項：	無需注意 環境注
意事項：	無需注意 清理方
法：	收集並廢棄處理

7. 安全處置與儲存方法

操作注意事項：	應遠離熱源，引燃源。
儲存注意事項：	要貯存在陰涼、乾燥、通風良好以及陽光無法直接照射的地方。 貯存區應清楚標示，遠離熱、引火源。

8. 暴露預防措施

工程控制：	一般通風即可，若溫度超過 300℃，應有排氣裝置通風。
儲存注意事項：	
8小時日量平均容許濃度/ 短時間時量平均容許濃度/ 最高容許濃度	不適用
生物指標：	無資料
個人防護設備：	無需注意
衛生措施：	無需注意

9. 物理及化學性質

物理狀態：固狀	形狀：固體
顏色：透明 (可能依需求客戶染色)	氣味：無味
易燃性(固體,氣體)：無資料	熔點：255℃
分解溫度：無資料	閃火點：＞440℃ (測試方法：開杯閉杯)
自燃溫度：＞480℃	爆炸界線：不適用
蒸氣壓：不適用	蒸氣密度：不適用
密度：1.396g/㎤	溶解度：不適用

10. 安定性及反應性

安定性 ：	安定
特殊狀況下可能之危害反應：	高溫會發生不穩定或危害性聚合反應
應避免之狀況 ：	高溫
應避免之物質：	強酸，強鹼，氧化劑
危害分解物 ：	燃燒後產生一氧化碳、二氧化碳

11. 毒性資料

暴露途徑：	皮膚，吸入，食入，眼睛
症狀：	無資料

急毒性：	無資料
局部效應：	無資料
致敏感性：	無資料
慢毒性或長期毒性：	無資料
特殊效應：	無資料

12. 生態資料

生態毒性：	無資料
持久性及降解性：	無資料
生物蓄積性：	無資料
土壤中之流動性：	無資料
其他不良效應：	無資料

13. 廢棄處置方法

廢棄處置方法：	依廢棄物清理法處理

14. 運送資料

聯合國編號：	不適用
聯合國運輸名稱：	不適用
運輸危害分類：	不適用
包裝類別：	不適用
海洋汙染物(是/否)：	否 特
殊運送方法及注意事項：	不適用

15. 法規資料

適用法規：	無特定法規

16. 其他資料

參考文獻：	無			
製表單位	名稱：	清溢企業有限公司	電話：	03-324-6060
	地址：	桃園市蘆竹區長興路3段61-3號		
製表人	職稱：		姓名：	蔡碧蓮
製表日期：	西元 2024年 03 月 31 日			

Test Report

No.: SHAEC24028136901 **Date:** Dec 14, 2024

Client Name: 3M CHINA LIMITED

Client Address: 222 TIANLIN ROAD, SHANGHAI

Sample Name: 3M 5952

Model No.: 3M 5952

Client Ref. Information: 5915,5925,5930,5962,5915P,5925P,5930P,5952P,5962P

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-039450

Sample Receiving Date: Dec 09, 2024

Testing Period: Dec 09, 2024 ~ Dec 14, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Tom Ni

Tom Ni
Approved Signatory

scan to see the report
3B240EC2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA24-0281369-0001.C001	Black adhesive tape

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Item(s)	Limit	Unit(s)	MDL	A1
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3/F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

ATTACHMENTS

Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3 F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

PBB/PBDE Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3/F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Sample Photo:



SHA24-0281369-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3/F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Report

No.: SHAEC24028136903 **Date:** Dec 14, 2024

Client Name: 3M CHINA LIMITED

Client Address: 222 TIANLIN ROAD, SHANGHAI

Sample Name: 3M 5952

Model No.: 3M 5952

Client Ref. Information: 5915,5925,5930,5962,5915P,5925P,5930P,5952P,5962P

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-039450

Sample Receiving Date: Dec 09, 2024

Testing Period: Dec 09, 2024 ~ Dec 14, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
Halogen	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Tom Ni

Tom Ni
Approved Signatory

scan to see the report
5295A01D

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Test Result(s):

Test Part Description：

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA24-0281369-0001.C001	Black adhesive tape

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	Unit(s)	MDL	A1
Fluorine(F)	mg/kg	20	ND
Chlorine(Cl)	mg/kg	50	293
Bromine(Br)	mg/kg	50	ND
Iodine(I)	mg/kg	50	ND


Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3/F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

ATTACHMENTS

Halogen Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested .
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3 rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Sample Photo:



SHA24-0281369-0001.C001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3/F,Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

測試報告
Test Report

號碼(No.): ETR24505052　　日期(Date): 05-Jun-2024　　

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
樣品名稱(Sample Name)	:	D/S RELEASE PAPER (離型紙)
樣品型號(Style/Item No.)	:	白牛單/雙離型、彩格雙離型、白格單/雙離型、彩牛單/雙離型、牛皮底離型、牛皮單/雙離型、白牛底離、離型膜、白銅離型紙

==========

收件日(Sample Receiving Date)	:	29-May-2024
測試期間(Testing Period)	:	29-May-2024 to 05-Jun-2024

測試需求(Test Requested) : 依據客戶要求進行測試，測試項目請參閱測試結果表格。 (Testing item(s) is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

PIN CODE: 816D6516

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016，以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)		mg/kg	50	196
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)		mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出)；小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. 樣品的測試是基於申請人要求混合測試，報告中的混合測試結果不代表其中個別單一材質的含量。
   The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）

These samples were dissolved totally by pre-conditioning method according to below flow chart.


（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate


【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24505052



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
樣品名稱(Sample Name)	:	NAN YA RELEASE FILM (南亞離型膜)

==========

收件日(Sample Receiving Date)	:	06-May-2024
測試期間(Testing Period)	:	06-May-2024 to 13-May-2024

測試需求(Test Requested) :

(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定，測試鹵素-氟、氯、溴、碘。 (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in the submitted sample.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　論(Conclusion) :

(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

CHECK REPORT
PIN CODE: A84C112E

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 透明塑膠膜 (TRANSPARENT PLASTIC FILM)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb))		mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.	1000
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

備註(Note)：


1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出)；小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal


根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）
These samples were dissolved totally by pre-conditioning method according to below flow chart.
（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate


【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24500806



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Regulatory Data Sheet

Copyright,2025, 3M Company.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Regulatory Data Sheet is provided as a courtesy in response to a customer request.

Document Group:	34-4439-5	**Version Number:**	25.02
Issue Date:	02/19/25	**Supercedes Date:**	02/06/25

3M™ VHB™ Tape 5915P

3M
Industrial Adhesives and Tapes Division
3M Center, St. Paul, MN 55144-1000, USA
1-888-3M HELPS (1-888-364-3577)

RDSs are available at www.3M.com

Regulations and Industry Standards

SDS (US OSHA)
This product is an article and therefore is not subject to the requirements of the US Occupational Safety and Health Administration's (OSHA) Hazardous Communications Standard 29 CFR 1910.1200(b)(6)(v) to provide a Safety Data Sheet (SDS).
China RoHS
This product or part does not exceed the maximum concentration values (MCVs) in China RoHS GB/T 26572-2011 (Requirements of Concentration limits for certain restricted substances in electrical and electronic products), which means that each of the homogeneous materials within this product is below the following MCVs: (a) 0.1% (by weight) for lead and its compounds, mercury and its compounds, hexavalent chromium and its compounds, polybrominated biphenyls or polybrominated diphenyl ethers; and (b) 0.01% (by weight) for cadmium and its compounds.
CONEG
This product complies with the US CONEG (Coalition of Northeastern Governors) Model Toxics in Packaging Legislation as there is no intentionally added lead, cadmium, hexavalent chromium or mercury, and the sum total concentration of these substances in the product does not exceed 100 ppm by weight.
Conflict Minerals
Conflict Minerals, which the U.S. Securities and Exchange Commission ("SEC") has defined as gold, columbite-tantalite (coltan), cassiterite, wolframite, or their derivatives (tin, tantalum, or tungsten), are not contained in or are not "necessary to the functionality or necessary to the production" of the above-listed product, as the term "necessary to the functionality or the production" is defined under the SEC's Conflict Minerals Rule. 77 Fed. Reg. 56274 (Sept. 12, 2012).
EU REACH
Substances listed in Annex XIV of Regulation No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) are not intentionally added to this product.
EU REACH
This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects

the substances on the candidate SVHC list, effective January 2025.
EU REACH
This product or part is known to contain a substance listed in Annex XVII. *For more information on downstream conditions of use for the product as sold, consult the following Entries: 3, 75.*
EU RoHS
This product does not exceed the maximum concentration values (MCVs) set under EU Directive 2011/65/EU (RoHS recast/RoHS 2), as stated in Annex II to that directive. This means that each of the homogenous materials within this product does not exceed the following MCVs: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; and (b) 0.01% (by weight) for cadmium.
EU RoHS Phthalates
This product does not exceed the maximum concentration values (MCVs) for phthalates set under EU Directive 2011/65/EU (RoHS recast/RoHS 2), as amended by EU 2015/863, which applies to finished EEE after July 22, 2019 for Category 1-7, 10-11 products and after July 22, 2021 for Category 8 and 9 products. This means that each of the homogeneous materials within this product does not exceed the MCV of 0.1% (by weight) for each of the following phthalates: DEHP, BBP, DBP, and DIBP.
GADSL
This product contains a Declarable or Prohibited substance(s) that is present at or above the reportable threshold levels in the Global Automotive Declarable Substance List (GADSL). This declaration reflects the substances on the list as of the date of this certificate. *5915P is available in the public domain of IMDS as a Material Module entry with ID 143026085.*
Halal
This product has not been certified Halal.
Halogens – IEC 61249-2-21
This product meets the non-halogenated permissible limits of the International Electrotechnical Commission (IEC) 61249-2-21 standard as having less than 900 ppm bromine, less than 900 ppm chlorine, and less than 1500 ppm total bromine and chlorine.
Kosher
This product has not been certified Kosher.
Stockholm Agreement
This product does not contain Persistent Organic Pollutants (POPs) at or above applicable thresholds per Annexes A, B, and C of the Stockholm Convention, May 2004 and subsequent amendments.
Sustainability Advantage: Recycled content
This product does not contain recycled content.
TSCA Section 6
This product is not known to contain 2,4,6-Tri-tert-butylphenol (CAS 732-26-3).
TSCA Section 6
This product is not known to contain Decabromodiphenyl Ether (Deca-BDE) (CAS 1163-19-5).
TSCA Section 6
This product is not known to contain Hexachlorobutadiene (HCBD) (CAS 87-68-3).
TSCA Section 6
This product is not known to contain Pentachlorothiophenol (PCTP) (CAS 133-49-3).
TSCA Section 6
This product is not known to contain Phenol, isopropylated phosphate (3:1) (PIP (3:1)) (CAS 68937-41-7).

Chemicals and/or Compounds of Interest

Asbestos : Not known to contain.
Biocides/Preservatives : Biocides/preservatives are not intentionally added for the purpose of protecting the product from the growth of microorganisms.
Bisphenol A (BPA) (CAS 80-05-7) : Not known to contain.
Cobalt and (Co) Compounds : Not known to contain.
Gallium (CAS 7440-55-3) : Not known to contain.
Germanium (CAS 7440-56-4) : Not known to contain.
Materials of Human or Animal Origin : Contains. *Not reviewed for health care applications involving patient contact, or for applications involving food.*
Mica : Not known to contain.

Natural Rubber Latex : Not known to contain.
Ozone Depleting Chemicals (ODCs) : Not known to contain.
Pentachlorophenol (87-86-5) : Not known to contain.
Polycyclic Aromatic Hydrocarbons (PAHs) : Not known to contain.
Rare Earth Elements (REE) or Rare Earth Metals (REM) : Not known to contain.

Per- and Polyfluoroalkyl Substances (PFAS)

PFAS refers to a broad range of thousands of materials with varying properties and characteristics, which may include high resistance to oil, water, temperature, chemicals, and fire, which makes certain PFAS critical to the functioning of many modern products.

Per- and polyfluoroalkyl substances (PFAS) : Not intentionally added.
Perfluorohexane sulfonate (PFHxS) : Not intentionally added.
Perfluorohexanoic acid (PFHxA) (CAS 307-24-4) : Not intentionally added.
Perfluorooctanesulfonic Acid (PFOS) (CAS 1763-23-1) : Not intentionally added.
Perfluorooctanoic Acid (PFOA) (CAS 335-67-1) : Not intentionally added.

Definitions

Note: all Definitions take Disclaimers into account and apply to the "Chemicals and/or Compounds of Interest" and/or "Per and poly-fluoroalkyl Substances (PFAS)" sections only

Terms	Definitions
Contains*	Present based on composition information disclosed by 3M suppliers, analytical testing, or both.
Not known to contain*	1. Analytical measurement for presence is not currently available; 2. If measurement is possible, a) The material has not been identified or disclosed to 3M and b) The material has not been specifically quantified or detected; OR c) Based on information from raw material suppliers, possible presence as an impurity or by-product at or below regulatory thresholds (e.g., 0.1 or 0.01 %)
Intentionally added**	Desired in the final product to provide a specific characteristic, appearance, or quality and/or to perform a specific function.
Not intentionally added**	By-product(s), impurity(ies) and/or unintended artifact(s) resulting from the formulation and/or manufacture of a material.
By-product***	A chemical substance produced without a separate commercial intent during the manufacture, processing, use, or disposal of another chemical substance or mixture.
Impurity***	A chemical substance which is unintentionally present with another chemical substance (e.g., residuals, catalysts, process solvents).

**Terms apply to the Chemicals and/or Compounds of Interest Section only (if section is present)*
***Terms apply to the PFAS Section only (if section is present)*
****Terms apply to both the Chemicals and/or Compounds of Interest and PFAS Sections (if section(s) are present)*

Disclaimers: The information provided in this document related to material content represents 3M's knowledge and belief, which may be based in whole or in part on information provided by suppliers to 3M. This is intended to answer commonly asked questions about 3M products and is not intended to be a comprehensive listing of all substances that may be of interest or that may be regulated in this or other 3M products, nor is it intended to be a comprehensive summary of any and all regulations that may apply to this product. Where substances are listed, their listing does not infer or constitute a judgment as to their safety, environmental or health impacts. Information is supplied upon the condition that the persons receiving the same will make their own determination as to its suitability for their purposes prior to use. Customers are encouraged to consult with legal and regulatory experts to determine applicable regulations in light of intended use of the product.

Limitation of Remedies and Liability: In the event any Product is proven not to conform with the information in this document, then to the extent permitted by law, 3M's entire liability and Buyer's exclusive remedy, will be at 3M's option either: (i) replacement of Product with a conforming product, or (ii) refund of the purchase price paid by Buyer for each non-conforming Product, within a reasonable time after written notification of said non-conformance and return of said Product to 3M. 3M shall not under any circumstances be liable for direct, incidental, special, or consequential damages (including but not limited to loss of profits, revenue, or business) related to or arising out of this certification, including, the use, misuse or inability to use the Product. Unless stated otherwise in writing, the foregoing language cannot be waived, modified, or supplemented in any manner whatsoever.

測試報告
Test Report

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	：	寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
樣品名稱(Sample Name)	：	D/S RELEASE PAPER (離型紙)
樣品型號(Style/Item No.)	：	白牛離型紙、彩牛離型紙、印刷離型紙、彩格離型紙、白底膠離型紙、白銅離型紙、牛皮離型紙、白格離型紙、離型膜

==========

收件日(Sample Receiving Date)	：	29-May-2024
測試期間(Testing Period)	：	29-May-2024 to 05-Jun-2024
測試需求(Test Requested)	：	依據客戶要求，進行高關注物質(SVHC)篩檢。(As requested by client, SVHC Screening was performed.)
測試結果(Test Results)	：	請參閱下一頁 (Please refer to following pages).

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

PIN CODE: F44378D6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試方法(Test Method)

參考RSTS-EE-SVHC-007，以感應耦合電漿發射光譜儀、紫外光-可見光分光光度計、氣相層析儀/質譜儀、液相層析儀/質譜儀、氣相層析儀/火焰光度偵測器、液相層析儀/二極體陣列偵測器、液相層析串聯質譜儀分析。(With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/DAD, LC/MS/MS.)

測試結果 (Test Results) **單位 (Unit): %**

高關注物質(SVHC)候選清單 Candidate List of SVHC

物質名稱 (Substance Name)	RL	結果 (Result)
		No.1
所有高關注物質(SVHC)候選清單測試 (All tested SVHC in candidate list)	-	n.d.

高關注物質(SVHC)建議清單 Proposed list of SVHC

物質名稱 (Substance Name)	RL	結果 (Result)
		No.1
所有高關注物質(SVHC)建議清單測試 (All tested SVHC in proposed list)	-	n.d.

Remark：

1. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定，如果物質合乎第57條款之標準以及可依據第59(1)條之規定鑑別，且同時符合下列兩項狀況，任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報：

   (a) 成品中所含物質每年超過1公噸。
   (b) 依重量百分比計算，物質濃度超過0.1%。

   In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,

   if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

2. Regulation (EC) No 1907/2006中第 33 條要求成品供應商，其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%，應提供成品接受者充份可取得資訊，以確保成品的安全使用(至少包括物質的名稱)。

   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.

3. 如果樣品中高關注物質的濃度超過0.1% (w/w)和/或歐盟(EC)No.1272/2008 CLP法規及其修訂中設定的特殊濃度限值，建議客戶根據歐盟REACH法規No.1907/2006對有關高關注物質準備安全資料表(SDS)以符合供應鏈通信的義務，如：
   (I) 根據(EC)No.1272/2008 CLP法規被列為有害物質。
   (II) 根據(EC)No.1272/2008 CLP法規被列為有害混合物，而當中物質的濃度大於或等於(EC)No.1272/2008 CLP法規列出的濃度限值;或
   (III) 根據(EC)No.1272/2008 CLP法規並未列為有害混合物，但包含：
   (a) 對人類健康或環境有害的物質，而在固體或液體混合物(即非氣體混合物)中其濃度≥1%(w/w)或在氣體混合物中占體積≥0.2%，或
   (b) PBT或vPvB物質，在固體或液體混合物(即非氣體混合物)中個別濃度≥0.1%(w/w)，或
   (c) 授權審議的高關注物質候選清單上的物質(除上述以外的原因)在個別非氣體混合物中的濃度≥0.1%(w/w)，或
   (d) 設有歐洲範圍內工作場所接觸限值的物質。

   If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

   (I) a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
   (II) mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
   (III) a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
   (a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
   (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
   (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
   (d) a substance for which there are Europe-wide workplace exposure limits

4. 倘若SVHC超出報告極限值，建議客戶確認含有該SVHC的零件，並要求實驗室進一步的定量分析而取得SVHC的確切濃度。
   If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. RL = Reporting Limit (報告極限值)
3. n.d. = Not Detected (未檢出)；小於RL (Less than RL)
4. "-" = Not Regulated (無規格值)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

5. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1375
   (conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1375)
6. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來。(The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.)
7. ***: 該物質是由單辛基錫、二辛基錫、三丁基錫、二丁基錫、全氟辛酸或各別元素 (例如：砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知。(The substance was calculated by the test results of Monooctyl Tin, Dioctyl Tin, Tributyl Tin, Dibutyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).)

表格 (Table) 1：測試結果如下(The test result is given as): **單位(Unit): %**

物質名稱 / 特定元素 (Substance Name / Specific Element(s))	RL	結果 (Result)
		No.1
三丁基錫 (Tributyl Tin) (TBT)	0.0487	n.d.
砷 (Arsenic) (As) (※ E)	0.005	n.d.
六價鉻 (Hexavalent chromium) (Cr(VI))	0.005	n.d.
硼 (Boron) (B) (※ E)	0.005	n.d.
鈷 (Cobalt) (Co)	0.005	n.d.
二丁基錫 (Dibutyl Tin) (DBT)	0.027	n.d.
鋇 (Barium) (Ba)	0.005	n.d.
二辛基錫 (Dioctyl Tin) (DOT)	0.023	n.d.
單辛基錫 (Monooctyl Tin) (MOT)	0.0138	n.d.
鉛 (Lead) (Pb)	0.005	n.d.
鎘 (Cadmium) (Cd)	0.005	n.d.

8. F參數換算表&分類 (F Parameter Conversion Table & Classification): https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others
9. (※ P): 此化合物之濃度是取六價鉻及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。(Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
10. (※ C): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成，而導致沒有固定分子量，因此以單體鉻酸或重鉻酸較為重要並應被考慮。(Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.)
11. (※ H): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519)。(Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

12. (※ S): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
13. (※ T): 由於TGIC本身含有β-TGIC，依照ECHA 技術文件 β-TGIC與 TGIC 約為 1:10 比例，因此β-TGIC將以1/10 的TGIC計算濃度。(TGIC is a mixture and also contains β-TGIC. According to the ECHA's technical dossier the ratio of β-TGIC to TGIC is around 1 to 10. Therefore β-TGIC is issued based on the above-mentioned ratio.)
14. (※ B): 只有在矽與鉛定性結果為陽性時，再以鋇之濃度換算之。(Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.)
15. (※ R): RP-HP無法直接測得且無法自特定元素計算含量，RP-HP之所以被定義於SVHC是因為4-HPbl，因此分析4-HPbl取代RP-HP。(RP-HP can't be identified directly and test result can't be calculated based on specific element(s) or compound. RP-HP is identified as SVHC because of 4-HPbl, therefore 4-HPbl is analysed instead of RP-HP.)
16. (●) : 因為鉛有一很廣泛應用，不太可能判定是否檢驗出的鉛是來自鉛離子，鉛元素或鉛化合物，因此用檢驗出的總鉛來代表鉛。(Since lead has a wide application, it is unlikely to determine if the detected lead comes from the lead ion, lead element or/ and lead compounds. Therefore the detected total lead is used on behalf of lead.)
17. (※ U): 硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉鹽; 硼酸鈉; 硼酸鈉鹽 (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0)，依據其中最大分子量的硼酸鈉鹽 (CAS No.: 13840-56-7)進行計算，其F參數為11.8215。(Boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Orthoboric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0). The calculation is based on the largest molecular weight of Orthoboric acid, sodium salt (CAS No.: 13840-56-7). The F Parameter is 11.8215.)
18. (※ D): 此化合物之濃度是取硼及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and lead, lead and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
19. (※ G): 此化合物先定性初篩，當該化合物有訊號，再利用特定元素硫及磷計算化合物濃度。
(The compound is qualitatively screened first. When there is a signal of the compound, specific elements Sulfur and Phosphorus are used to calculate the concentration of compound.)
20. (※ I): 先對特定指標化合物進行初篩，再經評估後，如有特定訊號時，實驗室需加測總氟來計算化合物濃度。
(A specific index compound is qualitatively screened first. After the evaluation, and the specific signal is positive, the total Fluorine is used to calculate the concentration of SVHC compound.)
21. (※ A): 此化合物之濃度是取硼及鋇兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and Barium, Barium and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and Barium. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

22. (※ E): 被萃取出的溶出硼/砷是以感應耦合電漿發射光譜儀檢測得之。(The extracted soluble Boron / Arsenic are detected by ICP-OES.)
23. 依據申請人要求混合測試，報告中的濃度不代表其中單一樣品的含量。(The mixed test was implemented according to the applicant's request. The obtained test result doesn't stand for the test result of the respective sample.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

【附錄 (Appendix) 1】

高關注物質(SVHC)候選清單 Candidate List of SVHC : **單位 (Unit): %**

No.	物質名稱 (Substance Name)	RL
1.	4,4' - 二氨基二苯甲烷 (4,4'- Diaminodiphenylmethane) (MDA) (CAS No.: 101-77-9)	0.05
2.	二甲苯麝香 (5-tert-butyl-2,4,6-trinitro-m-xylene) (Musk Xylene) (CAS No.: 81-15-2)	0.05
3.	短鏈氯化石蠟 (Alkanes, C10-13, chloro) (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	0.05
4.	蒽 (Anthracene) (CAS No.: 120-12-7)	0.05
5.	鄰苯二甲酸丁苯甲酯 (Benzyl butyl phthalate) (BBP) (CAS No.: 85-68-7)	0.05
6.	氧化雙三丁基錫 (Bis(tributyltin) oxide) (TBTO)*** (CAS No.: 56-35-9)	-
7.	五氧化二砷 (Diarsenic pentaoxide)*** (CAS No.: 1303-28-2)	-
8.	三氧化二砷 (Diarsenic trioxide)*** (CAS No.: 1327-53-3)	-
9.	鄰苯二甲酸二丁酯 (Dibutyl phthalate) (DBP) (CAS No.: 84-74-2)	0.05
10.	六溴環十二烷及所有主要被辨別出的異構物 (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	0.05
11.	砷酸氫鉛 (Lead hydrogen arsenate)*** (CAS No.: 7784-40-9) (※ S)	-
12.	重鉻酸鈉 (Sodium dichromate)*** (CAS No.: 10588-01-9, 7789-12-0) (*)	-
13.	三乙基砷酸酯 (Triethyl arsenate)*** (CAS No.: 15606-95-8)	-
14.	鄰苯二甲酸二 (2-乙基己基)酯 (Bis (2-ethylhexyl)phthalate) (DEHP) (CAS No.: 117-81-7)	0.05
15.	2,4-二硝基甲苯 (2,4-Dinitrotoluene) (CAS No.: 121-14-2)	0.05
16.	蒽油 (Anthracene oil) (CAS No.: 90640-80-5) (**)	0.05
17.	蒽油, 蒽糊 (Anthracene oil, anthracene paste) (CAS No.: 90640-81-6) (**)	0.05
18.	蒽油, 蒽糊, 蒽餾分 (Anthracene oil, anthracene paste, anthracene fraction) (CAS No.: 91995-15-2) (**)	0.05
19.	蒽油, 蒽糊, 輕油 (Anthracene oil, anthracene paste, distn. Lights) (CAS No.: 91995-17-4) (**)	0.05
20.	蒽油, 含蒽量少 (Anthracene oil, anthracene-low) (CAS No.: 90640-82-7) (**)	0.05
21.	鄰苯二甲酸二異丁酯 (Diisobutyl phthalate) (DIBP) (CAS No.: 84-69-5)	0.05
22.	鉻酸鉛 (Lead chromate)*** (CAS No.: 7758-97-6) (※ P)	-
23.	鉬鉻紅；顏色索引: 顏料紅104 (Lead chromate molybdate sulphate red (C.I. Pigment Red 104))*** (CAS No.: 12656-85-8) (※ P)	-
24.	鉻酸鉛；顏色索引: 顏料黃34 (Lead sulfochromate yellow (C.I. Pigment Yellow 34))*** (CAS No.: 1344-37-2) (※ P)	-
25.	煤瀝青, 高溫 (Pitch, coal tar, high-temp.) (CAS No.: 65996-93-2) (**)	0.05
26.	磷酸三(2-氯乙基)酯 (Tris(2-chloroethyl) phosphate) (TCEP) (CAS No.: 115-96-8)	0.05
27.	丙烯醯胺 (Acrylamide) (CAS No.: 79-06-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
28.	重鉻酸銨 (Ammonium dichromate)*** (CAS No.: 7789-09-5)	-
29.	硼酸 (Boric acid)*** (CAS No.: 10043-35-3, 11113-50-1)	-
30.	無水四硼酸二鈉 (Disodium tetraborate, anhydrous)*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	-
31.	鉻酸鉀 (Potassium chromate)*** (CAS No.: 7789-00-6)	-
32.	重鉻酸鉀 (Potassium dichromate)*** (CAS No.: 7778-50-9)	-
33.	鉻酸鈉 (Sodium chromate)*** (CAS No.: 7775-11-3)	-
34.	水合硼酸鈉 (Tetraboron disodium heptaoxide, hydrate) (CAS No.: 12267-73-1) (※ H)	-
35.	三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)	0.05
36.	乙二醇乙醚 (2-Ethoxyethanol) (CAS No.: 110-80-5)	0.05
37.	乙二醇甲醚 (2-Methoxyethanol) (CAS No.: 109-86-4)	0.05
38.	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 (Acids generated from chromium trioxide and their oligomers: Chromic acid)*** (CAS No.: 7738-94-5)	-
	從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 (Acids generated from chromium trioxide and their oligomers: Dichromic acid)*** (CAS No.: 13530-68-2)	-
	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 (Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid) (※ C)	-
39.	三氧化鉻 (Chromium trioxide)***(CAS No.: 1333-82-0)	-
40.	碳酸鈷(二價) (Cobalt(II) carbonate)*** (CAS No.: 513-79-1)	-
41.	醋酸鈷(二價) (Cobalt(II) diacetate)*** (CAS No.: 71-48-7)	-
42.	硝酸鈷(二價) (Cobalt(II) dinitrate)*** (CAS No.: 10141-05-6)	-
43.	硫酸鈷(二價) (Cobalt(II) sulphate)*** (CAS No.: 10124-43-3)	-
44.	1,2,3-三氯丙烷 (1,2,3-trichloropropane) (CAS No.: 96-18-4)	0.05
45.	鄰苯二甲酸二 (C6-8支鏈)烷基酯，富C7 (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (DIHP) (CAS No.: 71888-89-6)	0.05
46.	鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (DHNUP) (CAS No.: 68515-42-4)	0.05
47.	N-甲基吡咯烷酮 (1-Methyl-2-pyrrolidone) (NMP) (CAS No.: 872-50-4)	0.05
48.	乙二醇乙醚乙酸酯 (2-Ethoxyethyl acetate) (CAS No.: 111-15-9)	0.05
49.	聯氨 (Hydrazine) (CAS No.: 7803-57-8, 302-01-2)	0.05
50.	鉻酸鍶 (Strontium chromate)*** (CAS No.: 7789-06-2)	-
51.	二氯化鈷 (Cobalt dichloride) (CAS No.: 7646-79-9)	0.005
52.	1,2-二氯乙烷 (1,2-Dichloroethane) (CAS No.: 107-06-2)	0.05
53.	4,4'-亞甲雙 (2-氯苯胺) (2,2'-dichloro-4,4'-methylenedianiline) (CAS No.: 101-14-4)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
54.	鄰甲氧基苯胺 (2-Methoxyaniline, o-Anisidine) (CAS No.: 90-04-0)	0.05
55.	對特辛基苯酚 / 辛基酚 (4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 140-66-9)	0.05
56.	矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】)	0.05
57.	砷酸 (Arsenic acid)*** (CAS No.: 7778-39-4)	-
58.	双(2-甲氧基乙基)醚 (Bis(2-methoxyethyl) ether) (CAS No.: 111-96-6)	0.05
59.	鄰苯二甲酸二甲氧基乙酯 (Bis(2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	0.05
60.	砷酸鈣 (Calcium arsenate)*** (CAS No.: 7778-44-1)	-
61.	鉻酸鉻 (Dichromium tris(chromate))*** (CAS No.: 24613-89-6)	-
62.	甲醛與苯胺的寡聚體 (Formaldehyde, oligomeric reaction products with aniline (technical MDA)) (CAS No.: 25214-70-4)	0.05
63.	疊氮化鉛 (Lead diazide, Lead azide)*** (CAS No.: 13424-46-9)	-
64.	苦味酸鉛 (Lead dipicrate)*** (CAS No.: 6477-64-1)	-
65.	中性斯蒂酚酸鉛 (Lead styphnate)*** (CAS No.: 15245-44-0)	-
66.	N,N-二甲基乙醯胺 (N,N-dimethylacetamide) (DMAC) (CAS No.: 127-19-5)	0.05
67.	八氫氧化五鉻酸鋅 (Pentazinc chromate octahydroxide)*** (CAS No.: 49663-84-5)	-
68.	酚酞 (Phenolphthalein) (CAS No.: 77-09-8)	0.05
69.	氫氧化鉻酸鋅鉀 (Potassium hydroxyoctaoxodizincatedichromate)*** (CAS No.: 11103-86-9)	-
70.	砷酸鉛 (Trilead diarsenate)*** (CAS No.: 3687-31-8) (※ S)	-
71.	鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Zirconia Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】)	0.05
72.	鹼性藍 26 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 2580-56-5)	0.05
73.	鹼性紫 3 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 548-62-9)	0.05
74.	三甘醇二甲醚 (1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)) (CAS No.: 112-49-2)	0.05
75.	乙二醇二甲醚 (1, 2-dimethoxyethane; ethylene glycol dimethyl ether) (EGDME) (CAS No.: 110-71-4)	0.05
76.	異氰尿酸三縮水甘油酯 (1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione) (TGIC) (CAS No.: 2451-62-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
77.	異氰尿酸β-三縮水甘油酯 (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) (β-TGIC) (CAS No.: 59653-74-6) (※ T)	0.05
78.	α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [內含≥ 0.1% 的米氏酮或米氏鹼] (4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol) [with ≥ 0.1% of Michler's ketone or Michler's base] (CAS No.: 561-41-1)	0.05
79.	4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) (4,4'-bis(dimethylamino)benzophenone (Michler’ s ketone)) (CAS No.: 90-94-8)	0.05
80.	三氧化二硼 (Diboron trioxide)*** (CAS No.: 1303-86-2)	-
81.	甲醯胺 (Formamide) (CAS No.: 75-12-7)	0.05
82.	甲基磺酸鉛 (Lead(II) bis(methanesulfonate))*** (CAS No.: 17570-76-2)	-
83.	4,4'-(对二甲氨基)二苯基甲烷 (米氏鹼) (N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)) (CAS No.: 101-61-1)	0.05
84.	溶劑藍 4 [內含≥ 0.1% 的米氏酮或米氏鹼] (α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 6786-83-0)	0.05
85.	[1,2-苯二羧酸根合]二氧化三鉛 ([Phthalato(2-)]dioxotrilead)*** (CAS No.: 69011-06-9)	-
86.	支鏈和直鏈1,2-苯二羧二戊酯 (1,2-Benzenedicarboxylic acid, dipentylester, branched and linear) (CAS No.: 84777-06-0)	0.05
87.	乙二醇二乙醚 (1,2-Diethoxyethane) (CAS No.: 629-14-1)	0.05
88.	正丙基溴 (1-bromopropane (n-propyl bromide)) (CAS No.: 106-94-5)	0.05
89.	3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 (3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine) (CAS No.: 143860-04-2)	0.05
90.	4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基 [以及所有的被定義的物質，未知成分或可變成分的物質，聚合物和同系物] (4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues])	0.05
91.	4,4'-二氨基-3,3'-二甲基聯苯基甲烷 (4,4'-Methylenedi-o-toluidine) (CAS No.: 838-88-0)	0.05
92.	4,4'-二氨基二苯醚 (4,4'-Oxydianiline and its salts) (CAS No.: 101-80-4)	0.05
93.	4-苯基偶氮基苯胺 (4-Aminoazobenzene) (CAS No.: 60-09-3)	0.05
94.	2,4-二氨基甲苯 (2,4-Diaminotoluene) (CAS No.: 95-80-7)	0.05
95.	分支或線性的壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
96.	3-甲基-6-甲氧基苯胺 (6-methoxy-m-toluidine (p-cresidine)) (CAS No.: 120-71-8)	0.05
97.	堿式醋酸鉛 (Acetic acid, lead salt, basic)*** (CAS No.: 51404-69-4)	-
98.	4-氨基聯苯 (Biphenyl-4-ylamine) (CAS No.: 92-67-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
99.	十溴聯苯醚 (Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)) (CAS No.: 1163-19-5)	0.05
100.	六氫苯二甲酸酐 (Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	0.05
101.	偶氮[二]甲醯胺 (Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (CAS No.: 123-77-3)	0.05
102.	二氯二丁基錫 (Dibutyltin dichloride) (DBTC)*** (CAS No.: 683-18-1)	-
103.	硫酸二乙酯 (Diethyl sulphate) (CAS No.: 64-67-5)	0.05
104.	鄰苯二甲酸二異戊酯 (Diisopentyl phthalate) (CAS No.: 605-50-5)	0.05
105.	硫酸二甲酯 (Dimethyl sulphate) (CAS No.: 77-78-1)	0.05
106.	2-(1-甲基丙基)-4,6-二硝基苯酚 (Dinoseb (6-sec-butyl-2,4-dinitrophenol)) (CAS No.: 88-85-7)	0.05
107.	雙(十八酸基)二氧代三鉛 (Dioxobis(stearato)trilead)*** (CAS No.: 12578-12-0)	-
108.	C16-18-脂肪酸鉛鹽 (Fatty acids, C16-18, lead salts)*** (CAS No.: 91031-62-8)	-
109.	呋喃 (Furan) (CAS No.: 110-00-9)	0.05
110.	全氟十一酸 (Henicosafluoroundecanoic acid) (CAS No.: 2058-94-8)	0.05
111.	全氟十四酸 (Heptacosafluorotetradecanoic acid) (CAS No.: 376-06-7)	0.05
112.	甲基六氫苯酐 (Hexahydromethylphthalic anhydride) (CAS No.: 25550-51-0) 4-甲基六氫苯酐 (Hexahydro-4-methylphthalic anhydride) (CAS No.: 19438-60-9) 3-甲基六氫苯酐 (Hexahydro-3-methylphthalic anhydride) (CAS No.: 57110-29-9) 1-甲基六氫苯酐 (Hexahydro-1-methylphthalic anhydride) (CAS No.: 48122-14-1)	0.05
113.	四氟硼酸鉛 (II) (Lead bis(tetrafluoroborate))*** (CAS No.: 13814-96-5) (※ D)	-
114.	氨基氰鉛鹽 (Lead cyanamidate)*** (CAS No.: 20837-86-9)	-
115.	硝酸鉛 (Lead dinitrate)*** (CAS No.: 10099-74-8)	-
116.	氧化鉛 (Lead monoxide) (lead oxide)*** (CAS No.: 1317-36-8)	-
117.	堿式硫酸鉛 (Lead oxide sulfate)*** (CAS No.: 12036-76-9)	-
118.	鈦酸鉛 (Lead titanium trioxide)*** (CAS No.: 12060-00-3)	-
119.	鈦酸鉛鋯 (Lead Titanium Zirconium Oxide)*** (CAS No.: 12626-81-2)	-
120.	甲氧基乙酸 (Methoxyacetic acid) (CAS No.: 625-45-6)	0.05
121.	環氧丙烷 (Methyloxirane (Propylene oxide)) (CAS No.: 75-56-9)	0.05
122.	N,N-二甲基甲醯胺 (N,N-dimethylformamide; dimethyl formamide) (CAS No.: 68-12-2)	0.05
123.	N-甲基乙醯胺 (N-methylacetamide) (CAS No.: 79-16-3)	0.05
124.	鄰苯二甲酸正戊異戊酯 (n-pentyl-isopentylphthalate) (CAS No.: 776297-69-9)	0.05
125.	鄰氨基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
126.	四氧化鉛 (Orange lead (lead tetroxide))*** (CAS No.: 1314-41-6)	-
127.	鄰甲苯胺 (o-Toluidine) (CAS No.: 95-53-4)	0.05
128.	全氟十三酸 (Pentacosafluorotridecanoic acid) (CAS No.: 72629-94-8)	0.05
129.	氧化鉛與硫酸鉛的複合物 (Pentalead tetraoxide sulphate)*** (CAS No.: 12065-90-6)	-
130.	C.I.顏料黃41 (Pyrochlore, antimony lead yellow)*** (CAS No.: 8012-00-8)	-
131.	含鉛的矽酸鋇 (Silicic acid (H2Si2O5), barium salt (1:1), lead-doped) (※ B) (CAS No.: 68784-75-8)	0.05
132.	矽酸鉛 (Silicic acid, lead salt)*** (CAS No.: 11120-22-2)	-
133.	亞硫酸鉛(II) (Sulfurous acid, lead salt, dibasic)*** (CAS No.: 62229-08-7)	-
134.	四乙基鉛 (Tetraethyllead)*** (CAS No.: 78-00-2)	-
135.	三鹼式硫酸鉛/ C.I. 顏料白 (Tetralead trioxide sulphate)*** (CAS No.: 12202-17-4)	-
136.	全氟十二酸 (Tricosafluorododecanoic acid) (CAS No.: 307-55-1)	0.05
137.	堿式碳酸鉛 (Trilead bis(carbonate) dihydroxide (basic lead carbonate))*** (CAS No.: 1319-46-6)	-
138.	磷酸氧化鉛 (Trilead dioxide phosphonate)*** (CAS No.: 12141-20-7)	-
139.	分支或線性的乙氧化壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof])	0.05
140.	全氟辛酸銨 (Ammonium pentadecafluorooctanoate) (APFO)*** (CAS No.: 3825-26-1)	-
141.	鎘 (Cadmium) (Cd) (CAS No.: 7440-43-9)	0.005
142.	氧化鎘 (Cadmium oxide)*** (CAS No.: 1306-19-0)	-
143.	鄰苯二甲酸二戊酯 (Dipentyl phthalate) (DPP) (CAS No.: 131-18-0)	0.05
144.	全氟辛酸 (Pentadecafluorooctanoic acid) (PFOA) (CAS No.: 335-67-1)	0.05
145.	硫化鎘 (Cadmium sulphide)*** (CAS No.: 1306-23-6)	-
146.	鄰苯二甲酸二正己酯 (Di-n-hexyl phthalate) (DNHP) (CAS No.: 84-75-3)	0.05
147.	直接紅28 (Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)) (CAS No.: 573-58-0)	0.05
148.	直接黑38 (Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)) (CAS No.: 1937-37-7)	0.05
149.	亞乙基硫脲 (Imidazolidine-2-thione (2-imidazoline-2-thiol)) (CAS No.: 96-45-7)	0.05
150.	醋酸鉛 (Lead di(acetate))*** (CAS No.: 301-04-2)	-
151.	磷酸三(二甲苯)酯 (Trixylyl phosphate) (CAS No.: 25155-23-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
152.	鄰苯二甲酸二己酯(支鏈和直鏈) (1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear) (CAS No.: 68515-50-4)	0.05
153.	氯化鎘 (Cadmium chloride)*** (CAS No.: 10108-64-2)	-
154.	過硼酸鈉 (Sodium perborate; perboric acid, sodium salt)***	-
155.	過氧偏硼酸鈉 (Sodium peroxometaborate)*** (CAS No.: 7632-04-4)	-
156.	2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) (2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol) (UV-328) (CAS No.: 25973-55-1)	0.05
157.	2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) (2-benzotriazol-2-yl-4,6-di-tert-butylphenol) (UV-320) (CAS No.: 3846-71-7)	0.05
158.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫 (2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE))*** (CAS No.: 15571-58-1)	-
159.	氟化鎘 (Cadmium fluoride)*** (CAS No.: 7790-79-6)	-
160.	硫酸鎘 (Cadmium sulphate)*** (CAS No.: 10124-36-4, 31119-53-6)	-
161.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫和單辛基-三(2-乙基己基巰基乙酸酯)錫的反應物 (Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE))***	-
162.	鄰苯二甲酸二(C6-10)烷基酯; 鄰苯二甲酸二己、二辛、二癸酯混合物;鄰苯二甲酸二己酯 ≧ 0.3% (1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≧ 0.3% of dihexyl phthalate) (CAS No.: 68515-51-5, 68648-93-1)	0.05
163.	5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[1],5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[2],[任何[1]和[2]或者其任意組合的單獨異構物或其任何組合] (5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof])	0.05
164.	1,3-丙烷磺內酯 (1,3-propanesultone) (CAS No.: 1120-71-4)	0.05
165.	2,4-二-叔丁基-6-(5-氯-2H-苯并三唑-2-基)苯酚(紫外線吸收劑327) (2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol) (UV-327) (CAS No.: 3864-99-1)	0.05
166.	2-(3-仲-丁基-5-叔丁基-2-羟苯基)苯并三唑(紫外線吸收劑 UV-350) (2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol) (UV-350) (CAS No.: 36437-37-3)	0.05
167.	硝基苯 (Nitrobenzene) (CAS No.: 98-95-3)	0.05
168.	全氟壬酸 (Perfluorononan-1-oic-acid and its sodium and ammonium salts) (CAS No.: 375-95-1, 21049-39-8, 4149-60-4)	0.05
169.	苯并(a)芘 (Benzo[def]chrysene (Benzo[a]pyrene)) (CAS No.: 50-32-8)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
170.	雙酚A (4,4'-isopropylidenediphenol) (Bisphenol A) (CAS No.: 80-05-7)	0.05
171.	4-庚基苯酚，支鍊及直鍊 (4-HPbl)，包括含有7個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支7個碳烷基鏈的UVCB物質 (4-Heptylphenol, branched and linear (4-HPbl) [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
172.	十九氟癸酸及其鈉和銨鹽 (Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts) (CAS No.: 3108-42-7, 335-76-2, 3830-45-3)	0.05
173.	對(1,1-二甲基丙基)苯酚 (p-(1,1-dimethylpropyl)phenol) (CAS No.: 80-46-6)	0.05
174.	全氟己基磺酸及其鹽類 (Perfluorohexane-1-sulphonic acid and its salts) (PFHxS) (CAS No.: 355-46-4)	0.05
175.	德克隆(涵蓋各個反式及順式同分異構物或者相關組合) (1,6,7,8,9,14,15,16,17, 17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof])	0.05
176.	苯並[a]蒽 (Benz[a]anthracene) (CAS No.: 56-55-3)	0.05
177.	硝酸鎘 (Cadmium nitrate)*** (CAS No.: 10325-94-7)	-
178.	碳酸鎘 (Cadmium carbonate)*** (CAS No.: 513-78-0)	-
179.	氫氧化鎘 (Cadmium hydroxide)*** (CAS No.: 21041-95-2)	-
180.	苯並[a]菲 (Chrysene) (CAS No.: 218-01-9)	0.05
181.	1,3,4-噻唑烷-2,5-二硫酮，甲醛及4-庚基苯酚支鏈及直鏈反應物, (RP-HP) [含≥0.1% w/w 支鏈及直鏈4-庚基苯酚] (Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]) (※ R)	-
182.	鄰苯二甲酸二環己酯 (Dicyclohexyl phthalate) (DCHP) (CAS No.: 84-61-7)	0.05
183.	1,2,4-苯三甲酸酐 (Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride; TMA)) (CAS No.: 552-30-7)	0.05
184.	苯並(G,H,I)苝 (Benzo[ghi]perylene) (CAS No.: 191-24-2)	0.05
185.	八甲基環四矽氧烷 (Octamethylcyclotetrasiloxane) (D4) (CAS No.: 556-67-2)	0.05
186.	十甲基環五矽氧烷 (Decamethylcyclopentasiloxane) (D5) (CAS No.: 541-02-6)	0.05
187.	十二甲基環六矽氧烷 (Dodecamethylcyclohexasiloxane) (D6) (CAS No.: 540-97-6)	0.05
188.	氧化硼鈉 (Disodium octaborate)*** (CAS No.: 12008-41-2)	-
189.	乙二胺 (Ethylenediamine) (CAS No.: 107-15-3)	0.05
190.	鉛 (Lead) (Pb) (CAS No.: 7439-92-1) (●)	0.005
191.	氫化三聯苯 (Terphenyl, hydrogenated) (CAS No.: 61788-32-7)	0.05
192.	2,2-雙(4-羥基苯基)-4-甲基戊烷 (2,2-bis(4'-hydroxyphenyl)-4-methylpentane) (CAS No.: 6807-17-6)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
193.	苯駢(k)螢蒽 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	0.05
194.	苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)	0.05
195.	菲 (Phenanthrene) (CAS No.: 85-01-8)	0.05
196.	芘 (Pyrene) (CAS No.: 129-00-0)	0.05
197.	1,7,7-三甲基-3-(苯亞甲基)雙環[2,2,1]庚-2-酮 (1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)) (CAS No.: 15087-24-8)	0.05
198.	2,3,3,3-四氟-2-(七氟丙氧基)丙酸，鹽類，及其醯鹵(涵蓋他們其個別和組合之同分異構物) (2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof))	0.05
199.	2-甲烷氧基乙基乙酯 (2-methoxyethyl acetate) (CAS No.: 110-49-6)	0.05
200.	4-叔丁基苯酚 (4-tert-butylphenol) (CAS No.: 98-54-4)	0.05
201.	三(4-壬苯基,支鏈及直鏈)亞磷酸酯 含≥0.1%的支鏈及直鏈4-壬基酚 (Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear) (4-NP)	0.05
202.	二異己基鄰苯二甲酸酯 (Diisohexyl phthalate) (CAS No.: 71850-09-4)	0.05
203.	2-苄基-2-二甲基氨基-1-(4-嗎啉苯基)丁酮 (2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone) (CAS No.: 119313-12-1)	0.05
204.	2-甲基-1-(4-甲硫基苯基)-2-嗎啡基-1-丙酮 (2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one) (CAS No.: 71868-10-5)	0.05
205.	全氟丁磺酸及其相關鹽類 (Perfluorobutane sulfonic acid (PFBS) and its salts)	0.05
206.	1-乙烯基咪唑 (1-vinylimidazole) (CAS No.: 1072-63-5)	0.05
207.	2-甲基咪唑 (2-methylimidazole) (CAS No.: 693-98-1)	0.05
208.	4-羥基苯甲酸丁酯 (Butyl 4-hydroxybenzoate) (CAS No.: 94-26-8)	0.05
209.	二正丁基雙(乙醯丙酮基)錫 (Dibutylbis(pentane-2,4-dionato-O,O')tin)*** (CAS No.: 22673-19-4)	-
210.	雙(2-(2-甲氧基乙氧基)乙基)醚 (Bis(2-(2-methoxyethoxy)ethyl) ether) (CAS No.: 143-24-8)	0.05
211.	二月桂酸二辛基錫，錫烷，二辛基-，雙(椰油醯氧基)衍生物，以及任何其他錫烷，二辛基-，雙(脂肪醯氧基)衍生物。其中C12為脂肪醯氧基部分的主要碳原子數 (Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety)***	-
212.	1,4-二氧陸圜 (1,4-dioxane) (CAS No.: 123-91-1)	0.05
213.	2,2-雙(溴甲基)-1,3-丙二醇 (2,2-bis(bromomethyl)propane1,3-diol) (BMP) (CAS No.: 3296-90-0)	0.05
	3-溴-2,2-雙(溴甲基)-1-丙醇 (2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol) (TBNPA) (CAS No.: 36483-57-5, 1522-92-5)	0.05
	2,3-二溴-1-丙醇 (2,3-dibromo-1-propanol) (2,3-DBPA) (CAS No.: 96-13-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
214.	2-(4-叔丁基苄基)丙醛及其個別立體異構物 ((2R)-3-(4-叔丁基苯基)-2-甲基丙醛; 2-(4-叔丁基苄基)丙醛; (2S)-3-(4-叔丁基苯基)-2-甲基丙醛) (2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers ((2R)-3-(4-tert-butylphenyl)-2-methylpropanal; 2-(4-tert-butylbenzyl)propionaldehyde; (2S)-3-(4-tert-butylphenyl)-2-methylpropanal)) (CAS No.: 75166-31-3; 80-54-6; 75166-30-2)	0.05
215.	雙酚B (4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)) (CAS No.: 77-40-7)	0.05
216.	戊二醛 (Glutaral) (CAS No.: 111-30-8)	0.05
217.	中鏈氯化石蠟 (C14-16); 中鏈氯化石蠟 (C14-17); 二、三及四氯十四烷; 十四烷氯衍生物 (Alkanes, C14-16, chloro; Alkanes, C14-17, chloro; di-, tri- and tetrachlorotetradecane; Tetradecane, chloro derivs.) (CAS No.: 1372804-76-6; 85535-85-9; 198840-65-2)	0.05
218.	硼酸鈉鹽 (Orthoboric acid, sodium salt)*** (CAS No.: 13840-56-7)，硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉; 硼酸鈉鹽 (1:1) (boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1)) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 14890-53-0) (※ U)	-
219.	經由低聚合反應烷基化的苯酚產物(主要在對位位置)帶有12個碳的支鏈或直鏈，並涵蓋各種同分異構物及/或其各種組合 (支鏈 4-十二烷基苯酚; 4-異十二烷基苯酚; 4-異十二烷基苯酚; 支鏈十二烷基苯酚; 四丙烯基苯酚衍生物; 四丙烯苯酚) (Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (Phenol, 4-dodecyl, branched; 4-isododecylphenol; Phenol, 4-isododecyl-; Phenol, dodecyl-, branched; Phenol, (tetrapropenyl) derivatives; Phenol, tetrapropylene-)) (CAS No.: 210555-94-5; 27459-10-5; 27147-75-7; 121158-58-5; 74499-35-7; 57427-55-1)	0.05
220.	(±)-1,7,7-三甲基-3-[(4-甲基苯基)亞甲基]二環[2.2.1]庚烷-2-酮，包括各個異構體和/或其組合 ((±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof) (4-MBC)	0.05
221.	6,6'雙二叔丁基-2,2'-亞甲基雙對甲酚 (6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol) (DBMC) (CAS No.: 119-47-1)	0.05
222.	硫-(三環[5.2.1.0'2,6]癸-3-烯-8(或9)-基) 氧-(異丙基或異丁基或2-乙基己基) 氧-(異丙基或異丁基或2-乙基己基)二硫代磷酸酯 (S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate) (CAS No.: 255881-94-8) (※ G)	0.05
223.	三(2-甲氧基乙氧基)乙烯基矽烷 (Tris(2-methoxyethoxy)vinylsilane) (CAS No.: 1067-53-4)	0.05
224.	N-羥甲基丙烯醯胺 (N-(hydroxymethyl)acrylamide) (CAS No.: 924-42-5)	0.05
225.	1,2-雙(2,4,6-三溴苯氧基)乙烷 (1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]) (CAS No.: 37853-59-1)	0.05
226.	四溴雙酚A (2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol) (CAS No.: 79-94-7)	0.05
227.	雙酚S (4,4'-sulphonyldiphenol) (CAS No.: 80-09-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

No.	物質名稱 (Substance Name)	RL
228.	偏硼酸鋇 (Barium diboron tetraoxide)*** (CAS No.: 13701-59-2) (※ A)	-
229.	雙(2-乙基己基)四溴鄰苯二甲酸酯，覆蓋任何單個異構體和/或其組合 (Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof)	0.05
230.	4-羥基苯甲酸 2-甲基丙酯 (Isobutyl 4-hydroxybenzoate) (CAS No.: 4247-02-3)	0.05
231.	三聚氰胺 (Melamine) (CAS No.: 108-78-1)	0.05
232.	全氟庚酸及其鹽類 (Perfluoroheptanoic acid and its salts)	0.05
233.	2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)嗎啉和2,2,3,3,5,5,6,6-八氟烷-4-(七氟丙基)嗎啉的反應物料 (reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine) (※ I)	0.05
234.	4,4'-二氯二苯基碸 (Bis(4-chlorophenyl) sulphone) (CAS No.: 80-07-9)	0.05
235.	(2,4,6-三甲基苯甲醯基)二苯基氧化磷 (Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) (CAS No.: 75980-60-8)	0.05
236.	2,4,6-三叔丁基苯酚 (2,4,6-tri-tert-butylphenol) (CAS No.: 732-26-3)	0.05
237.	2-(2H-苯並三唑-2-基)-4-(1,1,3,3-四甲基丁基)苯酚 (紫外線吸收劑329) (2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 3147-75-9)	0.05
238.	2-二甲氨基-2-(4-甲基)苄基-1-[4-(4-嗎啉基)苯基]-1-丁酮 (2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one) (CAS No.: 119344-86-4)	0.05
239.	2-(5-氯-2-苯三唑基)-6-叔丁基-4-甲基苯酚 (紫外線吸收劑326) (Bumetrizole) (CAS No.: 3896-11-5)	0.05
240.	2-苯基丙烯與苯酚的低聚合烷基化反應物 (Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol)	0.05


高關注物質(SVHC)建議清單 Proposed list of SVHC :

No.	物質名稱 (Substance Name)	RL
1.	過氧化二異丙苯 (Bis(α,α-dimethylbenzyl) peroxide) (CAS No.: 80-43-3)	0.05
2.	磷酸三苯酯 (Triphenyl phosphate) (CAS No.: 115-86-6)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

分析流程圖 (Analytical flow chart)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

寶燕彩藝股份有限公司 (PAO YAN TSAE YIH CO., LTD.)
桃園市龜山區文化里頂湖一街53號 (NO. 53, TIN HU 1ST STREET, WEN HUA VILLAGE, KUEI SHAN DISTRICT, TAOYUAN CITY, TAIWAN, R. O. C.)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24505057



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
樣品名稱(Sample Name)	:	NAN YA RELEASE FILM (南亞離型膜)

==========

收件日(Sample Receiving Date)	:	06-May-2024
測試期間(Testing Period)	:	06-May-2024 to 10-May-2024 and 08-Nov-2024 to 12-Feb-2025

測試需求(Test Requested)	:	依據客戶指定，參考REACH之Regulation (EC) No 1907/2006的公告進行以下測試 (As specified by client, the sample(s) was/were tested with reference to Regulation (EC) No 1907/2006 concerning the REACH.) 247項高關注物質候選清單，於2025年01月21日公告 (247 Substances of Very High Concern (SVHC). Candidate list is published on January 21, 2025)
測試結果(Test Results)	:	請參閱下一頁 (Please refer to following pages).
總　　結(Summary)	:	根據歐洲法院對於REACH規範下成品定義的裁決以及指定範圍和分析技術，送測樣品中所選擇的零部件成品的高關注物質(SVHC) 測試結果濃度均 ≤ 0.1%(w/w) (According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope as well as analytical technique, the test results of the selected component article are ≤ 0.1% (w/w) in the submitted sample(s).)

Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

CHECK REPORT
PIN CODE: E26F773A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 透明塑膠膜 (TRANSPARENT PLASTIC FILM)

測試方法(Test Method)

參考RSTS-EE-SVHC-007，以感應耦合電漿發射光譜儀、紫外光-可見光分光光度計、氣相層析儀/質譜儀、液相層析儀/質譜儀、氣相層析儀/火焰光度偵測器、液相層析儀/二極體陣列偵測器、液相層析串聯質譜儀分析。(With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/DAD, LC/MS/MS.)

測試結果 (Test Results) **單位 (Unit): %**

高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/01/21)

物質名稱 (Substance Name)	RL	濃度 (Concentration)	限值 (Limit)
		No.1	
所有高關注物質(SVHC)候選清單測試 (All tested SVHC in candidate list)	-	n.d.	0.1

Remark：

1. 高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/01/21)
   https://echa.europa.eu/web/guest/candidate-list-table
2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定，如果物質合乎第57條款之標準以及可依據第59(1)條之規定鑑別，且同時符合下列兩項狀況，任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報：

   (a) 成品中所含物質每年超過1公噸。
   (b) 依重量百分比計算，物質濃度超過0.1%。

   In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,

   if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商，其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%，應提供成品接受者充份可取得資訊，以確保成品的安全使用(至少包括物質的名稱)。

   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

4. 如果樣品中高關注物質的濃度超過0.1% (w/w)和/或歐盟(EC)No.1272/2008 CLP法規及其修訂中設定的特殊濃度限值，建議客戶根據歐盟REACH法規No.1907/2006對有關高關注物質準備安全資料表(SDS)以符合供應鏈通信的義務，如：
(I) 根據(EC)No.1272/2008 CLP法規被列為有害物質。
(II) 根據(EC)No.1272/2008 CLP法規被列為有害混合物，而當中物質的濃度大於或等於(EC)No.1272/2008 CLP法規列出的濃度限值;或
(III) 根據(EC)No.1272/2008 CLP法規並未列為有害混合物，但包含：
(a) 對人類健康或環境有害的物質，而在固體或液體混合物(即非氣體混合物)中其濃度≥1%(w/w)或在氣體混合物中占體積≥0.2%，或
(b) PBT或vPvB物質，在固體或液體混合物(即非氣體混合物)中個別濃度≥0.1%(w/w)，或
(c) 授權審議的高關注物質候選清單上的物質(除上述以外的原因)在個別非氣體混合物中的濃度≥0.1%(w/w)，或
(d) 設有歐洲範圍內工作場所接觸限值的物質。

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:
(I) a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
(II) mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
(III) a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
(a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
(b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
(c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
(d) a substance for which there are Europe-wide workplace exposure limits

5. 倘若SVHC超出報告極限值，建議客戶確認含有該SVHC的零件，並要求實驗室進一步的定量分析而取得SVHC的確切濃度。
If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. RL = Reporting Limit (報告極限值)
3. n.d. = Not Detected (未檢出)；小於RL (Less than RL)
4. "-" = Not Regulated (無規格值)
5. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1375
(conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1375)
6. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來。(The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

7. ***: 該物質是由單辛基錫、二辛基錫、三丁基錫、二丁基錫、全氟辛酸或各別元素 (例如：砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知。(The substance was calculated by the test results of Monooctyl Tin, Dioctyl Tin, Tributyl Tin, Dibutyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).)

表格 (Table) 1：測試結果如下(The test result is given as): **單位(Unit): %**

物質名稱 / 特定元素 (Substance Name / Specific Element(s))	RL	濃度 (Concentration)
		No.1
三丁基錫 (Tributyl Tin) (TBT)	0.0487	n.d.
砷 (Arsenic) (As) (※ E)	0.005	n.d.
六價鉻 (Hexavalent chromium) (Cr(VI))	0.005	n.d.
硼 (Boron) (B) (※ E)	0.005	n.d.
鈷 (Cobalt) (Co)	0.005	n.d.
二丁基錫 (Dibutyl Tin) (DBT)	0.027	n.d.
鋇 (Barium) (Ba)	0.005	n.d.
二辛基錫 (Dioctyl Tin) (DOT)	0.023	n.d.
單辛基錫 (Monooctyl Tin) (MOT)	0.0138	n.d.
鉛 (Lead) (Pb)	0.005	n.d.
鎘 (Cadmium) (Cd)	0.005	n.d.

8. F參數換算表&分類 (F Parameter Conversion Table & Classification): https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others
9. (※ P): 此化合物之濃度是取六價鉻及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。(Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
10. (※ C): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成，而導致沒有固定分子量，因此以單體鉻酸或重鉻酸較為重要並應被考慮。(Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.)
11. (※ H): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519)。(Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).)
12. (※ S): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

13. (※ T): 由於TGIC本身含有β-TGIC，依照ECHA 技術文件 β-TGIC與 TGIC 約為 1:10 比例，因此β-TGIC將以1/10 的TGIC計算濃度。(TGIC is a mixture and also contains β-TGIC. According to the ECHA's technical dossier the ratio of β-TGIC to TGIC is around 1 to 10. Therefore β-TGIC is issued based on the above-mentioned ratio.)
14. (※ B): 只有在矽與鉛定性結果為陽性時，再以鋇之濃度換算之。(Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.)
15. (※ R): RP-HP無法直接測得且無法自特定元素計算含量，RP-HP之所以被定義於SVHC是因為4-HPbl，因此分析4-HPbl取代RP-HP。(RP-HP can't be identified directly and test result can't be calculated based on specific element(s) or compound. RP-HP is identified as SVHC because of 4-HPbl, therefore 4-HPbl is analysed instead of RP-HP.)
16. (●) : 因為鉛有一很廣泛應用，不太可能判定是否檢驗出的鉛是來自鉛離子，鉛元素或鉛化合物，因此用檢驗出的總鉛來代表鉛。(Since lead has a wide application, it is unlikely to determine if the detected lead comes from the lead ion, lead element or/ and lead compounds. Therefore the detected total lead is used on behalf of lead.)
17. (※ U): 硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉鹽; 硼酸鈉; 硼酸鈉鹽 (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0)，依據其中最大分子量的硼酸鈉鹽 (CAS No.: 13840-56-7)進行計算，其F參數為11.8215。(Boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Orthoboric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 13840-56-7; 14890-53-0). The calculation is based on the largest molecular weight of Orthoboric acid, sodium salt (CAS No.: 13840-56-7). The F Parameter is 11.8215.)
18. (※ D): 此化合物之濃度是取硼及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and lead, lead and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
19. (※ G): 此化合物先定性初篩，當該化合物有訊號，再利用特定元素硫及磷計算化合物濃度。
(The compound is qualitatively screened first. When there is a signal of the compound, specific elements Sulfur and Phosphorus are used to calculate the concentration of compound.)
20. (※ I): 先對特定指標化合物進行初篩，再經評估後，如有特定訊號時，實驗室需加測總氟來計算化合物濃度。
(A specific index compound is qualitatively screened first. After the evaluation, and the specific signal is positive, the total Fluorine is used to calculate the concentration of SVHC compound.)
21. (※ A): 此化合物之濃度是取硼及鋇兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Boron and Barium, Barium and Boron are tested and respectively used for the calculation of the independent concentration of the compound containing Boron and Barium. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
22. (※ E): 被萃取出的溶出硼/砷是以感應耦合電漿發射光譜儀檢測得之。(The extracted soluble Boron / Arsenic are detected by ICP-OES.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

23. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
24. 本測試報告為加測及合併ETR24500805之報告。(This report is added testing and combined with ETR24500805.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

【附錄 (Appendix) 1】
高關注物質(SVHC)候選清單 Candidate List of SVHC (2025/01/21) : **單位 (Unit): %**

No.	物質名稱 (Substance Name)	RL
1.	4,4' - 二氨基二苯甲烷 (4,4'- Diaminodiphenylmethane) (MDA) (CAS No.: 101-77-9)	0.05
2.	二甲苯麝香 (5-tert-butyl-2,4,6-trinitro-m-xylene) (Musk Xylene) (CAS No.: 81-15-2)	0.05
3.	短鏈氯化石蠟 (Alkanes, C10-13, chloro) (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	0.05
4.	蒽 (Anthracene) (CAS No.: 120-12-7)	0.05
5.	鄰苯二甲酸丁苯甲酯 (Benzyl butyl phthalate) (BBP) (CAS No.: 85-68-7)	0.05
6.	氧化雙三丁基錫 (Bis(tributyltin) oxide) (TBTO)*** (CAS No.: 56-35-9)	-
7.	五氧化二砷 (Diarsenic pentaoxide)*** (CAS No.: 1303-28-2)	-
8.	三氧化二砷 (Diarsenic trioxide)*** (CAS No.: 1327-53-3)	-
9.	鄰苯二甲酸二丁酯 (Dibutyl phthalate) (DBP) (CAS No.: 84-74-2)	0.05
10.	六溴環十二烷及所有主要被辨別出的異構物 (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	0.05
11.	砷酸氫鉛 (Lead hydrogen arsenate)*** (CAS No.: 7784-40-9) (※ S)	-
12.	重鉻酸鈉 (Sodium dichromate)*** (CAS No.: 10588-01-9, 7789-12-0) (*)	-
13.	三乙基砷酸酯 (Triethyl arsenate)*** (CAS No.: 15606-95-8)	-
14.	鄰苯二甲酸二 (2-乙基己基)酯 (Bis (2-ethylhexyl)phthalate) (DEHP) (CAS No.: 117-81-7)	0.05
15.	2,4-二硝基甲苯 (2,4-Dinitrotoluene) (CAS No.: 121-14-2)	0.05
16.	蒽油 (Anthracene oil) (CAS No.: 90640-80-5) (**)	0.05
17.	蒽油, 蒽糊 (Anthracene oil, anthracene paste) (CAS No.: 90640-81-6) (**)	0.05
18.	蒽油, 蒽糊, 蒽餾分 (Anthracene oil, anthracene paste, anthracene fraction) (CAS No.: 91995-15-2) (**)	0.05
19.	蒽油, 蒽糊, 輕油 (Anthracene oil, anthracene paste, distn. Lights) (CAS No.: 91995-17-4) (**)	0.05
20.	蒽油, 含蒽量少 (Anthracene oil, anthracene-low) (CAS No.: 90640-82-7) (**)	0.05
21.	鄰苯二甲酸二異丁酯 (Diisobutyl phthalate) (DIBP) (CAS No.: 84-69-5)	0.05
22.	鉻酸鉛 (Lead chromate)*** (CAS No.: 7758-97-6) (※ P)	-
23.	鉬鉻紅；顏色索引: 顏料紅104 (Lead chromate molybdate sulphate red (C.I. Pigment Red 104))*** (CAS No.: 12656-85-8) (※ P)	-
24.	鉻酸鉛；顏色索引: 顏料黃34 (Lead sulfochromate yellow (C.I. Pigment Yellow 34))*** (CAS No.: 1344-37-2) (※ P)	-
25.	煤瀝青, 高溫 (Pitch, coal tar, high-temp.) (CAS No.: 65996-93-2) (**)	0.05
26.	磷酸三(2-氯乙基)酯 (Tris(2-chloroethyl) phosphate) (TCEP) (CAS No.: 115-96-8)	0.05
27.	丙烯醯胺 (Acrylamide) (CAS No.: 79-06-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
28.	重鉻酸銨 (Ammonium dichromate)*** (CAS No.: 7789-09-5)	-
29.	硼酸 (Boric acid)*** (CAS No.: 10043-35-3, 11113-50-1)	-
30.	無水四硼酸二鈉 (Disodium tetraborate, anhydrous)*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	-
31.	鉻酸鉀 (Potassium chromate)*** (CAS No.: 7789-00-6)	-
32.	重鉻酸鉀 (Potassium dichromate)*** (CAS No.: 7778-50-9)	-
33.	鉻酸鈉 (Sodium chromate)*** (CAS No.: 7775-11-3)	-
34.	水合硼酸鈉 (Tetraboron disodium heptaoxide, hydrate) (CAS No.: 12267-73-1) (※ H)	-
35.	三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)	0.05
36.	乙二醇乙醚 (2-Ethoxyethanol) (CAS No.: 110-80-5)	0.05
37.	乙二醇甲醚 (2-Methoxyethanol) (CAS No.: 109-86-4)	0.05
38.	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 (Acids generated from chromium trioxide and their oligomers: Chromic acid)*** (CAS No.: 7738-94-5)	-
	從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 (Acids generated from chromium trioxide and their oligomers: Dichromic acid)*** (CAS No.: 13530-68-2)	-
	從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 (Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid) (※ C)	-
39.	三氧化鉻 (Chromium trioxide)***(CAS No.: 1333-82-0)	-
40.	碳酸鈷(二價) (Cobalt(II) carbonate)*** (CAS No.: 513-79-1)	-
41.	醋酸鈷(二價) (Cobalt(II) diacetate)*** (CAS No.: 71-48-7)	-
42.	硝酸鈷(二價) (Cobalt(II) dinitrate)*** (CAS No.: 10141-05-6)	-
43.	硫酸鈷(二價) (Cobalt(II) sulphate)*** (CAS No.: 10124-43-3)	-
44.	1,2,3-三氯丙烷 (1,2,3-trichloropropane) (CAS No.: 96-18-4)	0.05
45.	鄰苯二甲酸二 (C6-8支鏈)烷基酯，富C7 (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (DIHP) (CAS No.: 71888-89-6)	0.05
46.	鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (DHNUP) (CAS No.: 68515-42-4)	0.05
47.	N-甲基吡咯烷酮 (1-Methyl-2-pyrrolidone) (NMP) (CAS No.: 872-50-4)	0.05
48.	乙二醇乙醚乙酸酯 (2-Ethoxyethyl acetate) (CAS No.: 111-15-9)	0.05
49.	聯氨 (Hydrazine) (CAS No.: 7803-57-8, 302-01-2)	0.05
50.	鉻酸鍶 (Strontium chromate)*** (CAS No.: 7789-06-2)	-
51.	二氯化鈷 (Cobalt dichloride) (CAS No.: 7646-79-9)	0.005
52.	1,2-二氯乙烷 (1,2-Dichloroethane) (CAS No.: 107-06-2)	0.05
53.	4,4'-亞甲雙 (2-氯苯胺) (2,2'-dichloro-4,4'-methylenedianiline) (CAS No.: 101-14-4)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
54.	鄰甲氧基苯胺 (2-Methoxyaniline, o-Anisidine) (CAS No.: 90-04-0)	0.05
55.	對特辛基苯酚 / 辛基酚 (4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 140-66-9)	0.05
56.	矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】)	0.05
57.	砷酸 (Arsenic acid)*** (CAS No.: 7778-39-4)	-
58.	双(2-甲氧基乙基)醚 (Bis(2-methoxyethyl) ether) (CAS No.: 111-96-6)	0.05
59.	鄰苯二甲酸二甲氧基乙酯 (Bis(2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	0.05
60.	砷酸鈣 (Calcium arsenate)*** (CAS No.: 7778-44-1)	-
61.	鉻酸鉻 (Dichromium tris(chromate))*** (CAS No.: 24613-89-6)	-
62.	甲醛與苯胺的寡聚體 (Formaldehyde, oligomeric reaction products with aniline (technical MDA)) (CAS No.: 25214-70-4)	0.05
63.	疊氮化鉛 (Lead diazide, Lead azide)*** (CAS No.: 13424-46-9)	-
64.	苦味酸鉛 (Lead dipicrate)*** (CAS No.: 6477-64-1)	-
65.	中性斯蒂酚酸鉛 (Lead styphnate)*** (CAS No.: 15245-44-0)	-
66.	N,N-二甲基乙醯胺 (N,N-dimethylacetamide) (DMAC) (CAS No.: 127-19-5)	0.05
67.	八氫氧化五鉻酸鋅 (Pentazinc chromate octahydroxide)*** (CAS No.: 49663-84-5)	-
68.	酚酞 (Phenolphthalein) (CAS No.: 77-09-8)	0.05
69.	氫氧化鉻酸鋅鉀 (Potassium hydroxyoctaoxodizincatedichromate)*** (CAS No.: 11103-86-9)	-
70.	砷酸鉛 (Trilead diarsenate)*** (CAS No.: 3687-31-8) (※ S)	-
71.	鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) (Zirconia Aluminosilicate Refractory Ceramic Fibres【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】)	0.05
72.	鹼性藍 26 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 2580-56-5)	0.05
73.	鹼性紫 3 [內含≥ 0.1% 的米氏酮或米氏鹼] ([4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 548-62-9)	0.05
74.	三甘醇二甲醚 (1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)) (CAS No.: 112-49-2)	0.05
75.	乙二醇二甲醚 (1, 2-dimethoxyethane; ethylene glycol dimethyl ether) (EGDME) (CAS No.: 110-71-4)	0.05
76.	異氰尿酸三縮水甘油酯 (1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione) (TGIC) (CAS No.: 2451-62-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
77.	異氰尿酸β-三縮水甘油酯 (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) (β-TGIC) (CAS No.: 59653-74-6) (※ T)	0.05
78.	α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [内含≥ 0.1% 的米氏酮或米氏鹼] (4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol) [with ≥ 0.1% of Michler's ketone or Michler's base] (CAS No.: 561-41-1)	0.05
79.	4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) (4,4'-bis(dimethylamino)benzophenone (Michler’ s ketone)) (CAS No.: 90-94-8)	0.05
80.	三氧化二硼 (Diboron trioxide)*** (CAS No.: 1303-86-2)	-
81.	甲醯胺 (Formamide) (CAS No.: 75-12-7)	0.05
82.	甲基磺酸鉛 (Lead(II) bis(methanesulfonate))*** (CAS No.: 17570-76-2)	-
83.	4,4'-(对二甲氨基)二苯基甲烷 (米氏鹼) (N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)) (CAS No.: 101-61-1)	0.05
84.	溶劑藍 4 [内含≥ 0.1% 的米氏酮或米氏鹼] (α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone or Michler's base]) (CAS No.: 6786-83-0)	0.05
85.	[1,2-苯二羧酸根合]二氧化三鉛 ([Phthalato(2-)]dioxotrilead)*** (CAS No.: 69011-06-9)	-
86.	支鏈和直鏈1,2-苯二羧二戊酯 (1,2-Benzenedicarboxylic acid, dipentylester, branched and linear) (CAS No.: 84777-06-0)	0.05
87.	乙二醇二乙醚 (1,2-Diethoxyethane) (CAS No.: 629-14-1)	0.05
88.	正丙基溴 (1-bromopropane (n-propyl bromide)) (CAS No.: 106-94-5)	0.05
89.	3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 (3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine) (CAS No.: 143860-04-2)	0.05
90.	4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基 [以及所有的被定義的物質，未知成分或可變成分的物質，聚合物和同系物] (4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues])	0.05
91.	4,4'-二氨基-3,3'-二甲基聯苯基甲烷 (4,4'-Methylenedi-o-toluidine) (CAS No.: 838-88-0)	0.05
92.	4,4'-二氨基二苯醚 (4,4'-Oxydianiline and its salts) (CAS No.: 101-80-4)	0.05
93.	4-苯基偶氮基苯胺 (4-Aminoazobenzene) (CAS No.: 60-09-3)	0.05
94.	2,4-二氨基甲苯 (2,4-Diaminotoluene) (CAS No.: 95-80-7)	0.05
95.	分支或線性的壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
96.	3-甲基-6-甲氧基苯胺 (6-methoxy-m-toluidine (p-cresidine)) (CAS No.: 120-71-8)	0.05
97.	堿式醋酸鉛 (Acetic acid, lead salt, basic)*** (CAS No.: 51404-69-4)	-
98.	4-氨基聯苯 (Biphenyl-4-ylamine) (CAS No.: 92-67-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
99.	十溴聯苯醚 (Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)) (CAS No.: 1163-19-5)	0.05
100.	六氫苯二甲酸酐 (Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	0.05
101.	偶氮[二]甲醯胺 (Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (CAS No.: 123-77-3)	0.05
102.	二氯二丁基錫 (Dibutyltin dichloride) (DBTC)*** (CAS No.: 683-18-1)	-
103.	硫酸二乙酯 (Diethyl sulphate) (CAS No.: 64-67-5)	0.05
104.	鄰苯二甲酸二異戊酯 (Diisopentyl phthalate) (CAS No.: 605-50-5)	0.05
105.	硫酸二甲酯 (Dimethyl sulphate) (CAS No.: 77-78-1)	0.05
106.	2-(1-甲基丙基)-4,6-二硝基苯酚 (Dinoseb (6-sec-butyl-2,4-dinitrophenol)) (CAS No.: 88-85-7)	0.05
107.	雙(十八酸基)二氧代三鉛 (Dioxobis(stearato)trilead)*** (CAS No.: 12578-12-0)	-
108.	C16-18-脂肪酸鉛鹽 (Fatty acids, C16-18, lead salts)*** (CAS No.: 91031-62-8)	-
109.	呋喃 (Furan) (CAS No.: 110-00-9)	0.05
110.	全氟十一酸 (Henicosafluoroundecanoic acid) (CAS No.: 2058-94-8)	0.05
111.	全氟十四酸 (Heptacosafluorotetradecanoic acid) (CAS No.: 376-06-7)	0.05
112.	甲基六氫苯酐 (Hexahydromethylphthalic anhydride) (CAS No.: 25550-51-0) 4-甲基六氫苯酐 (Hexahydro-4-methylphthalic anhydride) (CAS No.: 19438-60-9) 3-甲基六氫苯酐 (Hexahydro-3-methylphthalic anhydride) (CAS No.: 57110-29-9) 1-甲基六氫苯酐 (Hexahydro-1-methylphthalic anhydride) (CAS No.: 48122-14-1)	0.05
113.	四氟硼酸鉛 (II) (Lead bis(tetrafluoroborate))*** (CAS No.: 13814-96-5) (※ D)	-
114.	氨基氰鉛鹽 (Lead cyanamidate)*** (CAS No.: 20837-86-9)	-
115.	硝酸鉛 (Lead dinitrate)*** (CAS No.: 10099-74-8)	-
116.	氧化鉛 (Lead monoxide) (lead oxide)*** (CAS No.: 1317-36-8)	-
117.	堿式硫酸鉛 (Lead oxide sulfate)*** (CAS No.: 12036-76-9)	-
118.	鈦酸鉛 (Lead titanium trioxide)*** (CAS No.: 12060-00-3)	-
119.	鈦酸鉛鋯 (Lead Titanium Zirconium Oxide)*** (CAS No.: 12626-81-2)	-
120.	甲氧基乙酸 (Methoxyacetic acid) (CAS No.: 625-45-6)	0.05
121.	環氧丙烷 (Methyloxirane (Propylene oxide)) (CAS No.: 75-56-9)	0.05
122.	N,N-二甲基甲醯胺 (N,N-dimethylformamide; dimethyl formamide) (CAS No.: 68-12-2)	0.05
123.	N-甲基乙醯胺 (N-methylacetamide) (CAS No.: 79-16-3)	0.05
124.	鄰苯二甲酸正戊異戊酯 (n-pentyl-isopentylphthalate) (CAS No.: 776297-69-9)	0.05
125.	鄰氨基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
126.	四氧化鉛 (Orange lead (lead tetroxide))*** (CAS No.: 1314-41-6)	-
127.	鄰甲苯胺 (o-Toluidine) (CAS No.: 95-53-4)	0.05
128.	全氟十三酸 (Pentacosafluorotridecanoic acid) (CAS No.: 72629-94-8)	0.05
129.	氧化鉛與硫酸鉛的複合物 (Pentalead tetraoxide sulphate)*** (CAS No.: 12065-90-6)	-
130.	C.I.顏料黃41 (Pyrochlore, antimony lead yellow)*** (CAS No.: 8012-00-8)	-
131.	含鉛的矽酸鋇 (Silicic acid (H2Si2O5), barium salt (1:1), lead-doped) (※ B) (CAS No.: 68784-75-8)	0.05
132.	矽酸鉛 (Silicic acid, lead salt)*** (CAS No.: 11120-22-2)	-
133.	亞硫酸鉛(II) (Sulfurous acid, lead salt, dibasic)*** (CAS No.: 62229-08-7)	-
134.	四乙基鉛 (Tetraethyllead)*** (CAS No.: 78-00-2)	-
135.	三鹼式硫酸鉛/ C.I. 顏料白 (Tetralead trioxide sulphate)*** (CAS No.: 12202-17-4)	-
136.	全氟十二酸 (Tricosafluorododecanoic acid) (CAS No.: 307-55-1)	0.05
137.	堿式碳酸鉛 (Trilead bis(carbonate) dihydroxide (basic lead carbonate))*** (CAS No.: 1319-46-6)	-
138.	磷酸氧化鉛 (Trilead dioxide phosphonate)*** (CAS No.: 12141-20-7)	-
139.	分支或線性的乙氧化壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 (4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof])	0.05
140.	全氟辛酸銨 (Ammonium pentadecafluorooctanoate) (APFO)*** (CAS No.: 3825-26-1)	-
141.	鎘 (Cadmium) (Cd) (CAS No.: 7440-43-9)	0.005
142.	氧化鎘 (Cadmium oxide)*** (CAS No.: 1306-19-0)	-
143.	鄰苯二甲酸二戊酯 (Dipentyl phthalate) (DPP) (CAS No.: 131-18-0)	0.05
144.	全氟辛酸 (Pentadecafluorooctanoic acid) (PFOA) (CAS No.: 335-67-1)	0.05
145.	硫化鎘 (Cadmium sulphide)*** (CAS No.: 1306-23-6)	-
146.	鄰苯二甲酸二正己酯 (Di-n-hexyl phthalate) (DNHP) (CAS No.: 84-75-3)	0.05
147.	直接紅28 (Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)) (CAS No.: 573-58-0)	0.05
148.	直接黑38 (Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)) (CAS No.: 1937-37-7)	0.05
149.	亞乙基硫脲 (Imidazolidine-2-thione (2-imidazoline-2-thiol)) (CAS No.: 96-45-7)	0.05
150.	醋酸鉛 (Lead di(acetate))*** (CAS No.: 301-04-2)	-
151.	磷酸三(二甲苯)酯 (Trixylyl phosphate) (CAS No.: 25155-23-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
152.	鄰苯二甲酸二己酯(支鏈和直鏈) (1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear) (CAS No.: 68515-50-4)	0.05
153.	氯化鎘 (Cadmium chloride)*** (CAS No.: 10108-64-2)	-
154.	過硼酸鈉 (Sodium perborate; perboric acid, sodium salt)***	-
155.	過氧偏硼酸鈉 (Sodium peroxometaborate)*** (CAS No.: 7632-04-4)	-
156.	2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) (2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol) (UV-328) (CAS No.: 25973-55-1)	0.05
157.	2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) (2-benzotriazol-2-yl-4,6-di-tert-butylphenol) (UV-320) (CAS No.: 3846-71-7)	0.05
158.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫 (2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE))*** (CAS No.: 15571-58-1)	-
159.	氟化鎘 (Cadmium fluoride)*** (CAS No.: 7790-79-6)	-
160.	硫酸鎘 (Cadmium sulphate)*** (CAS No.: 10124-36-4, 31119-53-6)	-
161.	二正辛基-雙(2-乙基己基巰基乙酸酯)錫和單辛基-三(2-乙基己基巰基乙酸酯)錫的反應物 (Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE))***	-
162.	鄰苯二甲酸二(C6-10)烷基酯; 鄰苯二甲酸二己、二辛、二癸酯混合物;鄰苯二甲酸二己酯 ≧ 0.3% (1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≧ 0.3% of dihexyl phthalate) (CAS No.: 68515-51-5, 68648-93-1)	0.05
163.	5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[1],5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷[2],[任何[1]和[2]或者其任意組合的單獨異構物或其任何組合] (5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof])	0.05
164.	1,3-丙烷磺內酯 (1,3-propanesultone) (CAS No.: 1120-71-4)	0.05
165.	2,4-二-叔丁基-6-(5-氯-2H-苯并三唑-2-基)苯酚(紫外線吸收劑327) (2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol) (UV-327) (CAS No.: 3864-99-1)	0.05
166.	2-(3-仲-丁基-5-叔丁基-2-羟苯基)苯并三唑(紫外線吸收劑 UV-350) (2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol) (UV-350) (CAS No.: 36437-37-3)	0.05
167.	硝基苯 (Nitrobenzene) (CAS No.: 98-95-3)	0.05
168.	全氟壬酸 (Perfluorononan-1-oic-acid and its sodium and ammonium salts) (CAS No.: 375-95-1, 21049-39-8, 4149-60-4)	0.05
169.	苯并(a)芘 (Benzo[def]chrysene (Benzo[a]pyrene)) (CAS No.: 50-32-8)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
170.	雙酚A (4,4'-isopropylidenediphenol) (Bisphenol A) (CAS No.: 80-05-7)	0.05
171.	4-庚基苯酚，支鍊及直鍊 (4-HPbl)，包括含有7個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支7個碳烷基鏈的UVCB物質 (4-Heptylphenol, branched and linear (4-HPbl) [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof])	0.05
172.	十九氟癸酸及其鈉和銨鹽 (Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts) (CAS No.: 3108-42-7, 335-76-2, 3830-45-3)	0.05
173.	對(1,1-二甲基丙基)苯酚 (p-(1,1-dimethylpropyl)phenol) (CAS No.: 80-46-6)	0.05
174.	全氟己基磺酸及其鹽類 (Perfluorohexane-1-sulphonic acid and its salts) (PFHxS) (CAS No.: 355-46-4)	0.05
175.	德克隆(涵蓋各個反式及順式同分易構物或者相關組合) (1,6,7,8,9,14,15,16,17, 17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof])	0.05
176.	苯並[a]蒽 (Benz[a]anthracene) (CAS No.: 56-55-3)	0.05
177.	硝酸鎘 (Cadmium nitrate)*** (CAS No.: 10325-94-7)	-
178.	碳酸鎘 (Cadmium carbonate)*** (CAS No.: 513-78-0)	-
179.	氫氧化鎘 (Cadmium hydroxide)*** (CAS No.: 21041-95-2)	-
180.	苯並[a]菲 (Chrysene) (CAS No.: 218-01-9)	0.05
181.	1,3,4-噻唑烷-2,5-二硫酮，甲醛及4-庚基苯酚支鏈及直鏈反應物, (RP-HP) [含≥0.1% w/w 支鏈及直鏈4-庚基苯酚] (Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]) (※ R)	-
182.	鄰苯二甲酸二環己酯 (Dicyclohexyl phthalate) (DCHP) (CAS No.: 84-61-7)	0.05
183.	1,2,4-苯三甲酸酐 (Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride; TMA)) (CAS No.: 552-30-7)	0.05
184.	苯並(G,H,I)苝 (Benzo[ghi]perylene) (CAS No.: 191-24-2)	0.05
185.	八甲基環四矽氧烷 (Octamethylcyclotetrasiloxane) (D4) (CAS No.: 556-67-2)	0.05
186.	十甲基環五矽氧烷 (Decamethylcyclopentasiloxane) (D5) (CAS No.: 541-02-6)	0.05
187.	十二甲基環六矽氧烷 (Dodecamethylcyclohexasiloxane) (D6) (CAS No.: 540-97-6)	0.05
188.	氧化硼鈉 (Disodium octaborate)*** (CAS No.: 12008-41-2)	-
189.	乙二胺 (Ethylenediamine) (CAS No.: 107-15-3)	0.05
190.	鉛 (Lead) (Pb) (CAS No.: 7439-92-1) (●)	0.005
191.	氫化三聯苯 (Terphenyl, hydrogenated) (CAS No.: 61788-32-7)	0.05
192.	2,2-雙(4-羥基苯基)-4-甲基戊烷 (2,2-bis(4'-hydroxyphenyl)-4-methylpentane) (CAS No.: 6807-17-6)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
193.	苯駢(k)螢蒽 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	0.05
194.	苯駢芘 (Fluoranthene) (CAS No.: 206-44-0)	0.05
195.	菲 (Phenanthrene) (CAS No.: 85-01-8)	0.05
196.	芘 (Pyrene) (CAS No.: 129-00-0)	0.05
197.	1,7,7-三甲基-3-(苯亞甲基)雙環[2,2,1]庚-2-酮 (1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)) (CAS No.: 15087-24-8)	0.05
198.	2,3,3,3-四氟-2-(七氟丙氧基)丙酸，鹽類，及其醯鹵(涵蓋他們其個別和組合之同分異構物) (2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof))	0.05
199.	2-甲烷氧基乙基乙酯 (2-methoxyethyl acetate) (CAS No.: 110-49-6)	0.05
200.	4-叔丁基苯酚 (4-tert-butylphenol) (CAS No.: 98-54-4)	0.05
201.	三(4-壬苯基,支鏈及直鏈)亞磷酸酯 (Tris(4-nonylphenyl, branched and linear) phosphite (TNPP))	0.05
202.	二異己基鄰苯二甲酸酯 (Diisohexyl phthalate) (CAS No.: 71850-09-4)	0.05
203.	2-苄基-2-二甲基氨基-1-(4-嗎啉苯基)丁酮 (2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone) (CAS No.: 119313-12-1)	0.05
204.	2-甲基-1-(4-甲硫基苯基)-2-嗎啡基-1-丙酮 (2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one) (CAS No.: 71868-10-5)	0.05
205.	全氟丁磺酸及其相關鹽類 (Perfluorobutane sulfonic acid (PFBS) and its salts)	0.05
206.	1-乙烯基咪唑 (1-vinylimidazole) (CAS No.: 1072-63-5)	0.05
207.	2-甲基咪唑 (2-methylimidazole) (CAS No.: 693-98-1)	0.05
208.	4-羥基苯甲酸丁酯 (Butyl 4-hydroxybenzoate) (CAS No.: 94-26-8)	0.05
209.	二正丁基雙(乙醯丙酮基)錫 (Dibutylbis(pentane-2,4-dionato-O,O')tin)*** (CAS No.: 22673-19-4)	-
210.	雙(2-(2-甲氧基乙氧基)乙基)醚 (Bis(2-(2-methoxyethoxy)ethyl) ether) (CAS No.: 143-24-8)	0.05
211.	二月桂酸二辛基錫，錫烷，二辛基-，雙(椰油醯氧基)衍生物，以及任何其他錫烷，二辛基-，雙(脂肪醯氧基)衍生物。其中C12為脂肪醯氧基部分的主要碳原子數 (Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety)***	-
212.	1,4-二氧陸圜 (1,4-dioxane) (CAS No.: 123-91-1)	0.05
213.	2,2-雙(溴甲基)-1,3-丙二醇 (2,2-bis(bromomethyl)propane1,3-diol) (BMP) (CAS No.: 3296-90-0)	0.05
	3-溴-2,2-雙(溴甲基)-1-丙醇 (2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol) (TBNPA) (CAS No.: 36483-57-5, 1522-92-5)	0.05
	2,3-二溴-1-丙醇 (2,3-dibromo-1-propanol) (2,3-DBPA) (CAS No.: 96-13-9)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
214.	2-(4-叔丁基苄基)丙醛及其個別立體異構物 ((2R)-3-(4-叔丁基苯基)-2-甲基丙醛; 2-(4-叔丁基苄基)丙醛; (2S)-3-(4-叔丁基苯基)-2-甲基丙醛) (2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers ((2R)-3-(4-tert-butylphenyl)-2-methylpropanal; 2-(4-tert-butylbenzyl)propionaldehyde; (2S)-3-(4-tert-butylphenyl)-2-methylpropanal)) (CAS No.: 75166-31-3; 80-54-6; 75166-30-2)	0.05
215.	雙酚B (4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)) (CAS No.: 77-40-7)	0.05
216.	戊二醛 (Glutaral) (CAS No.: 111-30-8)	0.05
217.	中鏈氯化石蠟 (C14-16); 中鏈氯化石蠟 (C14-17); 二、三及四氯十四烷; 十四烷氯衍生物 (Alkanes, C14-16, chloro; Alkanes, C14-17, chloro; di-, tri- and tetrachlorotetradecane; Tetradecane, chloro derivs.) (CAS No.: 1372804-76-6; 85535-85-9; 198840-65-2)	0.05
218.	硼酸鈉鹽 (Orthoboric acid, sodium salt)*** (CAS No.: 13840-56-7)，硼酸鈉鹽及其水合物; 硼酸二鈉鹽; 硼酸三鈉; 硼酸鈉; 硼酸鈉鹽 (1:1) (boric acid (H3BO3), sodium salt, hydrate; Boric acid (H3BO3), disodium salt; Trisodium orthoborate; Boric acid, sodium salt; Boric acid (H3BO3), sodium salt (1:1)) (CAS No.: 25747-83-5; 22454-04-2; 14312-40-4; 1333-73-9; 14890-53-0) (※ U)	-
219.	經由低聚合反應烷基化的苯酚產物(主要在對位位置)帶有12個碳的支鏈或直鏈，並涵蓋各種同分異構物及/或其各種組合 (支鏈 4-十二烷基苯酚; 4-異十二烷基苯酚; 4-異十二烷基苯酚; 支鏈十二烷基苯酚; 四丙烯基苯酚衍生物; 四丙烯苯酚) (Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (Phenol, 4-dodecyl, branched; 4-isododecylphenol; Phenol, 4-isododecyl-; Phenol, dodecyl-, branched; Phenol, (tetrapropenyl) derivatives; Phenol, tetrapropylene-)) (CAS No.: 210555-94-5; 27459-10-5; 27147-75-7; 121158-58-5; 74499-35-7; 57427-55-1)	0.05
220.	(±)-1,7,7-三甲基-3-[(4-甲基苯基)亞甲基]二環[2.2.1]庚烷-2-酮，包括各個異構體和/或其組合 ((±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof) (4-MBC)	0.05
221.	6,6'雙二叔丁基-2,2'-亞甲基雙對甲酚 (6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol) (DBMC) (CAS No.: 119-47-1)	0.05
222.	硫-(三環[5.2.1.0'2,6]癸-3-烯-8(或9)-基) 氧-(異丙基或異丁基或2-乙基己基) 氧-(異丙基或異丁基或2-乙基己基)二硫代磷酸酯 (S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate) (CAS No.: 255881-94-8) (※ G)	0.05
223.	三(2-甲氧基乙氧基)乙烯基矽烷 (Tris(2-methoxyethoxy)vinylsilane) (CAS No.: 1067-53-4)	0.05
224.	N-羥甲基丙烯醯胺 (N-(hydroxymethyl)acrylamide) (CAS No.: 924-42-5)	0.05
225.	1,2-雙(2,4,6-三溴苯氧基)乙烷 (1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]) (CAS No.: 37853-59-1)	0.05
226.	四溴雙酚A (2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol) (CAS No.: 79-94-7)	0.05
227.	雙酚S (4,4'-sulphonyldiphenol) (CAS No.: 80-09-1)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

No.	物質名稱 (Substance Name)	RL
228.	偏硼酸鋇 (Barium diboron tetraoxide)*** (CAS No.: 13701-59-2) (※ A)	-
229.	雙(2-乙基己基)四溴鄰苯二甲酸酯，覆蓋任何單個異構體和/或其組合 (Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof)	0.05
230.	4-羥基苯甲酸 2-甲基丙酯 (Isobutyl 4-hydroxybenzoate) (CAS No.: 4247-02-3)	0.05
231.	三聚氰胺 (Melamine) (CAS No.: 108-78-1)	0.05
232.	全氟庚酸及其鹽類 (Perfluoroheptanoic acid and its salts)	0.05
233.	2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)嗎啉和2,2,3,3,5,5,6,6-八氟烷-4-(七氟丙基)嗎啉的反應物料 (reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine) (※ I)	0.05
234.	4,4'-二氯二苯基碸 (Bis(4-chlorophenyl) sulphone) (CAS No.: 80-07-9)	0.05
235.	(2,4,6-三甲基苯甲醯基)二苯基氧化磷 (Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) (CAS No.: 75980-60-8)	0.05
236.	2,4,6-三叔丁基苯酚 (2,4,6-tri-tert-butylphenol) (CAS No.: 732-26-3)	0.05
237.	2-(2H-苯並三唑-2-基)-4-(1,1,3,3-四甲基丁基)苯酚 (紫外線吸收劑329) (2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) (CAS No.: 3147-75-9)	0.05
238.	2-二甲氨基-2-(4-甲基)苄基-1-[4-(4-嗎啉基)苯基]-1-丁酮 (2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one) (CAS No.: 119344-86-4)	0.05
239.	2-(5-氯-2-苯三唑基)-6-叔丁基-4-甲基苯酚 (紫外線吸收劑326) (Bumetrizole) (CAS No.: 3896-11-5)	0.05
240.	2-苯基丙烯與苯酚的低聚合烷基化反應物 (Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol)	0.05
241.	過氧化二異丙苯 (Bis(α,α-dimethylbenzyl) peroxide) (CAS No.: 80-43-3)	0.05
242.	磷酸三苯酯 (Triphenyl phosphate) (CAS No.: 115-86-6)	0.05
243.	6-[(C10-C13)-烷基-(支鏈，不飽和)-2,5-二氧代吡咯烷-1-基]己酸 (6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid) (CAS No.: 2156592-54-8)	0.05
244.	硫代磷酸(O,O,O-三苯基)酯 (O,O,O-triphenyl phosphorothioate) (CAS No.: 597-82-0)	0.05
245.	八甲基三矽氧烷 (Octamethyltrisiloxane) (CAS No.: 107-51-7)	0.05
246.	全氟三丙胺 (Perfluamine) (CAS No.: 338-83-0)	0.05
247.	三苯基硫代磷酸與叔丁基苯衍生物的反應物 (Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives) (CAS No.: 192268-65-8)	0.05

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

SVHC 分析流程圖 (Analytical flow chart of SVHC)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

南亞塑膠工業股份有限公司-聚酯膜事業部離型膜廠 (NAN YA PLASTICS CORPORATION POLYESTER FILM DIV. RELEASE FILM PLANT)
新北市樹林區味王街55號 (55, WEI WANG ST., SHULIN DIST., NEW TAIPEI CITY, TAIWAN)

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24500805



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.